



LIBRARY OF



1885_1956









T/iE

ANIMAL KINCDOM

ARRANGED ACCORDING TO ITS ORCANIZATION Foundation for the

MATURAL HISTORY OF ANIMALS.

and an

Introduction to comparative Inatomy

COBARON CUALER,

Great Officer of the Legan y. I wast and Council of Sublic Sailtrational way to Bla file Beach sectioning Secretary to the landering of Sources des to the the sent was a light land to London Merlen Seter Sound Bearing on Sold land and good and South news varia, Modera the Netherlands States " & file to me. to my the

MALT ALCAKES DESIGNED TAGES NATAKE

Crustacca, Arachnides & Insecta. 11 /2/1/c/1/c

Cheecher of the Logica of Moneyr, Member of the Astrictic Mogal Secoles, and Seconds on friegrouter furtion of Alex Carned Greaters in Energy, Smirest As

Translated from the latest French Edition.

ADDITIONAL NOTES.

Mustrated by nearly 500 Additional Mutes

TH FOUR APPRICARS.

YOL IV

INSECTA-ZOOPHYTES

LOYDOY

6 Menderson 2 Old Budey - Adjute Hill

AND SOLD BY ALL BOOK STEERS



TABLE OF CONTENTS TO PLATES.

VOLUME IV.

INSECTA-ZOOPHYTES.

INSECTA.

- Place I. Fig. 1.—Intestinal canal of Aphrophora spumaria, Suckow. A.—Œsophagus. D .- Crop. D, D .- Divisions of the ventriculus. E.—Ilium. H.—Colon. K, K.—Biliary vessels.
 - Fig. 2.—Intestinal canal of the magget of Musca carnaria, Suckow, marked the same as above. N, N, are the salivary vessels with their simple outlets, O.

Fig. 3.—a. A portion of the biliary vessels much magnified.

- Fig. 3.—Intestinal canal of the perfect fly marked as before.
 Fig. 4.—Intestinc of the caterpillar of Gastropacha Pini, Suckow, marked similarly. F, is the clavate gut. O, O, are the spinning vessels.
- Fig. 5 .- Intestinal canal of PONTIA BRASSICE, Herold. C .- The sucking stomach. G .- The cocum, &c. marked as before.
- Fig. 6 .- Proventiculus of the DYTISCUS MARGINALIS.
- Plate 2. Fig. 1 .- Intestinal canal of the larva of CALOSOMA SYCOPHANTA, marked as before. H .- The internal longitudinally folded colon to which the last segment of the larva is still attached.
 - Fig. 2.-Intestinal canal of the perfect beetle, Suckow. D .- Ventriculus. D* .- A portion covered with glands.
 - Fig. 3.—Intestinal canal of the larva of Dytiscus MARGINALIS, marked the
 - Fig. 4.-Intestinal canal of the perfect beetle, similarly marked.
- Plate 3. Fig. 1.—Single salivary vessel of NEPIS CINEREA, Ramd. a.—Duct. b. -Glands. c.-Glandular vessel.
 - Fig. 2.—Second salivary vessel of NEPA CINEREA, Ramd. a, b.—Double duct of the auxiliary gland. d .- Auxiliary gland. e, e .- Chief gland.
 - Fig. 3.-Salivary vessel of BLAPS, Leon, Duf.
 - Fig. 4 .- Auxiliary gland of TABANUS, Ramd. b .- Duct.
 - Fig. 5.—Auxiliary gland of Cicada, Leon, Duf. a, a, a, a.—Glandular bags. b, b.—Ducts. c, c.—Glandular vessels.
 Fig. 6.—Ventral salivary glands of Leptis, Rand. a, a.—The two
 - glandular bags. b .- Esophagus. c .- Outlet of the sucking stomach. d.—Commencement of the Ventriculus.
 - Fig. 7 .- Ventral salivary glands of Bombylius, marked the same.

 - Fig. 8.—Ventral salivary glands of Chrysotoxum, Ramd., the same. Fig. 8*.—Lateral view of the heart of Melolontha vulgaris. a, a,— Orifices of the heart, 1-9.-Ventriculi. B .- End of the heart. C .- Aorta.
 - Fig. 9.—Commencement of the heart, with the muscular wings of Melolontha vulgaris. a, a.—Muscular wings. b, b,— Orifices in them, in front of each aperture of the heart.
 - Fig. 10.—Spiracle of the abdomen of Dytiscus MARGINALIS.
 - Fig. 11.—Portion of a trachea. a, a.—External tunic. b, b.—Spiral filament which forms the second tunic. c, c .- Third, or mucous tunic.
 - Fig. 12 .- A portion of the tunic of the air-bag of Musca vomitoria. magnified.

- Plate 4. Fig. 1 .- Spiracle of Orycres Nasicornis, seen from the front. a. a .-The projecting margin. b, b .- Horny plates, which form its lips.
 - Fig. 2.—The same, seen from the side. a.—Projecting margin. b, b.— The separated integument in the vicinity of the spiracle. c, c. -Posterior projecting margin of the spiracle. d, d, -The two horny triangles, which lie on one side of the main stem of the trachea, which join at *, and are moved by the broad muscle,
 - e. f, f, f.—Branches of the traches.
 Fig. 3.—The same, from beneath. σ, α.—External projecting margin. b, b .- Separated integument. c .- Spot where the apex of the lower triangle articulates with the margin of the spiracle that projects inwardly. d .- The lower borny triangle. f, f, f.-Stems of the tracher.
 - Fig. 4. Spiracle of the larva of CETONIA ALBATA. a, a .- The external darkly-coloured margin, which is decorated with paler elliptical spots. b, b .- The central paler horny plate. c .- Margin of the true aperture. d, d .- Branches of trachew.
 - Fig. 5.-Last abdominal segment, with the ovipositor A, of Sirex Juven-
 - cvs. B, B.—Lateral margins of the last largest segment. Fig. 6.—Apex of the abdomen, from the side. The ovipositor, b, projects from the two valves, a.
 - Fig. 7 .- Apex of the ovipositor, seen from above. c.- The divided dentate apex of the sheath. d, d .- The two dentate setse within the sheath.
 - Fig. 8.—The ovipositor, from the side. c.—The upper channel. d.—The single lower seta.
 - Fig. 9.- From beneath. c, c.-Sheath. d, d.-Setw.
 - Fig. 10 .- One seta, to exhibit the shape of the teeth upon it.
 - Fig. 11.—Transverse section of the ovipositor. a, a.—The external valves. c.-The sheath. d, d.-The setæ. e.-Central free channel.
 - Fig. 12.-Apex of the ovipositor. a.-The upper channel, b.-The fine seta.
 - Fig. 13.-Section of the mere ovipositor. a.-Channel, b.-Seta. c.
 - -Canal. Fig. 14.—Section of the ovipositor, with the valves. a.—Channel. b.— Seta. c, c.-Valves. e.-Canal.
 - Fig. 15 .- Last bent segment of an ovipositor of CYNIPS QUERCIFOLIA, with the two hairy processes originating from the internal surface.
 - Fig. 16.-The ovipositor. a, a.-Valves. b, b.-External channel of the setæ. c .- Central finer seta.
 - Fig. 17.-The external. b, b, and the central seta. c, alone.
 - Fig. 18.—Section. a, a.—Valves. b, b.—External setw. c.—Central one.
 - Plate 5. Fig. 1 .- United testes of Pontia brassica.
 - Fig. 2.—Testes of Libellu La, Suckow.

 - Fig. 3.—Testes of Aphrophora spenaral.
 Fig. 1.—Testes of Tripela crocata, Suckow.

 - Fig. 5 .- Testes of RANATRA LINEARIS. Fig. 6 .- Half of the poison vessel of APIS MELLIFICA.
 - Fig. 7.—Testes of DYTISCUS MARGINALIS. a.—Large knob. b.—Small knob of the duct.
 - Fig. 7. b .- Testes of SILPHA OBSCIRA, L. Duf.
 - Fig. 8 .- Testes of Hydrophilis picers, Sackow.
 - Fig. 9.—Testes of Tichhodes, Suckow.
 - Fig. 10.—Testes of Locusta VIRIDISSIMA.
 - Fig. 11.—Testes of STATHYLINUS, L. Dui.

	INSECTA.
Plate 5.	Fig. 12.—Testes and duct of Musca Deviens, Suckow.
	Fig. 13.—Testes and duct of Semblis BICAUDATA, Suckow.
	Fig. 14.—Testes and duct of APATE, L. Duf.
	Fig. 15.—Testes and duct of ŒDEMERA, L. Duf.
	Fig. 16.—Testes and duct of PIMELIA, L. Duf.
	Fig. 17 Testes and duct of LYTTA VESICATORIA, Brandt. a Testes.
	b.—First gum-vessel. b, b.—Second ditto. a*.—Bag-shaped
	distension at the connecting point of the duct.
	Fig. 18.—Testes of Lamia Edilis.
	Fig. 19.—Testes of PRIONUS, L. Duf.
	Fig. 20.—Testes of Cicada, L. Duf.

Fig. 20.—Testes of Cicada, L. Duf. Vol. III. Page Plate 6. Fig. 1.—Therates basilis, D'Urv. Fig. 2.—Anatomical details of Megacephala Carolina, Latr. 366 Fig. 3.—Tycondyla aptera, Latr. 367 Fig. 4.—Ctenostoma ignechosem, Dej. 368 Fig. 5.—Colliuis modera, Dej. 368 Fig. 6.—Manticora maxiliosa, Latr. 365 Fig. 7.—Cicindela teruipes, Guer. 366 Plate 7. Fig. 1.—Mouth of Anthia decas-cuttata, Latr. 370 Fig. 2.—Graphipterus multi-guttatus, Latr. 370 Fig. 3.—Casnonia senegalensis, St. Farq. aud Serv. 373 Fig. 4.—Brachinus Jurinei, Dej. 372 Fig. 5.—Trichogratius maginatus, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuphium olens, Latr. 373 Fig. 8.—Helluo costatus, Latr. 374 Fig. 9.—Dripta reficollis, Dej. 374 Fig. 10.—Agra splendida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 787 Plate 8. Fig. 1.—Panageus quadrimaculatus, Cuv. 578 Fig. 3.—Elatre bicruciatus, Cuv. 579 Fig. 3.—Elatre bicruciatus, Cuv. 579 Fig. 3.—Elatre bicruciatus, Cuv. 579 Fig. 4.—Ontris supplavatus, Peron and Les. (male) Fig. 5.—Ceronia bicornis, female Fig. 6.—Helluo costatus, Bonn. Vol. III. 374 Fig. 6.—Helluo costatus, Bonn. Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. III. Plate 9. Fig. 1.—Goliath barbicornis, MacLeav. male (The Horned Goliath) 31
Plate 6. Fig. 1.—Therates basilis, D'Urv. Fig. 2.—Anatomical details of Megacephala carolina, Latr. 368 Fig. 3.—Trycondyla aptera, Latr. Fig. 3.—Ctenostoma deinechonelus, Dej. 368 Fig. 5.—Colliuris modesta, Dej. 368 Fig. 6.—Manticora maniliosa, Latr. 365 Fig. 7.—Ctennelat ternuifes, Guer. 366 Fig. 8.—Head of Onycheila tristis, Dej. Plate 7. Fig. 1.—Mouth of Anthia decas-guttata, Latr. 370 Fig. 2.—Graphifterus multi-guttatus, Latr. 371 Fig. 3.—Cannolin serecalensis, St. Farq. and Serv. 372 Fig. 3.—Cannolin serecalensis, St. Farq. and Serv. 373 Fig. 4.—Brachinus Jurinel, Dej. 372 Fig. 5.—Trelhoganthus Marginatus, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuthum olens, Latr. 375 Fig. 8.—Helluo costratus, Latr. 374 Fig. 9.—Drifta refeodlis, Dej. Fig. 10.—Agas selerbida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv. Fig. 3.—Eather bicreciatus, Cuv. 428 Fig. 3.—Eather bicreciatus, Cuv. 429 Fig. 3.—Eather bicreciatus, Cuv. 429 Fig. 3.—Eather bicreciatus, Cuv. 429 Fig. 3.—Eather bicreciatus, Guer. 320 Fig. 3.—Cetonia bicornis, female Fig. 5.—Cetonia bicornis, female Fig. 6.—Helliu costatus, Bonn. Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 2.—Anatomical details of Megacephala Carolina, Latr. 368 Fig. 3.—Trycondyla aptera, Latr. 369 Fig. 4.—Ctenostoma Ignneumoreum, Dej. 368 Fig. 5.—Colliuris modesta, Dej. 368 Fig. 5.—Colliuris modesta, Dej. 368 Fig. 6.—Manticora maniliosa, Latr. 366 Fig. 7.—Cicindela tenuipes, Guer. 366 Fig. 7.—Cicindela tenuipes, Guer. 366 Fig. 8.—Head of Oxychella tristis, Dej. 366 Plate 7. Fig. 1.—Mouth of Anthia decas-guttata, Latr. 370 Fig. 2.—Graphipterus multi-guttatus, Latr. 370 Fig. 3.—Casnonia senegalensis, St. Farq. aud Serv. 373 Fig. 4.—Brachinus Jurinei, Dej. 372 Fig. 5.—Trichognathus marginatus, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuphium olens, Latr. 373 Fig. 8.—Helluo costatus, Latr. 374 Fig. 9.—Dripta reficollis, Dej. 374 Fig. 10.—Agra spleenblda, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv. 397 Fig. 2.—Panborus alternans, Latr. 399 Fig. 3.—Elatre bicreuciatus, Cuv. 428 Fig. 4.—Onitis subflavus, Peron and Les. (male) Vol. IV. 8 Fig. 4.—Onitis subflavus, Peron and Les. (male) Vol. IV. 8 Fig. 5.—Cetonia bicornis, female Fig. 5.—Cetonia bicornis, female
Fig. 3.—Thycondula aptera, Lair. Fig. 4.—Ctensortoma ichnecmonerum, Dej. Fig. 5.—Colliuris modesta, Dej. Fig. 5.—Colliuris modesta, Dej. Fig. 5.—Manticora maniliosa, Lair. Fig. 7.—Cicindela terbuipes, Guer. 365 Fig. 8.—Head of Onycheila tristis, Dej. Plate 7. Fig. 1.—Mouth of Anthia decas-guttata, Lair. Fig. 2.—Graphiferus multi-guttatus, Lair. 70 Fig. 3.—Cannon senegalensis, St. Farq. and Serv. 71 Fig. 3.—Cannon senegalensis, St. Farq. and Serv. 72 Fig. 4.—Brachinus Jurinei, Dej. 73 Fig. 5.—Trichognathus marginatus, Lair. 73 Fig. 6.—Mouth and Taisus of Galerita Americana, Lair. 73 Fig. 7.—Head and Corslet of Zuthium olens, Lair. 73 Fig. 8.—Helluo costatus, Lair. 73 Fig. 9.—Drift arffoldis, Dej. 73 Fig. 10.—Agas splendida, Lair. 73 Fig. 11.—Lebia flavomaculata, Guer. 73 Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv. 73 Fig. 2.—Panborus alternans, Lair. 739 Fig. 3.—Elatre bicruciatus, Cuv. 74 Fig. 3.—Elatre bicruciatus, Cuv. 75 Fig. 4.—Onitis sufflavus, Peron and Les. (male) Fig. 5.—Cetonia bicornis, female Fig. 5.—Cetonia bicornis, female Fig. 6.—Helliuo costatus, Bonn. Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 5.—Collius Modesta, Dej. Fig. 6.—Manticora Maxillosa, Latr. Fig. 7.—Cicindela tenuipes, Guer. Fig. 7.—Cicindela tenuipes, Guer. Fig. 8.—Head of Onychebla tristis, Dej. Plate 7. Fig. 1.—Mouth of Anthia decas-cuttata, Latr. Fig. 2.—Graphipterus multi-guttatus, Latr. 7370 Fig. 3.—Casnonia senegalensis, St. Farq. and Serv. 7372 Fig. 3.—Casnonia senegalensis, St. Farq. and Serv. 7373 Fig. 4.—Brachinus Jurinei, Dej. 7372 Fig. 5.—Trenognathen Marginatus, Latr. 7375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 7375 7376 738 749 759 789 799 790 791 791 791 792 793 794 795 795 796 796 797 794 797 794 798 798 799 798 799 798 799 798 799 798 799 790
Fig. 6.—MANTICORA MARILIOSA, Latr. 365 Fig. 7.—CICINDELA TERUIPES, Guer. 366 Fig. 8.—Head of Oxychella Tristis, Dej. 366 Plate 7. Fig. 1.—Mouth of Anthia decas-guttata, Latr. 370 Fig. 2.—Graphifterus multi-guttatus, Latr. 370 Fig. 3.—CASNONIA SERGLALENIS, St. Farq. and Serv. 373 Fig. 4.—Brachinus Jurinei, Dej. 372 Fig. 5.—Trichognathus marginatus, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuphium olens, Latr. 373 Fig. 8.—Helluo costatus, Dej. 374 Fig. 9.—Dripta refecollis, Dej. 374 Fig. 10.—Agra splendida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv. 397 Fig. 3.—Ellater biglocalis, Latr. 399 Fig. 3.—Ellater biglocalistis, Peron and Les. (male) Fig. 4.—Onitis sueplanus, Fernal Les. (male) Fig. 5.—Cetonia bigornis, female Fig. 6.—Helliuo costatus, Bonn. Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 7.—CICINDELA TENUIPES, GUER
Fig. 8.—Head of Onychella Tristis, Dej. 366 Plate 7. Fig. 1.—Mouth of Anthia decas-guttata, Latr. 370 Fig. 2.—Graphifterus mutit-guttatus, Latr. 370 Fig. 3.—Casnonia serbegalensis, St. Farq. and Serv. 373 Fig. 4.—Brachinus Jurinei, Dej. 372 Fig. 5.—Treinognathus Marginaty, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuphilm otens, Latr. 373 Fig. 8.—Helluo costatus, Latr. 373 Fig. 9.—Dripta refeollis, Dej. 374 Fig. 10.—Agra splenbida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv. 397 Fig. 2.—Pamborus alternans, Latr. 399 Fig. 3.—Ellatre bicruciatus, Cuv. 428 Fig. 4.—Onitis sufflavus, Peron and Les. (male) Fig. 5.—Cetonia bicornis, female Fig. 6.—Helliuo costatus, Bonn. Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Plate 7. Fig. 1.—Mouth of Anthia decas-guttata, Latr
Fig. 2.—Graphifterus multi-guttatus, Latr. 370 Fig. 3.—Casnonia senegalensis, St. Farq. and Serv. 373 Fig. 4.—Brachinus Jurinei, Dej. 372 Fig. 5.—Trichognathus marginatus, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuphium olens, Latr. 373 Fig. 8.—Helluo costatus, Latr. 374 Fig. 9.—Dipita refelolis, Dej. 374 Fig. 9.—Dipita refelolis, Dej. 376 Fig. 10.—Agra splendida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panageus quadrimaculatus, Cuv. 397 Fig. 2.—Pamborus alternans, Latr. 399 Fig. 3.—Elater bicruciatus, Cuv. 428 Fig. 4.—Onitis supelavus, Peron and Les. (male) 579 Fig. 5.—Ceronia bicornis, female 799 Fig. 5.—Ceronia bicornis, female 799 Fig. 6.—Helluo costatus, Bonn. 791 Fig. 7.—Lamia venosa, M. Cattoire 790 Vol. IV. 115
Fig. 2.—Graphifterus multi-guttatus, Latr. 370 Fig. 3.—Casnonia senegalensis, St. Farq. and Serv. 373 Fig. 4.—Brachinus Jurinei, Dej. 372 Fig. 5.—Trichognathus marginatus, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuphium olens, Latr. 373 Fig. 8.—Helluo costatus, Latr. 374 Fig. 9.—Dipita refelolis, Dej. 374 Fig. 9.—Dipita refelolis, Dej. 376 Fig. 10.—Agra splendida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panageus quadrimaculatus, Cuv. 397 Fig. 2.—Pamborus alternans, Latr. 399 Fig. 3.—Elater bicruciatus, Cuv. 428 Fig. 4.—Onitis supelavus, Peron and Les. (male) 579 Fig. 5.—Ceronia bicornis, female 799 Fig. 5.—Ceronia bicornis, female 799 Fig. 6.—Helluo costatus, Bonn. 791 Fig. 7.—Lamia venosa, M. Cattoire 790 Vol. IV. 115
Fig. 3.—CASNONIA SENEGALENSIS, St. Farq. and Serv. 373 Fig. 4.—BRACHINUS JURINEI, Dej. 375 Fig. 5.—TRICHOGNATHUS MARGINATUS, Latr. 375 Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corstet of Zuphilus olens, Latr. 374 Fig. 9.—Dripta Rufficollis, Dej. 374 Fig. 9.—Dripta Rufficollis, Dej. 376 Fig. 10.—Agra splendida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv. 397 Fig. 2.—Pangæus alternans, Latr. 389 Fig. 3.—Elatre bicruciatus, Cuv. 428 Fig. 4.—Onitis sufflavus, Peron and Les. (male) Vol. IV. 8 Fig. 4.—Conita bicornis, fémale 2 Fig. 5.—Cetonia bicornis, fémale Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 5.—TRICHOGNATHUS MARGINATUS, Latr. 375 Fig. 6.—Mouth and Tarsus of GALERITA AMERICANA, Latr. 375 Fig. 7.—Head and Corslet of ZUPHUM OLENS, Latr. 373 Fig. 8.—HELLUO COSTATUS, Latr. 374 Fig. 9.—DRIPTA REFLECOLIS, Dej. 374 Fig. 10.—AGRA SPLENDIDA, Latr. 376 Fig. 11.—LEBIA FLAVOMACULATA, GUET. 377 Plate 8. Fig. 1.—PANAGEUS QUADRIMACULATUS, Cuv. 397 Fig. 2.—PAMBORUS ALTERNANS, Latr. 399 Fig. 3.—ELATER BICRUCIATUS, Cuv. 428 Fig. 4.—ONITIS SUBFLAVUS, Peron and Les. (male) Vol. IV. Fig. 5.—CEPONIA BICORNIS, female 32 Fig. 5.—CEPONIA BICORNIS, female Vol. III. Fig. 6.—HELLUO COSTATUS, Bonn. Vol. III. Fig. 7.—LAMIA VENOSA, M. Cattoire Vol. IV.
Fig. 6.—Mouth and Tarsus of Galerita Americana, Latr. 375 Fig. 7.—Head and Corslet of Zuphium olens, Latr. 373 Fig. 8.—Helluo costatus, Latr. 374 Fig. 9.—Daipta refecollis, Dej. 374 Fig. 10.—Agra splendida, Latr. 376 Fig. 11.—Lebia flavomaculata, Guer. 377 Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv. 397 Fig. 2.—Panborus alternans, Latr. 399 Fig. 3.—Elatrer bicruciatus, Cuv. 429 Fig. 4.—Onitis sufflavus, Peron and Les. (male) 4.0, IV. 8 Fig. 5.—Cetonia bicornis, female 5.2 Fig. 6.—Helluo costatus, Bonn. 4.0, IV. 115 Fig. 7.—Lamia venosa, M. Cattoire 4.0, IV. 115
Fig. 7. — Head and Corslet of Zuphium olens, Latr. 373 Fig. 8. — Helluo costatus, Latr. 374 Fig. 9. — Dripta ruficollis, Dej. 374 Fig. 10. — Agra splendida, Latr. 376 Fig. 11. — Lebia flavomaculatus, Cuv. 397 Fig. 1. — Panageus quadrimaculatus, Cuv. 397 Fig. 2. — Pamborus alternans, Latr. 399 Fig. 3. — Elater bicruciatus, Cuv. 428 Fig. 4. — Onitis sufflavus, Peron and Les. (male) Fig. 5. — Cetoronia bicorsiis, fémale 32 Fig. 6. — Helluo costatus, Bonn. Vol. III. 374 Fig. 7. — Lamia venosa, M. Cattoire Vol. IV. 115 Vol. IV.
Fig. 8.—Helluo costatus, Latr
Fig. 9.—Dripta Ruficollis, Dej
Fig. 10.—AGRA SPLENDIDA, Latr. Fig. 11.—Lebia Flavomaculatus, Guer. Plate 8. Fig. 1.—Panageus quadrimaculatus, Cuv. Sig. 2.—Pamborus alternars, Latr. Sig. 3.—Elater bicruciatus, Cuv. Fig. 3.—Elater bicruciatus, Cuv. Fig. 4.—Onitis sufflavus, Peron and Les. (male) Fig. 5.—Ceronia bicornis, fémale Fig. 5.—Ceronia bicornis, fémale Fig. 5.—Ceronia bicornis, fémale Yol. IV. 8 Fig. 6.—Helliuo costatus, Bonn. Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 11.—Lebia flavomaculata, Guer
Plate 8. Fig. 1.—Panagæus quadrimaculatus, Cuv
Fig. 2.— Pamborus Alternans, Latr. . 399 Fig. 3.— Elater bicreciatus, Cuv. . 428 Fig. 4.— Onlitis sufflaturs, Peron and Les. (male) Vol. IV. 8 Fig. 5.— Cetonia bicornis, female . 32 Fig. 6.— Helluo costatus, Bonn. Vol. III. 374 Fig. 7.— Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 3.—ELATER BICRUCIATUS, ČUV. Fig. 4.—ONITIS SUBFLAVUS, Peron and Les. (male) Fig. 5.—CETONIA BICORNIS, female Fig. 6.—HELLUO COSTATUS, BONN. Fig. 7.—LAMIA VENOSA, M. Cattoire 428 Vol. IV. 8 428 V
Fig. 4.—Onitis surflavus, Peron and Les. (male) Fig. 5.—Cetonia bicornis, female Fig. 6.—Helliu costatus, Bonn. Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 5.—CETONIA BICORNIS, female Fig. 6.—HELLUO COSTATUS, BONN. Fig. 7.—LAMIA VENOSA, M. Cattoire Vol. IV. 115
Fig. 6.—Helliu costatus, Bonn. Vol. III. 374 Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
Fig. 7.—Lamia venosa, M. Cattoire Vol. IV. 115
,
Plate 9 Fig. 1 - County Pappicopnis MacLeav male (The Horned Colint) 21
- into b. 1 ig. 1.— Goldath Barbicokata, Macheny, maic (The Horner Goldath) 51
Fig. 2.—Buprestis scutellatus (The Armed Buprestis) Vol. III. 422
Fig. 3.—Lucanus serricornis (The Serrated Lucanus) Vol. IV. 35
Fig. 4.—CETONIA BICORNIS, Peron and Les. male (The Two-horned
Cetonia)
Fig. 5.—HISPA MARGINATA* (The Marginated Chesnut-Fly) . 128
Fig. 6.—HELEUS PERFORATA, Peron and Les. (The Perforated Helaus

of New Holland) . . Fig. 7.—Brentus Appendiculatus, M. Cattoire . 257

Plate 10. Fig. 1.—Testes of Nepa cinerea, Swamm.

Fig. 2.—Testes of Melolontha vilgaris, Suckow.

Fig. 3.—Auxiliary testes of Hydroph fitters, Suckow.

Fig. 4.—Auxiliary testes of Locista virioissima. a.—Superior fasciculus of vessels. b.—Retainer, clothed on the surface with small processes, into which the duct, c, opens. d.—Sperm bladder.

^{*} This species is a Fabrician Alumus.

- Plate 10. Fig. 5.—Ducts of the genitalia of Donacia aquatica, Suckow, without appendages.
 - Fig. 6.—Ducts of the genitalia of Paryganea oleracea. a.—Vasa deferentia. b.—Vesica seminalis.
 - Fig. 7.—Duets of the genitalia of DYTICUS MARGINALIS, marked the same.
 - Fig. 8.—Ducts of the genitalia of Apis Mell., Brandt. a, a.—Vesica
 - seminalis. b, b.—Clavate gum-vessels.

 Fig. 9.—Ducts of the genitalia of Melolontha vuigaris, Suckow. a, a.

 —Ducts of the vesica seminalis. b, b.—Gum-vessels, with their distension.
 - Fig. 10.—Ducts of the genitalia of Hydrophilus Piceus, Suckow. a, a.

 —Vasa deferentia, a*, a*.—Vesica seminalis. a, a.—

 Ends of the auxiliary testes. b*, b*.—The first furcate gum-vessel. b, b.—The second simple ones.
 - Fig. 11.—Ducts of the genitalia of Lamia Editis, Fab. a, a.—Vesica seminalis. b—Furcate gum-vessel, with unequal branches.
 - Fig. 12.—Organs of Vanessa Untic E. Swamm., male. a.—United testes. a^{\bullet} , a^{\bullet} .—Vasa deferentia, into which the gunvessels, b, b, open.
 - Fig. 13.—Gum-vessel of Calosoma sycophanta, Suckow. a.—Vasa deferentia of one side, which opens into the gum-vessel b, b, of the side; that of the other side and the ductus ejaculatorious is cut off.
 - Fig. 14.—Ducts of the genitalia of Tipula crocata, Suckow. a, a.—
 Vasa deferentia. b.—Gum-vessels.
 - Plate 11. Fig. 1.—Apex of the abdomen of a Cicada. A.—Last dorsal segment. B.—Basal joint of the sheath of the ovipositor. C.—Terminal joint. D.—Last ventral segment.
 - Fig. 2.—Ovipositor with the valves from beneath. B, B.—Basal joints of the valves. C, C.—Terminal joints. D.—The ovipositor.
 - Figs. 3, 4, 7, 8.—Male organs of a Cararus.

 Fig. 3.—Prepute from beneath. a, a.—The horny ridges of the pre-
 - puce. b.—The horny plate which lies in the lower portion of
 the prepare. c.—Γrocess in which the penis lies. d.—Last
 dorsal segment.
 Fig. 4.—Prepuce from above, as taken from the ventral cavity. a.—The
 - Fig. 4.—Prepuce from above, as taken from the ventral cavity. a.—The horny ridges which distend the bag of the prepuce. b.—The process of the prepuce, in which the penis lies. c.—Apex of this process, into which the vasa deferentia extends. d.—Last dorsal segment.
 - Fig. 5.—Apex of the sheath of the ovipositor of a Cicada from above, toothed on the margin, furrowed in the centre, emarginate at the apex to receive the points of the setæ, which form the true apex of the ovip sitor.
 - Fig. 5. a.—Section. a, a.—The valves. b, b.—The sheath. c.—The setæ,
 - Fig. 6.—Section of the mere ovipositor. a, a.—The sheath. b.—The
 - Fig. 7.—The penis of a CARABUS from beneath. a.—Aperture of the penis, whence the sperm flows.
 - Fig. 8.—Penis from above, with a, lateral moveable process, b, in which the muscles are inserted.
 - Figs. 9, 10 .- Ovipositor of CIMBEX VARIABILIS.
 - Fig. 9.—The valves opened from beneath. A, A.—The last dorsal segment. a, a.—External valves. b, b.—Internal valves, or saws. c—Central short process.
 - Fig. 10.—An internal valve. b.—Furrow. a.—Lower surface of the valve. b.—Superior surface.

Plate 11. Figs. 11, 12, 13, 15, 17, 18.—Ovipositor of Locusta.

- Fig. 11.—Apex of the abdomen of Locusta viribissima. A.—Last dorsal segment. B.—Last ventral segment. C.—Ovipositor.
- Fig. 12.—One half of the sheath seen from the exterior of LOCUSTA EPHIPPIGER.
- Fig. 13.—The same from the inner surface. a.—Superior half of the valve. c.—Lower half. b.—Central, smaller, inner valve of the same side.
- Fig. 14.—Setw of the ovipositor of a Cicada from the inner side to show the central channel.

Fig. 15.—External view of the ovipositor of a Locusta. a.—Upper half.

c.—Lower half.

- Fig. 16.—Apex of the ovipositor of a Cicada from beneath. a, a.—
 Superior distended sheath, with teeth on the margin b, b.
 —The lower sette pushed upwards, so that they project beyond the apex of the sheath.
- Fig. 17.—The ovipositor of a Locusta from within. a.—Upper half, c.—Lower half, b.—Internal valve, indicated here only as a projecting ridge.

Fig. 18.-The jointed ovipositor of Chaysis, Kirby and Spence.

Plate 12. Figs. 1-6.—Male organs of DYTICUS MARGINALIS.

Fig. 1.—View of them beneath, with the last divided ventral plate. A, A.—The two halves of the ventral plate. B, B.—Muscles that affixed them to the preceding one. C, C.—Horny ridges, which partly serve these for insertion. D, D.—Muscles which unite the transverse ridge with the ventral plates. a.—A horny ring lying beneath in the prepuce. g, g.—Muscles that move the peuis. f.—Vasa deferentia.
Fig. 2.—Penis and prepuce separated from the last ventral plate, seen

Fig. 2.—Penis and prepuce separated from the last ventral plate, seen from beneath. a—A horny ring that distends the prepuce. b.—Horny plate which lies in it. i.—Membranous portion of the prepuce. d.—Sheath of the penis. e.—Penis. g, g.—Muscles which may the penis.

Muscles which move the penis. f.—Vasa deferentia.

Fig. 3.—The same from above. a, a,—Horny ring of the prepuce, running at the margin, and connected with the penis by muscles, h, h. i.—Membranous portion of the prepuce. k.—Horny plate lying in the upper part of the prepuce. l.—Horny scale to which the ends of the borny arch of the prepuce are attached. e.—Penis. g, g.—Muscles which move the penis. f.—Vasa deferentia.

Fig. 4.—The same seen from the left side. a.—Horny ring of the preduce. b.—Horny scale lying in the lower portion. The

rest as in the preceding.

Fig. 5.—The penis, after the removal of the prepuce. a, a.—Membranous portion of the prepuce, which is drawn back by horny ridges, b, which are connected with the horny ring of the prepuce c, c, by means of muscles, at its upper margin. d, d.—Valves of the penis e.—Penis.

Fig. 6.—Penis, quite free. a.—Ridge which lies in the penis, and closes its aperture. b.—Lower channel, in which the ridge or bone lies.

Figs. 7-10 .- Male organs of HYDROPHILUS PICEUS.

Fig. 7.—Prepuce from above. M.—The removed colon. d, d.—Last dorsal segment, with three fenestrations. b, b.—Horny ring which distends the prepuce. E, E.—Sheaths of the penis.

	INSECTA.		
Plate 12.	Fig. 8.—The same, from beneath. a.—Horny plates, w	vhich l	ie in the
	lower portion of the prepuce, whence the ridge	s proc	eed whicl
	affix themselves to the apex of the last ver	atral p	late, e, e
	c, c.—Other horny ridges. b, b.—As fig. 7.	d, d	-Last dor
	sal segment. E.—Sheath of the penis.		
	Fig. 9.—The free penis, from above, more magnified the	an fig.	A, A
	-Reflexed margins of the horny plate. A	As	in fig. 10
	B.—Membranous portion of the penis. E, E.	-She	aths of the
	penis, consisting of horn.		
	Fig. 10.—Free penis, from beneath. A A cordiforn	a horn	y plate, t
	which the sheaths are attached. E, E Tl	he shea	ths of the
	penis. F.—Penis.		
	Figs. 11, 12.—Sexual organs of CALLICHROMA MOSCHAT	UM.	
	Fig. 11.—A.—Prepuce, supported by a horny ridge, C	, whic	h distend
	into a horny plate, B, upon the upper surfac	e of th	e prepuce
	D.—Penis. E —Vasa deferentia. F.—R	idge,	by mean
	of which the penis is pushed forwards.		
	Fig. 12.—Free penis, seen from the left side. a.—Lower	: horny	tip of th
	penis. b.—Upper ditto. c.—Vasa deferen	ıtia.	
	Figs. 13-16.—Male organs of BLATTA ORIENTALIS.		
	Fig. 13.—View from above. b.—Left horny plate coveri	ing the	em. d.—
	Penis.		
	Fig. 14.—The same from beneath. c.—Right horny p	late.	b.—Left
	a.—Upper, d.—Penis.		
	Fig. 15.—The superior covering plate, consisting of seve	ral hor	ny pieces
	and provided with a hooked process.		m
	Fig. 16.—The right covering plate, composed of two I	neces.	a.—The
	principal plate.		
		Vol.	III. Page
Plate 13.	Fig. 1.—Stagona Europæa, Dej.		. 379
	Fig. 2.—Oxystomus Sancti-Hilarii, Latr		. 389
	Fig. 3.—Scapterus Guerini, Dej		. 380
	Fig. 4.—ENCELADUS GIGAS, Bon.		. 378
	Fig. 5.—Apotomus Rufus, Latr		. 38
	Fig. 6 Hinder foot of DISCHIRIUS THORACIUS, Latr.	٠.	. 382
	Fig. 7 Morio simplex, Dej		. 383
	Fig. 8 ACANTHOCELIS BUFICORNIS, Latr.; Scarites rufic	cornis.	
	Fig. 9.—Antennæ of Ozæna Rogerii, Dej.		. 383
	Fig. 10.—DITOMUS VIOLACEUS, Latr.		. 383
	Fig. 11.—Head of DITOMUS CALYDONIUS, Latr.		. 383
	Fig. 12.—Cyclosemus flexiosus, Latr		. 384
Plate 14	Fig. 1.—HARPALUS TRICOLOR, Guer		. 384
	Fig. 2.—TRIGONOTOMA VIRIDICOLLIS, Dej.	•	. 386
	Fig. 3.—Elytra of Feronia Navarica, Latr.	•	. 386
	Fig. 4.—Elvtra and Tarsus of Feronia Melanaria, Lati		. 388
	Fig. 5.—Cephalotes Rufipes, Latr.		. 391
	Fig. 6.—Hinder Tarsus of PATROBUS RUFIPES, male		. 398
	Fig. 7Mormolyce Phyllodes, Hag.	٠.	. 392
	Fig. 8 Hinder Foot and Jaw of ZABRUS GIBBUS, Latr.	•	. 387
	Fig. 9.—Antennæ of Sphodrus terricola, Latr.		. 393
	Fig. 10.—Hinder Foot of FERONIA HOTTENTOTA, Latr.	-	. 390
	Fig. 11.—Hinder Tarsus and Foot of LICINUS AGRICOLA,	male	. 396
	Fig. 12.—Head of LORICERA PILICORNIS, Latr.		. 398
	Fig. 13.—CYNTHIA ABAXOIDES, Latr		. 397
	Fig. 14.—Panagæus fulgipennis, Latr.		. 397
	Fig. 15.—OMOPHRON SATURALIS, Guer.		. 403

Vol. III. Page

Plate 15. Fig. 1.—SPHÆRODERUS NITIDICOLLIS, Chev.					. 399
Fig. 2.—CALOSOMA RUPPENNE, Dej .					. 402
Fig. 3.—CYCHRUS ITALICUS, Bon					. 399
Fig. 4.—Pamborus alternans, Latr.					. 399
Fig. 5.—Head of Pogonophorus					. 403
Fig. 6 Hinder Tarsus of PELOPHILA					. 404
Fig. 7.—CARABUS RATILANS, Latr.					. 401
Fig. 8.—Perecium Cyanipes, Kirby .					. 397
Fig. 9.—MASORGUS LUXATUS, Dej.		•		•	. 406
Fig. 10Palpi of the principal Bembidion			•		. 405
6		•		•	. 100
Plate 16. Fig. 1.—Dytiscus Lherminieri, Chev.					. 409
Fig. 2.—Dytiscus serricornis, Payk.	•				409
Fig. 3 Hinder Foot of Colymbetes		•		•	. 410
Fig. 4.—Hinder Foot of Hydroporus Plant	s. La	ıtr.	•		. 410
Fig. 5.—Hygrobia Hermanni, Latr.				•	410
Fig. 6 Noterus Crassicornis, Clairy.			•		411
Fig. 7.—HALIPLUS ELEVATUS .				•	. 411

Plate 17. Fig. 1 .- The left covering horny plate, with the penis of CALLICHROMA MOSCHATUM. b - The upwards bent penis, furnished at the end with a hook.

Figs. 2-4.—Male organs of CIMBEX VARIABILIS.

Fig. 8.—Gyrinus sulcatus, Dej.

Fig. 2.—From below. a, a, a, a.—The external sheaths, each consisting of a lower horny and a superior membranous portion. b. b. -The penis, likewise consisting of two halves.

Fig. 3.—The left half of the sexual apparatus, seen from without. a .-Horny basal portion of the sheath. b .- Membranous appendage. c, c .- Halves of the valvular penis.

Fig. 4.—The same from within, marked similarly. d.—Outlet of the vasa deferentia.

Figs. 5-7 .- Male organs of VESPA GERMANICA seen from beneath.

Fig. 6.—Penis, from the side, distended like a spoon anteriorly, c, with a barb, a, by which it hangs attached during copula.

Fig. 7 .- The same, from above, marked similarly. b. - Internal passage of the penis.

Figs. 8, 9, 10, -Male organs of Deilerhila Galii.

Fig. 8.—Lateral view of the whole apex of the abdomen. a, a.—Horny ring to which the external sheath is affixed. b.—External sheath of the left side. c .- Penis. e .- Anus.

Fig. 9 -Sheath of the right side seen from within.

Fig. 10.-Free penis, a, with the aperture c, and the muscles b, which attaches it.

Figs. 11, 12 .- Male organs of CERCOPIS VULNERATA.

Fig. 11.-The sexual apparatus, enclosed in valves, seen from the left side.

Fig. 12.-The opened sexual apparatus, seen from above. The external valves are removed. a, a .- The internal valves. b, b .-The horny penis, consisting of two parts, bent outwards.

Fig. 13 .- Ovaria of EPHEMERA MARGINATA.

Fig. 14.—Ovaria of Phasma GIGAS, Müll.

Fig. 15 .- Ovaria of GRYLLUS MIGRATORIUS.

Fig. 16 .- Ovaria of MELOE PROSCARABEUS.

Fig. 17 .- Anterior aperture of the penis of Deilephila Galli, seen from above.

Plate 18. Fig. 1.—Ovaria of GRYLLOTALFA VULGARIS, Müll. Fig. 2.—Ovaria of LEPISMA, Trev.

Fig. 3.-Internal sexual organs of Hippobosca, L. Duf. a, a .- Ovaries. b .- Uterus. c,-Conducting vessels.

	INSECTA.				
Plate 18.	Fig. 4.—Ovary of Anthidium, Suckow.				
	Fig. 5 Ovary of TINEA EVONYMELLA, Suckow	v.			
	Fig. 6.—Ovary of Musca Carnaria, Suckow.				
	Fig. 7 Ovary of Aphrophora spumaria, Suc	kow.			
	Fig. 8 Ovary of LUCANUS PARALLELOPIPEDUS,		w.		
	Fig. 9 Uterus without appendage of TIPULA C			ow.	
	Fig. 10 Uterus with an appendage of ANTHID				ckow.
	a.—The spermatheca.			,	
	Fig. 11.—Uterus with an appendage of Hyps	OPHILI	S PICE	US Si	ckow.
	a.—The spermatheca, into which	the ser	nentine	onm.	vessel
	evacuates.		Ponting	, B	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Fig. 12 -Uterus with an appendage of Melolo	ONTHA	WIT CAL	, 10 S	ckow
	a.—Spermatheca, b.—Guin-vesse				
	end of the sheath, into which the				
	itself.	KHOO C	t the I	решіѕ	mserts
				.1	_
	Fig. 13.—Uterus with an appendage of X:	LOCOP	A, Suc	:KOW.	a.—
	Spermatheca. b.—Gum-vessel.				
	Fig. 14.—Uterus with an appendage of SIRE			a.—S	erma-
	theca, with the two ears. bGu				
	Fig. 15.—Uterus with an appendage of HAI				a
	Sack-shaped distended sheath. b.	.—Gun	ı-vessel		
	Fig. 16.—Uterus of Lucanus, Suckow. a	–Speri	natheca	a. d	, d.—
	Double gum-vessel.	-			
	Fig. 17.—Uterus of GRYLLOTALPA VULGARIS, S	uckow.	a.—S	perma	theca.
	b, b.—Gum-vessels.			•	
	Fig. 18 -Uterus of LEPISAMA, Trev. b, b-0	Gum-ba	œs.		
	Fig. 19 Poison-vessels of APIS MELLIFICA, S	Swamm	. u.a	See	reting
	vessels, bPoison-bladder.		, -		
					-
			Vo	d. 111.	Page
Plate 19.	Fig. 1.—Oxyporus rufus, Lin				. 414
	Fig. 2.—Head of ASTRAPŒUS ULMINEUS, Oliv.				. 414
	Fig. 3.—Staphylinus tataricus, Fisc.				. 415
	Fig. 4.—LATHROBIUM ELONGATUM, Lin.				. 416
	Fig. 5.—Paederus ruficollis, Fab				. 416
	Fig. 6.—PROCIRRUS LEPEBURI, Latr.				. 416
	Fig. 7.—Head of an EVAESTHETUS .				. 417
	Fig. 8.—Stenus biguttatus, Lin.				. 417
	Fig. 9.—Anterior Tarsus of a STILICUS .	•	•		. 416
	Fig. 10.—Oxytelus tricornis, Fab.	•		•	. 417
	Fig. 11.—Osorius Brasiliensis, Guer.	•	•		. 417
				•	
	Fig. 12.—Zyrophorus striatus, Leach	•	•		. 418
Plate 20.	Fig. 1 Head of PROGNATHA RUFIPENNE, Latr				. 418
	Fig. 2.—Coprophilus rugosus, Grav.				. 418
	Fig. 3.—Lesteva dichroa, Latr				. 418
	Fig. 4.—MICROPEPLUS MAILLEI, Dej.				. 418
	Fig. 5 ALEOCHARA CANALICULATA, Fab.				. 419
	Fig. 6Lomechusa paradoxa, Grav.				. 419
	Fig. 7.—OMALIUM BLATTOIDES, Grav				. 418
	Fig. 8.—TACHINUS ATRICAPILLUS, Fab.				. 419
	Fig. 9.—Tachiporus marginatus, Grav.				420
	rig. J.—Inchirokes Makdinares, Glav.			•	. 420
	T				400
Plate 21	Fig. 1.—Buprestris bicolor, Latr.	•	•		. 422
	Fig. 2.—Anatomy of Buprestris Gigas, Fab.	•			. 422
	Fig. 3.—Buprestris rubripennis, Guer.	•			. 422
	Fig. 4.—Buprestris Lalandii, Guer				. 423
					. 423
	Fig. 6 TRACHYS CRUENTATA, Fab				. 423
	Fig. 7 - Mer sere purposerotor Oliv				.194

TABLE OF THE PLATES.		ix
INSECTA.	Vol. III.	Page
Plate 22. Fig. 1.—Eccnemis capucinus, Man		. 425
Fig. 2.—Prerotarsus histrio, Latr.		. 125
Fig. 3.—Anatomical details of Galba Marmorata, Guer.		. 425
Fig. 1.—Adelocera Chabannii, Guer.		. 125
Fig. 5.—Pachyderes ruficollis, Guer.		. 126
Fig. 6.—Cerophytum elateroides, Latr.		. 427
Fig. 7.—Throscus dermestoides, Latr.; Elater dermesto	ides	426
Fig. 8.—CHELONARIUM UNDATUM, Latr		425
Fig. 9 CRYPTOSTOMA DENTICORNIS, Fab.; Elater dentico	rnis	427
Fig. 10.—Head and Corslet of Lob EDERUS MONILICORNIS,	Guer.	427
Fig. 11.—Nematodes filum, Latr.; Eunemis filum		427
Fig. 12.—Head of HEMIRHIPUS FLABELLICORNIS, Latr.	; Elater	
flabellicornis	, Diatel	427
Fig. 13.—Antennæ of CTENICERA HEMATODES, Latr.		127
Fig. 14.—ELATER PLAGIATUS, Germ.		423
Fig. 15.—CAMPYLUS DENTICOLLIS, Fisc.		429
Fig. 16.—Antennæ of PHYLLOCERUS FLAVIPENNIS, Dej.		429
	•	123
Plate 23. Fig. 1.—Physodactylus Henningh, Fisc.		430
Fig. 2.—Cebrio fuscus, Gory		430
Fig. 3.—Antennæ of CEBRIO GIGAS, (female)		430
Fig. 4.—Antennæ of Anelastes Drurii, Kirby		
Fig. 5.—Callirhipis Goryi, Guer.		431 131
Fig. 6.—Anatomical details of CALLIRHIPIS DEJEANII, Latr.		431
Fig. 7.—Rhipicera cyanea, Guer.		431
Fig. 8.—Auteunæ of Rhipicera, (female)		431
Fig. 9.—PTILODACTYLA ELATERINA, Illig.		
Fig. 10.—ELODES PALLIDUS, Latr.		432
Fig. 11.—Hinder foot of a Scyrres		432
Fig. 12.—EUBRIA PALUSTRIS, Germ.		432
rig. 12.—Bobkin radistris, delin.		433
Plate 21. Fig. 1.—Lycus latissimus, Fab		434
Fig. 2.—Head of DICTYOPTERA SANGUINEA, Latr.; Lamp		4.04
guinea, Lin		19.1
Fig. 3.—Antennæ of OMALISUS SATURALIS, Geoff.		434
Fig. 4.—Drilus flavescens, (female)		431
Fig. 5.—Drilles Flavescens, (male)		137
Fig. 6.—Drill's reflectlis, Dej.		437
Fig. 7.—LAMPYRIS SAVIGNYI, KIRBY		438
Fig. 8.—Antennæ of Amyderes, Hoff.		436
Fig. 9.—Anatomical details of CLADOPHERUS RUFICOLLIS, G		436
Fig. 10. Sure Travalor Char		439
Fig. 10.—Silus Tricolor, Guer.		439
Fig. 11.—Malthinus Bigettatus, Oliv.		433
Fig. 12.—Anatomical details of Cordylocera antennata,	suer	440
u . of Di . 1 M		100
Plate 25. Fig. 1.—MALACHIUS RUFICOLLIS, Fab.		439
Fig. 2.—Dasyles trif asciatus, Guer.		440
Fig. 3.—Zygia oblonga, Fab.		440
Fig. 4.—MELYRIS VIRIDIS		440
Fig. 5.—MELYRIS ABDOMINALIS, Fab.		440
Fig. 6.—Pelecophora Nigrolinata, Guer.		441
Fig. 7.—CYLIDRUS BUGUETH, Guer.		141
Fig. 8.—Tillus Rubricollis, Guer.		112
Fig. 9.—TILLUS UNIFASCIATUS, Fab.		142
Fig. 10.—Priocera variegata, Kirby		412
Fig. 11.—Axiana analis, Kirby		442
Fig. 12.—EURYPUS RUBENS, Kirby		142
Fig. 13.—Thanasimus bombycinus, Chev		143

	INSECTA.		Vol. 111.	Page
Plate 25. I	Fig. 14.—Thanasimus formicarius, Fab.			. 443
	Fig. 15.—Opilo mollis, Latr			. 443
	Fig. 16.—CLERUS OLIVIERII, Chev.			. 443
	Fig. 17.—Clerus Alvearius, Fab.			. 443
	Fig. 18.—Necrobia violacea, Lin.			. 414
	Fig. 19.—Necrobia Ruficollis, Fab.			. 444
1	Fig. 20.—Enoplium viridipenne, Kirby			. 444
Plata 26 T	Eig 1 Derryng rei rrong Chan			
	Fig. 1.—Ptinus italicus, Chev. Fig. 2.—Pitilinus serraticornis, Oliv.		•	. 415
	ig. 3.—Xyletinus pallens, Stev.	•	•	. 446
	Fig. 3, a, b, c.—Anatomical details of XYLETI	VIIIC DE		. 446
•	Fab.	NUS FE	CTINATU	. 446
F	ig. 4.—Ochina sanguinicollis, Ziegl.		•	. 446
	ig. 5.—Dorcatoma Rubens, Chev.	•	•	. 446
	ig. 6.—Gibbium scotias, Oliv.; Ptinus scotias	Fab	•	. 445
	ig. 7.—Anatomical details of Anobium Pertin			. 446
	ig. 8.—Atractocerus molorchoides, Guer.	, 23.11	•	. 447
	ig. 9.—Hylecætus Javanus, Chev		•	. 448
	ig. 10.—LYMEXYLON NAVALE, Oliv	•	. •	. 448
	Fig. 11.—Cupes capitata, Fab		•	. 448
	Fig. 12RHYSODES COSTATUS, Chev.			. 448
	.,			
Plate 27. F	ig. 1Mastigus fuscus, Klug.			. 450
F	ig. 2.—Scymœnus Helwegii, Latr.			. 450
F	ig. 3 Anatomical details of Scydmenus HIRT	TICOLLIS	s, Gyl.	. 450
	Fig. 4.—HOLOLOPTA QUATUOR-DENTATA, Fab.			. 451
	ng. 5.—Hister mandibularis, Chev.			. 452
F	ig. 6.—Anatomical details of Hister QUADRI-	MACULA	TUS, Lin	452
F	ig. 7.—Sphærites Glabratus; Hister glabrati	us, Fab.		. 453
F	Fig. 8.—Necrophorus maritimus, Esch.			. 455
	ig. 9.—Necrophorus germanicus, Lin.			. 455
F	ig. 10.—Silpha granigera, Chev.			. 455
	ig. 11.—Necrodes Littoralis, Lin.; Silpha li		Fab.	. 453
	ig. 12.—Necrophilus hydrophiloides, Esch.			. 457
	ig. 13.—Agyrtes castaneus, Fab.			. 457
	Fig. 14.—Scaphidium nigripes, Chev.			. 457
F	ig. 15.—Scaphidium quatuor-maculatum, ()liv.	•	. 457
	T .			45.0
	Fig. 1.—Colobicus Marginatus, Latr.		•	. 459
į	Fig. 2.—THYMALUS MARGINICOLLIS, Chev.	E-1	•	459
	Fig. 3.—Anatomical details of THIMALUS LIMBAT	res, rao	•	. 459 . 459
,	Fig. 4.—Ips fasciata, Oliv. Fig. 5.—Anatomical details of Ips quation-punc	TATA F	Lorbet	. 459
1	Fig. 6.—Nitidula Periviana, Guer.	IAIA, I	101031.	. 460
1	Fig. 7.—Anatomical details of NITIDULA IMPERIA	tis Fa	h h	. 460
î	Fig. 8.— Cercus pulicarius, Latr.			. 460
	Fig. 9 BYTURUS TOMENTOSUS, Fab.			. 460
	Fig. 10.—DACNE FEMORALIS, Chev.			. 460
1	Fig. 11.—Chyptophagus nigripennis, Payk.			. 461
F	Fig. 12 Anatomical details of CRYPTOPHAGUS I	POPULI,	Payk.	. 461
Plate 29. F	ig. 1.—Aspidiphorus orbiculatus, Gyl.			. 461
F	ig. 2.—Dermestes carnivorus, Fab.	•		. 462
	ig. 3.—MEGATOMA UNDATA. Latr.			. 462
F	ig. 4.—Anatomical details of MEGATOMA TRIFA	SCIATA,	Fab.	. 462

	INSECTA.	Vol.	III.	. F	age
Plate 29	. Fig. 6.—Anthrenus capensis, Fab				463
	Fig. 7.—Anatomical details of Nosodendron Fascicula	RE.	Oli	٧.	464
	Fig. 8.—Byrrhus alpinus, Gory	,			464
	Fig. 9.—Anatomical details of BYRRHUS DENNII, Kirby				464
	Fig. 10 Trinodes Hirtus, Fab.; Anthrenus hirtus				464
	Fig. 11.—HETEROCERUS MARGINATUS, Fab				466
	Fig. 12Foot of Byrrhus concolor, Sturm.				464
Plate 30	. Fig. 1.—Potamophilus orientalis, Gory .				466
	Fig. 2.—Dryops prolifericornis, Fab.				467
	Fig. 3.—Anatomical details of Elmis Volckmari, Panz.				467
	Fig. 4.—Macronychus quadri tuberculatus, Mül.				467
	Fig. 5.—Georissus pygmæus, Gyl				467
	Fig. 6.—Elophorus nubilus, Fab				468
	Fig. 7.—Anatomical details of Elophorus Fennicus, Pa	yk.			468
	Fig. 8.—Antennæ of Hydrochus elongatus, Fab.; Elop	aoru	s elo	n-	
	gatus				469
	Fig. 9.—Palpi of Ochthebius hybernicus, Curt.				469
	Fig. 10.—Anatomical details of HYDRENA TESTACEA, Cu	rt.			469
	Fig. 11.—Spercheus bulcatus, Gory				469
	Fig. 12.—Auatomical details of Spercheus emarginatu	8, F	ab.		469
	Fig. 13.—Globaria nitida, Guer. A new species				470
	Fig. 14.—Hydrophilus spinipennis, Gory				471
	Fig. 15.—Sphæridium dimidiatum, Gory .				472
		Vol.	IV.	P	age
Plate 31.	Fig. 1.—Ateuchus Ægyptiorum, Latr.				ັ5
	Fig. 2.—Anatomical details of ATEUCHUS SACER, Latr				5
	Fig. 3.—CIRCELLIUM HEMISPHERICUM, Latr				6
	Fig. 4.—Coprobius viridis, Latr				6
	Fig. 5.—EURYSTERNUS FŒDUS, Guer				6
	Fig. 6.—Ontophagus rarus, Guer			:	7
	Fig. 7 Anatomical details of ONTOPHAGUS VACCA, Latr.			Ċ	7
	Fig. 8.—PHANEUS IMPERATOR, Chev				8
	Fig. 9.—Oniticellus formosus, Chev.	_			7
	Fig. 10.—Copris bellator, Chev	•			8
	Fig. 11.—APHODIUS BIPUNCTATUS, Fab.				9
	1.61 2.71	•		•	•
Plate 32.	No. 1 Exhibits parts of the thorax of CARABUS GLABRAT	US.			
	·				
	Fig. 1.—Prothorax from above.				
	Fig. 2 Prothorax from beneath.				
	Fig. 3Prosternum from the inner surface.				
	Fig. 4.—The omium. b.—The external surface. b*. The	refle	xed	m	ar-
	gin which is attached to the inner surface of the				
	Fig. 5 Lateral view of the prosternum. c, c Its two is				le-
	shaped processes.				
	Fig. 6 Meso and Metathorax seen from above. R, R Th	e rud	limer	ota	irv
	wings. b The same from beneath. S, S T	he fi	rst a	ıbe	lo.
	minal segment. S*, S*The second ditto. I				
	of the posterior legs. T, T Trochanters.	•		-	
	Fig. 7.—Anterior view of the mesosternum. f.—Two processes	s wl	ich i	for	·m
	the fork, and between which the nervous cord lies			-•	
	Fig. 8 Anterior wings of the scapula seen from the surfa-		b.—	т:	he
	reflexed margin which lies against the posterior w			•	
	Fig. 9.—Posterior wings of the scapula seen from the surface			T	hø.
	reflexed margin which lies against the margin of				
	wing, and forms the suture in which both meet tog			.416	J4

Vol. IV. Page

INSECTA.

Plate 32. No. 2 .- Parts of the skeleton of DYTISCUS.

Fig. 1.—Internal portion of the head. a, a, a.—The two ridges which proceed from the throat and enclose the cerebellum. c.—The tentorium. d.—A hand, consisting of two halves, upon which the anterior portion of the cerebellum rests. e, e.—Two hooked processes, which encompass the α-sophagus in front of the cerebrum. f, f.—A horny ridge to which the labrum is attached. g.—The tongue. h.—A horny semicircular bone, to which the tongue is attached. b, b.—The orbits.

Fig. 2 .- The prothorax seen from beneath. b, b .- The omia.

Fig. 3.—The prosternum from behind. a, a.—The jugularia. b, b.—Internal processes of the prosternum.

Fig. 4.—The ombin seen from the surface. b.—The external surface. b*.—The reflexed margin which lies against the surface of the pronotum.

Fig. 5. - Prosternum from the side. b. - The internal processes.

Fig. 6.—Coxæ, trochanters and femur of the intermediate leg. a.— Audouin's trochantinus.

Fig. 7 .- Meso and metathorax from above.

Fig. 8 .- The same from beneath

Fig. 9.—Mesosternum exposed, so as to show its internal processes. E.— The body of the vertebra whence the arches proceed which encompass the nervous cord. b, b, are the transverse processes. a.—The processus spinosus, consisting of two halves.

Fig. 10. -Anterior wing of the scapula (D).

Fig. 11.—Posterior wing of the scapula (D*). b.—The reflexed margin which forms the suture with that of the anterior wing.

Fig. 12.—The connate cox

seen from the front to exhibit the process springing from them. b, b—The anterior processes. a, a,

—The posterior, with their furcate branches**.

Plate 32. No. 3 .- Portions of the skeleton of Buprestis Mariana.

Fig. 1.— Prothorax from beneath. A, A.—Reflexed margin of the pronotum. B.—Prosternum. b, b.—The small round plates which correspond to the anterior wings of the scapulæ in Carabus and Dyriscus.

Fig. 2 .- The same from the front. a, a .- The jugularia.

Fig. 3.-Prosternum from the side,

Fig. 4 .- Upper view of the meso and metathorax.

Fig. 5 .- The same from beneath.

Fig. 6-8.—Mesosternum and scapulæ in their natural situation. b.—
Mesosternum (E, E).

Figs. 7, 8 .- Anterior wings of the scapulæ (D, D).

Fig. 9 .- Prosternum from within, a, a .- Internal processes.

Fig. 10.—Metathorax from within. b, b.—The anterior teeth. a, a.—
The posterior.

Fig. 11 .- The same from the side.

Fig. 12.—Meso and metathorax of HISTER CADAVERINUS seen from beneath.

S.—First abdominal segment.

Fig. 13.-The same from above.

Plate 33. Fig. 1.—ORYCTES CHEVROLATII, Guer.				15
Fig. 2.—AGACEPHALA FURCATA, Guer.				15
Fig. 3.—SCARABÆUS MENTOR, Guer.				16
Fig. 4.—Anatomical details of SCARABA	US GEDEON	, Fab.		16

TABLE OF THE PLATES.		xiii
INSECTA.	Vol. IV.	Page
Plate 33. Fig. 5.—PILEURUS CRIBRATUS, Chevr.		. 17
Fig. 6.—HEXODON RETICULATUS, Oliv.		. 17
Fig. 7.—Cyclocephala frontalis, Chevr.		. 17
Fig. 8.—Anatomical details of Cyclocephala Gemina	ATA. Fab.	,
Melolonthæ geminata .		. 18
Plate 34. Fig. 1.—Leucothyreus nitidicollis, Guer		. 21
Fig. 2.—Anatomical details of Anoplognathus Latre	ILLEI, Sch	. 20
Fig. 3.—Geniates barbatus, Kirby		. 21
Fig. 4.—Apogonia gemellata, Kirby		. 21
Fig. 5.—Melolontha flavida, Gory .		. 22
Fig. 6.—Antennæ of Melolontha vulgaris		. 22
Fig. 7.—Antennæ of Rhisotrogus pini, Latr		. 23
Fig. 8.—Ceraspis decora, Gory .		. 24
Fig. 9.—Anatomical details of Ceraspis albida, Serv.		. 24
Fig. 10,—Areoda Kirbii, Mac Leay .		. 24
Fig. 11.—Serica flavimana, Gory .		. 24
Fig. 12.—Anatomical details of Serica Variabilis, La	tr.	. 24
Fig. 13.—DIPHUCEPHALA FURCATA, Guer.		. 24
Fig. 14.—Macrodactylus saturalis, Chev.		. 25
•		
Plate 35. Fig. 1.—Plectris tomentosa, Lep. Serv.		. 25
Fig. 2.—Popilia nitidicollis, Gory		. 25
Fig. 3.—Anisoplia saturalis, Guer.		. 25
Fig. 4.—Euchlora viridana, Guer		. 25
Fig. 5.—Lepisia rupicola, Serv		. 25
Fig. 6.—DICRANIA VELUTINA, GORY .		. 26
Fig. 7.—Hoplia Farinosa, Fab		. 26
Fig. 8.—Dichelus dentipes, Serv .		. 28
·		
Plate 35. bis. Fig. 1.—GLAPHYRUS RUFIPENNIS, Gory .		. 27
Fig. 2.—Amphicoma bombyliformis, Pall.		. 27
Fig. 3.—Anatomical details of Amphicoma Lasser	и.,	. 27
Fig. 4.—Anthipna abdominalis, Esch.		. 27
Fig. 5.—Chasmopterus hirtulus, Illig		28
Fig. 6.—Pachyenemus crassipes, Serv.		28
Fig. 7.—Lepitrix abbreviatus, Serv		. 28
Fig. 8.—Monochelus gonager, Serv.		27
Fig. 9.—Anisonynx nasua. Wied.		. 29
Plate 36. Fig. 1.—Cremastocheilus hirtus, Gory & Perch. mor	ogra	31
Fig. 2.—Anatomical details of CREMASTOCHELLUS EI	LONGATUS,	
Oliv		31
Fig. 3.—Trichius zebra, Oliv		. 30
Fig. 4.—Anatomical details of Trichius fasciatus, Fa	ιb	30
Fig. 5.—Goliath micans, G. & P. Oliv.		31
Fig. 6.—PLATYGNIA ZAIRICA, Mac Leay .		31
Fig. 7.—CETONIA BAXII, G. & P.		31
Fig. 8.—Anatomical details of CETONIA AURATA, Fab.		33
Fig. 9.—Gymnetis nervosa, G. & P		32
Fig. 10Macronota & Gregia, G. & P.		32
Plate 37. Fig. 1.—Sinodendron cylindricum, Lin. Fab.; Scara	bæ us c vlin	
dricus		34
Fig. 2.—ÆSALUS SCARABŒIDES, Fab.		34
Fig. 3.—Lucanus cinnomomeus, Guer.		34
Fig. 4.—PTATYCERUS AURICULATUS. Gory		36
Fig. 5. Lawrence Ever Late Lathrus consist Fab	•	3.1

INSECTA.		Vol. IV.	Page
Plate 37. Fig. 6.—Pholidotus Humboldii, Sch.; Lamprina	Hum	boldii	. 35
Fig. 7.—Passalus pentaphyllus, Palis-Bauv.			. 37
Fig. 8Anatomical details of Passalus interru	PTUS.	Fab.	. 37
.0	,	2 40.	,
Plate 38. Fig. 1.—PIMELIA VESTITA, Gory .			. 40
Fig. 2.—Anatomical details of PIMELIA SERICEA	•	•	
			. 40
Fig. 3:—Erodius gibbus, Fab.	•	•	. 41
Fig. 4.—Zophosis testudinarius, Oliv.	•	•	. 41
Fig. 5.—NYCTELIA LUCZOTII, Chev			. 41
Fig. 5, c, d.—Anatomical details of Nyctelia Bru:	NNIPE	s, Latr.	. 42
Fig. 6.—HEGETER TAGENIOIDES, Gory		,	42
Fig. 7.—TENTYRIA PUNCTIPENNIS, Lefebvre	•		. 42
Fig. 8.—Akis Gorvi, Guer.	•	•	43
	•		
Fig. 9.—Elenophorus Americanus, Lacord.		•	. 43
Fig. 10.—EURYCHORA RUGOSULA, Guer.			. 43
Fig. 11.—Anatomical details of Eurychora cilia	TA		. 43
Fig. 12.—Adelostoma rugosa, Gory			. 43
, , ,		-	-
Plate 38. bis. Fig. 1.—TAGENIA ORIENTALIS, Gory .			. 44
Fig. 2.—Psammeticus costatus, Guer.	•		. 41
	,	•	
Fig. 3.—Scaurus rugosus, Latr.			. 45
Fig. 4.—Scotobius granosus, Lacord.			. 45
Fig. 5.—Sepidium vestitum, Gory .			. 45
Fig. 6.—Trachynotus vittatus, Latr			45
Fig. 7 MOLURIS LUTEIPES, Guer		-	45
A.g. / . Molettis belling, carr	•		
Dista 90 Fig. 1 Owner Winker			46
Plate 39. Fig. 1.—Oxura setosa, Kirby			
Fig. 2.—Acanthomera gratilla, Guer. Herbst.	•		. 46
Fig. 3.—Misolampus Hoffmansegii, Guer		• .	. 47
Fig. 4.—BLAPS MORTISAGA, Fab.			. 47
Fig. 5Mouth and Antennæ of BLAPS SULCATA, Fa	ab.		. 47
Fig. 6.—Gonopus tibialis, Latr			48
Fig. 7. Assessment Property Late Follows	•	•	48
Fig. 7.—Anomalipes dentipes, Latr. Fab.			
Fig. 8.—Corslet of Machla villosa, Herbst.	•	•	. 48
Fig. 9.—Scotinus Brasiliensis, Gory .			48
Fig. 10 Mouth and Antennæ of Asyda Lævigar.	A, Fal		49
Fig. 11.—Tarsus and Antennæ of OPATRINUS CHLA			49
Fig. 12.—Tarsus of Heliophilus hispanicus, Dej.			49
Fig. 13.—Pedinus Gibbosus, Gory		•	49
			50
Fig. 14.—Anatomical details of BLAPSTINUS PUNC	TATUS	, Sch	
Fig. 15.—Platyscelis gages, Fisc.			50
Plate 40. Fig. 1.—CRYPTICUS GIBBULUS, Sch			51
Fig. 2.—OPATRUM ELONGATUM, Guer			51
Fig. 3.—CORTICUS CELTIS, Germ			52
Fig. 4.—Anatomical details of ORTHOCERUS MUTICUS	Late	· · Hisna	
	,	., 1115/16	52
	•		52
Fig. 5.—CHIROSCELIS BIFENESTRATA, Lam.			
Fig. 6.—Toxicum curvicorne, Chev.	•	•	52
Fig. 7.—Boros thoracicus, Gyl.			52
Fig. 8.—CALCAR ELONGATUS, Herbst			53
Fig. 9.—Upis ceramboides, Fab			5 3
Fig. 10 Anatomical details of TENEBRIO MOLITOR,	Lin.		
Fig. 11.—HETEROTARSUS TENEBRIOIDES, Guer			53
			53
Fig. 12.—Tenebrio obscurus, Fab.	•		00
Plate 41 Ti 1 D			
Plate 41, Fig. 1.—DIAPERIS BIPUSTULATA, Brul. Lap.			55
Fig. 2.—HYPPOPHLŒUS CASTANEUS, Fab.			53

	INSECTA.		Vol.	IV.	Pag	ge
Plate 41.	Fig. 3.—Trachyscelis aphodioides, Latr.					56
	Fig. 4.—Leiodes Cinnamomea, Panz.				. :	56
	Fig. 5.—Tetratoma gungorum, Fab.				. :	56
	Fig. 6.—ELEDONA CORNUTA, Fab				. :	57
	Fig. 7 Cossyphus moniliferus, Chev.				. :	57
	Fig. 8NILIO LANATUS, Germ					58
	Fig. 9 EPITRAGUS LINEATUS, Chev					59
	Fig. 10.—Cnodalon atrum, Chev				. 1	60
	Fig. 11.—Spheniscus pictus, Chev		٠.		. 1	60
	116.11.					
Plata 49	Fig. 1.—AMARYGMUS CUPRINUS, Esch				. 1	60
I late T.	Fig. 2.—SPH.EROTUS CURVIPES, Kirby		٠			61
	Fig. 3.—Helops saturalis, Germ.	•	•			6 I
	Fig. 4.—Anatomical details of HELOPS LANIPLES,	Eab				61
	Fig. 5.—Lena pinelia, Fab.	I do.				61
	Fig. 6.—Stenotrachelus eneus, Latr.; Dryop.	c eo n on a	Pos	1-		62
	Fig. 0.—STENOTRACHELUS ÆNEUS, Latt.; Dryop.	s agneus	, ray	κ,		62
	Fig. 7.—Strongylium serraticorne, Chev.					62
	Fig. 8.—Pitho depressus, Fab.	•	•	•		63
	Fig. 9.—Castela serrata, Chev.					
	Fig. 10HALLOINENUS HUMERALIS, Latr.	:				64
	Fig. 11.—Anatomical details of Orchesia Micans	s, Latr.			•	64
721	T'' 1 TO - 1					0.5
Plate 43.	Fig. 1.—DIRCEA DISCOLOR, Fab		•			65
	Fig. 2.—MELANDRYA RUFIPES, Chev			•		65
	Fig. 3.—Serropalpus striatus, Latr					65
	Fig. 4.—Conopalpus flavicolle, Gyt.					65
	Fig. 5.—Calopus serraticornis, Fab.					67
	Fig. 6.—DYTILUS LEVIS, Fisch.					67
	Fig. 7.—ÆDEMERA PODAGRARIÆ, Fab					67
	Fig. 8.—Stenostoma Rostratum, Char.					67
	Fig. 9MYCTERUS PULVERULENTUS, Chev.					68
	Fig. 10 Head of RHINOMACER ATTELABOIDES, 1	Fab.				68
	Fig. 11.—RHINOSIMUS RUFICOLLIS, Fab					68
	0					
Plate 41.	Fig. 1LAGRIA GIGAS, Guer.					70
	Fig. 2.—STATIRA CARABOIDES, Guer	-				70
	Fig. 3.—Pyrochroa coccinea, Fab		· .			71
	Fig. 4.—RIPIPHORUS RUFIPENNIS, Chev.	•			:	71
	Fig. 5.—Myodites Americanus, Guer.		•			72
	Fig. 6.—Pelbcotoma Frivaldiskii, Sturm.	•		•	•	72
	Fig. 7.—MORDELLA PICTA, Chev.		•		•	72
	Fig. 8.—SCRAPTIA DUBIA, Oliv	•		•	•	73
	Fig. 9.—Notoxus fasciatus, Chev.		•		•	73
	Fig. 10.—Cissites testaceus, Latr.			•	•	74
	rig. 10Cissites testaceus, Lair.		•		•	1.4
Diate 15	Fig. 1. Automoral Conservation Line					75
Plate 45.	Fig. 1.—Antennæ of Cerocoma Schlefferi, Lin		•		•	
	Fig. 2.—HYCLŒUS DECIM-GUTIATUS, Chev.	. ,	*1	•	•	76
	Fig. 3.—Antennæ of Aritnæma duodecim-punc	TATA,	hev.		•	76
	Fig. 4.—MYLABRIS MYOPS, Chev.	•		•		76
	Fig. 5.—Antennæ of ŒNAS AFFER, Fab.					76
	Fig. 6.—Meloe cordillier.e, Chev.	•_				77
	Fig. 7.—Anatomical details of Meloe Brevicoll	18, Pana			٠	77
	Fig. 8.—Tetraonyx ventralis, Chev.					77
	Fig. 9.—Cantharis sulcifrons, Chev					77
	Fig. 10 Anatomical details of CANTHARIS VESS	ICATOR	l A			79
	Fig. 11.—Zonitis puncticollis, Chev					79
	Fig. 12Anatomical details of NEMOGNATH	A CHR	YSOM	ELIN	Α,	
	Fab.; Zonitis chrysomelina					79
	Fig. 13.—LEPTOPALPUS CHEVROLATH, Guer.					79

	INSECTA.		Vol.	IV.	Page
Plate 45.	Fig. 14.—GNATHIUM FLAVICOLLE, Chev.				. 79
	Fig. 15.—Sitaris humeralis, Fab.				. 80
	,				
Plate 46.	Fig. 1.—Bruchus Marginellus, Fab				82
	Fig. 2.—RHÆBUS GEBLERI, Fisch				82
	Fig. 3.—Anthribus Garnotti, Guer.				82
	Fig. 4.—ATTELABLS FALCATUS, Guer				83
	Fig. 5.—RIIINOTIA HÆMOPTERA, Kirby		•		83
		•	•	•	83
	Fig. 6.—EURHINUS CONICUS, Guer.			•	. 81
	Fig. 7.—Brentus Italicus, Latr.			•	
	Fig. 8.—Ceocephalus furcillatus, Schn.		•		84
	Fig. 9.—Antennæ of Ulocerus, Cinereus, Latr.	•			84
	Fig. 10.—CYLAS LONGICOLLIS, Chev.		•		84
Plate 47.	Fig. 1.—Brachycerus oculatus, Chev.				85
	Fig. 2.—Cyclomus coronatus, Schn.				85
	Fig. 3 Cyphus illustris, Chev				86
	Fig. 4.—Cyphus dives, Illig				86
	Fig. 5Leptocerus macilentus, Chev.				87
	Fig. 6.—PACHYRHYNCHUS PROFANUS, Esch				87
	Fig. 7 SYZYGOPS CYCLOPS. Schn				87
	Fig. 8.—Rhytirrhinus informis, Chev			•	88
	Fig. 9.—CLEONUS GITTATUS, Chev.		•	•	88
		•	•	•	89
	Fig. 10.—LIXUS VITTAGER, Godet		•	•	
	Fig. 11.—Mouth of Chlorophanus viridis, Schn	•	•		89
D1 - 10	Tit I I Comment Comment				60
Plate 48.	Fig. 1.—Lemosaccus Chevrolatii, Guer.		•		89
	Fig. 2.—Bagous binodosts, Gyl.	•		•	89
	Fig. 3.—Brachonyx indigena, Gyl.		•	•	90
	Fig. 4.—BALANINUS NUCUM, Lin.				90
	Fig. 5.—Heilipus peplus, Schn				90
	Fig. 6.—Alcides pretstis, Guer				90
	Fig. 7.—MYORHINUS ALBOLINEATUS, .				90
	Fig. 8.—Cionis Pulverosus, Pareys .				90
	Fig 9 TACHYGONUS HORRIDUS, Chev				90
	8 ,				
Plate 49.	Fig. 1.—CHOLUS FLAVO-FASCIATUS, Chev.				91
- 1410 101	Fig. 2.—CAMPTORHYNCHLS FLATTUARIUS, Germ.				91
	Fig. 3.—Centrines curvirostris, Chev.		•	•	91
	Fig. 4.—ZYGOBS RUBRICOLLIS, Chev.		•	•	91
				•	91
	Fig. 5.—CENTORHANCHUS SH, Chev.			•	
	Fig. 6.—Hydaticus Comarii, Schin.		•		92
	Fig. 7.—Diorymeris altus, Germ.				92
	Fig. 8.—Mecopus trilineatus, Guer		•		92
	Fig. 9.—Gorgus bispinosus, Chev.				92
	Fig. 10.—Tylodes prinicides, Gyl.		•		9_{5}
	Fig. 1.— Anchonus suillus, Fab.				92
	Fig. 2.—RHINA BARBIROSTRIS, Fab.				93
	Fig. 3.—CALANDRA GUERINI, Chev				93
	Fig. 4.—CALANDRA TAITENSE, Guer				93
	Fig. 5.—BELORHYNUS ACUTUS, Guer.				
	Fig. 6.—Cercidocerus nigrolateralis, Guer				93
	Fig. 7.—Cosson's Ephippiger, Guer.			·	
	Fig. 8.—Dryopthorus Lymexilon, Fab. ".	-		•	93
	Fig. 9.—Trigonotarsus calandroides, Guer.		•	•	93
	rig. J.— I kidonorakses Calabbothes, Oder.	•	•		23
D1.4. 53	Fig. 1.—Scolytes flavicornis, Chev				95
Plate 51.	rig. 1.—Scolittes reaveled the control of the contr		•	•	
	Fig. 2.—Antennæ of HYLURGUS PINIPERDA	•			95

TABLE OF THE PLATES.	:	xvii
INSECTA.	Vol. IV. I	Page
Plate 51. Fig. 3.—Antennæ of Camptocerus æneipennis, Oliv.		95
Fig. 4.—Phloiotribus oleæ, Latr.		95
Fig. 5.—Antennæ of Tomicus Bispinus, Meg.		95
Fig. 6.—Platypus Poeyi, Guer		95
Fig. 7.—Mouth of PLATYPUS CYLINDRUS, Fab.		96
Fig. 8.—Paussus curvicornis, Chev.		96
Fig. 9.—Paussus microcephalus		96
Fig. 10.—Anatomical details of Paussus Microcei	PHALUS and	
PAUSSUS PENTAPLATARTIRES .		96
Fig. 11.—PLATYRHOPALUS MELLEI, West .		96
Fig. 12.—Antenna of CERAPTERUS LATIPES, West		96
Fig. 13.—Bostrichus Dufourii, Latr		97
Fig. 14.—Cis in Equidens, Chev.		97
Fig. 15.—Nemosoma elongatum, Lin.		97
Fig. 16.—Synchita undata, Guer.		98
Dist. 50 Etc. 1 Co		100
Plate 52. Fig. 1.—Cucusus mandibularis, Gory .		102
Fig. 2.—Anatomical details of Cucujus depresses, Fal Fig. 3.—Brontes spinicullis, Gory		102
Fig. 4.—Anatomical details of Brontes Flavipes, Fab		102
Fig. 5.—Dendrophagus crenatus, Payk.		$\frac{102}{102}$
Fig. 6.—Spondylus buprestoides, Fab.		105
Fig. 7.—Parandra lineola, Gory		103
Fig. 8.—Prionus Desmarestii, Guer.		105
Fig. 9.—Anacolus sanguineus, Serv.		106
Fig. 10.—Prionapterus staphilinus, Guer.		106
2.6.10. 2 Mount I Enco Di in Millines, Guer.		100
Plate 53. Fig. 1.—Lissonotus unifasciatus, Gory .		107
Fig. 2.—MEG ADERUS STIGMA, Fab.		107
Fig. 3.—Trachyderes nigrofasciatus, Gory .		108
Fig. 4.—Anatomical details of TRACHYDERES SUCCINCTI	s. Fab.	108
Fig. 5.—Lophonocerus Barbicornis, Oliv		108
Fig. 6.—CALLICHROMA SPECIOSA, GORY .		109
Fig. 7.—ACANTHOPTERUS TRIPUNCTATUS, Gory .		110
Fig. 8.—Anatomical details of Acanthopterus budens		110
Fig. 9.—Antennæ of CERAMBYX HEROS, Fab.		110
Fig. 10.—Cerambyx hemipterus, Oliv.		110
Plate 54. Fig. 1.—CERAMBYX RUFIPENNIS, Gory .		111
Fig. 2.—CERAMBYX SPECULIFER, Gory		111
Fig. 3.—CERAMBYX HIRTIPES, Oliv.		111
Fig. 4.—Callidium insubrecum, Ziegler		112
Fig. 5.—Certalium ruficolle, Fab.		112
Fig. 6.—OBRIUM FERRUGINEUM, Fab.		112
Fig. 7.—RHINOTRAGUS COCCINEUS, Gory		113
Fig. 8.—Necydalis major, Lin.		113
Fig. 9.—Stenopterus elegans, Klug.		113
Plate 55. Fig. 1 Acrocinus trochlearis, Gory .		115
Fig. 2.—LAMIA AUROCINCTA, Gorv		115
Fig. 3.—Tetraopes dimidiata, Gory		116
Fig. 4.—Saperda albicans, Guer.		117
Fig. 5.—Anatomical details of Saperda Atkinsoni, C	urtis	117
Fig. 6.—Antennæ of Distichocera Maculicollis, Kirl	by .	iii
Fig. 7.—Tinesisternus bizonulatus, Guer.		111
Fig. 8.—Tracocerus bidentatus, Donov.		114
Fig. 9.—Leptocera bilineata, Gory .		114
· · · · ·		- '
Plate 56. Fig. 1.—Desmocerts cyaneus, Fab.; Stenederus cyan	eus .	119

INSECTA.		Vol. IX	
Plate 56. Fig. 2.—Vesperus grædus, Guer			. 120
Fig. 3.—Rhagium bifasciatum, Fab.			. 120
Fig 4 Paragraphy curron Enh			. 120
Fig. 5.—Toxotus meridianus, Fab.			. 120
Fig. 6.—Pachyta Laporth, Guer.			. 120
Fig. 7.—Stenoderls Ceramroides Kirby			. 121
Fig. 5.—TOXOTES MERIDIANTS, Fab. Fig. 6.—PACHYTA LAPORTH, Guer. Fig. 7.—STRODERIS CERAMBOIDES, Kirby Fig. 8.—LEPTURA ANNULATA, GOTY Plate 57. Fig. 1.—MEGALOPUS UNIFASCIATUS, GOTY			. 121
Ligitor Martena ametara, conj		•	
Plate 57. Fig. 1.—MEGALOPUS UNIF ASCIATUS, Gory .			. 123
Fig. 2.—Sagra Cyanea, Dalm.		•	. 123
Fig. 3.—Anatomical details of Sagra splendid	. Eak	•	. 123
	A, Pan.	•	1.20
Fig. 4.—Orsodacna violacea, Chev.	•		. 123
Fig. 5.—Psamm echus bhunctatus, F. Boudier		•	104
Fig. 6.—Donacia fennica, Gyl.			. 123 . 124 . 124
Fig. 7.—Anatomical details of Donacia sagira	TARLF, FE	ıb.	. 124
Fig. 8.—Hinder Tarsus of Hemonia zostere,	Gyl.	•	. 124
Fig. 9.—Petauristls crassifes, Oliv.			. 124
Fig. 10.—Crioceris doryets, Guer			. 125
Fig. 11.—Anchenia beti læ, Fab.			. 125
Fig. 9.—Pertablists crassipes, Oliv. Fig. 10.—Crioceris dorvets, Guer. Fig. 11.—Anchema bettle, Fab. Fig. 12.—Megascelis frasina, Chev.			. 126
Plate 58. Fig. 1.—Allenus corallines, Vigors			. 127
Fiσ. 2.—Oxycephala cornigrea, Guer			. 128
Fig. 3.—Hispa Farrich Guer.			. 128
Fig. 4 -Anatomy of the foot of Currents spin	ners Fab		193
Fig. 5 —Cassina toxogroup is Eab	11 1.03, 2. 010		120
Fig. 6 — Anatomical details of Cassan accounts	17 a la	•	120
P. 7 Antanna a Chappen Little and a	or Chan	•	120
Plate 58. Fig. 1.—ALLENUS CORALLINUS, VIGORS Fig. 2.—ONYCEPHALA CORNIGERA, GUET Fig. 3.—HISRA FARRICH, GUET. Fig. 4.—Anatomy of the foot of Chalerus spin Fig. 5.—Cassida longitorinus, Fab. Fig. 6.—Anatomical details of Cassida discrete Fig. 7.—Antenna of Crypto Lephales spir 10 Fig. 8.—Clyptora Pleadance, Gueta	as, timer.		190
Fig. 6.—CLITHRATERORES, Only			
Fig. 9.—CHLAM's CAPREA, Mang.			. 130
Fig. 10 LAMPROSOMA COERTS A, Gory			. 130
Fig. II.—CHORAGUS SHEPPARDI, Kirly			. 131
Fig. 12.—Euryope quadri-maculata, Oliv.			. 131
Fig. 8.—Clythra Perchasor, Gory Fig. 9.—Chlamys cypiea, King, Fig. 10.—Lamprosona coerds a, Gory Fig. 11.—Chorages Sheffard, Kirly Fig. 12.—Ecryoff quadri-mach atta, Oliv, Fig. 13.—Lumdelis cyanlas, Fab.			. 131
Plate 59. Fig. 1.—Colaspis illustris, Chev. Fig. 2.—Podostia affirs, Germ. Fig. 3.—Paylloginaris betineta, Gher. Fig. 4.—Phylloginaris splending, Gher. Fig. 5.—Doryhody multi-punctata, Chev. Fig. 6.—Palpe of Doryhody adding, Chev. Fig. 7.—Paropsis octo-libeata, Gory			. 131
Fig. 2.—Podontia affinis, Germ.			. 132
Fig. 3.—Phyllocharis biging a, Guer.			. 132
Fig. 4.—PHYLLOCHARIS SPLENDLYS, Guer,			. 132
Fig. 5.—Doryphora multi-punctata, Chev.			. 132
Fig. 6.—Palue of Doraphora adjaca, Chev.			. 132
Fig. 7 -PAROPSIS OCTO-LINEATA, Gory			. 132
Fig. 8.—Timaecha Balearica, Gory	∵		. 133
The O CHENSOMETA HIMEDALIS GOLV		•	199
Fig. 8.—Timarcha balearica, Gory Fig. 9.—Chrysomela hemeralis, Gory Fig. 10.—Palpæ of Chrysomela sanglinoley	T. Tin		. 133
Fig. 11.—PH EDON CYANOPTERUS, GORY .	ia, Lin.		. 133
Fig. 11.—I'll EDOS CLASOFIERCS, GOLY		•	. 134
Fig. 12.—Prasocuris Hanoveriana, Fab.	•	•	. 131
The root of The Assessment Co.			
Plate 59. bis. Fig. 1.—Adortum Basale, Guer.		· ·	. 135
Fig. 2.—Anatomical details of Adortum BI		M, Chev	
Fig. 3.—GALERCCA DIMIDIATA, Guer.			135
Fig. 4.—Anatomical details of GAIERUCA	VIBURNI,	rayk.	. 135
Fig. 5.—Antennæ of GALERUCA QUADRI-M.	ACULATA,	Lin.	. 135
Fig. 6.—LUPERUS CINCTELLUS, Chev.			. 135
Fig. 7.—Anatomical details of Liperis Br	ASSICE, I	Panz.	. 135
Fig. 8 Octogonotes quadri-lineatus.	Chev.		. 1:5
Fig. 9.—Octogonotes thoracicus, Bose.			. 135
Fig. 10.—ŒDIONYCHIS FIGURATUS, Chev,			. 136
Tig 11 -Psyttoines Anglica Chev			196

				INSE	CTA.			v	ol. I	v. P	age
Plate 59	. bis. F	ig. 12.—	DIBOLIA	BOREALI	s, Chev.						136
	F	g. 13.—	ALTICA	Снеуког.	atii, Gue	r.					136
	F	ig. 14.—	LONGIT	ARSUS DOR	tsalis, Fa	ib, ,		•		•	137
Plate 60	. Fiσ. 1	l.—Eros	ryins Br	ENGALENS	is Guer.	A ne	w speci	es.			137
	Fig. 2	.—AEGY	THUS ST	RINAMENS	is, Fab	11 110	" speer				138
	Fig. 3	Tripi	LAX BRU	NNIPES, C	hev.						138
				RIPLAX N		is, Fa	b			. :	138
	Fig. 5.	.—Lang	URIA AF	RICANA, (Chev.						138
	F ig. 6	.—Рнаг	ACHRUS	GRANULA	Trs, Gue	r.			٠		138
	Fig. 7.	.—EUMO	RPHUS H	AMATUS,	Guer.			•			139
	Fig. 8.	.—DAPs.	A TRIMAC	CULATA, N	leg.	•	•		٠		139
				TIBIALIS,			rance on re	171			139
				letails of A LATA, C		DINA B	1 V 15 1.E.	, rai	,.		139 1 3 9
				S RUPICUL		·		•			140
	- 8				,	•	•		•		
Plate 61.	Fig. 1.	-Coccı	NELLA F	URCIFERA	, Guer.					. 1	141
				tails of C		A OCE	LATA,	Liu.		. 1	41
				URA, Fab.							41
				ORI-NOTEA		Ş•	•		•		41
				USILLUS,				•			41
				CULIONSH			•		•	.]	
				tails of a				•		. 1	
				RIGER, L			•		•		42
				ieisili, H				•		. 1	
				ebveil, A					•	. î	
				GICORNIS,						. 1	
	Fig. 13	BRYA	XIS ANT	ENNATA.	Aube					. 1	
	Fig. 1	1.—Etri	LETUS I	insti, D	enny					. 1	
				etails of F		8 NANI	s, Reic	h.		. 1	
				VIOLATES			•		•	. 1	
	F1g. 1	PTII	LIUM FA	SICTARE	, Herost.			•		. 1	4.1
Plate 62	Fig. 1	Earn	CEL V. CP	DCEIPLNN.	Serv					. 1	10
1010 02.				ails of Fe		ALRIC!	ULARIA	Lin	•	. i	
	Fig. 3	-BLATT	A PICTA	Fab.					•	. î	
	Fig. 4.	-Anato	mical de	tails of Br	LATTA Æ	GYPTI	CA, Fa	ь.		. 1	
	Fig. 5	—Empus	SA LUCIT.	es, Oliv.						. 1	19
	Fig. 6.	—Anato	mical de	tails of E	MPU - A PA	CPERA	ta, Fal			. 1	
	Fig. 7.	-Anato	mical det	ails of M.	ANTIS REL	IGIOS:	ı, Lin.			. 1	50
late 62	77: 1	Driver		LATTA SIL	,,					,	= 1
late 05.	Fig. 1	-1 Hasa	no of a F	LATA, Ser Bacheles			•		•	. 1.	
	Fig. 3.	-Head	of a Cvi	HOCKANA	٠.			•		. 13	
	Fig. 4	—Влета	RIA SCAE	nosa, Pe	rch.				•	. 1	
	Fig. 5	-Anator	nical det	ails of CL	ADONERU	s Rose	IPENNI	s, Gu	er.	. 1	
late 61.				EILLEI, G						. 1:	
				ails of G			Ris, Fa	υ,		. 1.	
	rig. 3.	-GRYLI	OTALPA migal dat	DIDACTYL	as, Latr.	D 4 TT 7	CARIC	٠		. 1:	
	Fig. 4.	Anato:	crvile	ails of Gi	Perch	ra VLI	CARIS			. 13	
				A ACERVO		7.			•	. 15	
				HROSOMA,				•		. 13	
	Fig. 8	-Pneus	IORA INA	inis, Fab.						. 15	
	Fig. 9.	-ACRYI	ILM TAR	satem, Se	rv,					. 15	
				etails of A		MIGR.	TOBLE	.T		1	

	INSECTA.	Vol.		Page
Plate 65.	Fig. 1.—Scutellera Dives, Guer			. 160
	Fig. 2.—Pentatoma yolofa, Guer			. 160
	Fig. 3.—Anatomical details of Pentatoma Grisea, Latr	٠		. 161
	Fig. 4 -Tesser atoma Sonneratii, Serv. and St. Farg.			. 161
	Fig. 5.—Phlea cassidoides, Serv. and St. Farg.			. 161
	Fig. 6.—Coreus rubiginosus, Guer			. 161
	Fig. 6, a.—Antennæ of a Gonocerus			. 162
	Fig. 6. b.—Antennæ of a Syromastes			. 162
	Fig. 7.—Antennæ of a Pachlis			. 162
	Fig. 8Antennæ of a Holliymenia			. 162
	Fig. 9.—Aniscscelis profants, Fab.			. 162
	Fig. 10.—Alydis annulicornis, Guer.			. 163
	Fig. 11.—Neides tipt Laria, Latr.			. 163
	, .			
Plate 66.	Fig. 1.—Lygæus Pæyi, Guer			. 163
	Fig. 2.—Anatomical details of LYGEUS APTERUS, Lin.			. 163
	Fig. 3.—Macrocheraia grandis, Gray .			. 163
	Fig. 4.—Salda erythrocephala, Serv.			. 163
	Fig. 5.—Head of Myodocha TIPULOIDES, Latr			. 164
	Fig. 6.—Astemma mercurialis, Guer			. 164
	Fig. 7 Myris Pulcheilus, Guer			. 164
	Fig. 8.—Antennæ of Capsus Flavicollis, Fab.			. 164
	Fig. 9 Anteunæ of HETER SPISSICORNIS, Latr.; Capsus	spissi		
	Fig. 10.—Macrocephalus affinis, Guer.			. 165
	Fig. 11.—Antennæ of Ph. Crassifes, Fab.			. 165
	Fig. 12.—Antennæ of Ph. EROSA, Fab.			. 165
	Fig. 13.—Antennæ of Tingis Pyri, Fab.	. '		. 165
	Fig. 14.—Antennæ of Aradus Corticalis .	•		. 165
	Fig. 15.—Aradus linatis, Fab.		•	. 165
	Fig. 16 —Anatomical details of CIMEX LECTI LARIUS, Lie	, n		. 165
	Fig. 17.—Reduvus amenus, Guer.		•	. 166
		•		. 166
	Fig. 18.—REDUVIUS PERSONATUS, Lin.		•	. 167
	Fig. 19.—Ploiaria Pallida, Guer.	•		. 107
Plate 67.	Fig. 1.—Hydrometra Stagnorum, Lin			. 167
1 1010 0	Fig. 2.—Gerris Marginatus, Guer			. 168
	Fig 3Velia rivi lori m, Fab			. 168
	Fig. 4.—Galgulis Flavis, Guer.		•	. 168
	Fig. 5.—NAUCORIS POEYI, Guer.	•		. 169
	Fig. 6.—Antennæ of Spherodema rotundata, Lap.			. 169
	Fig. 7.—NEPA GRISEA, Guer.			. 170
	Fig. 8.—RANATRA FILIFORMIS, Fab.		•	. 170
	Fig. 9.—Corixa cubæ, Guer.	•		. 170
	Fig. 10,—Notonecta furcata, Fab.			. 171
	rig. 10,-Notonecta reacata, ras.			
Plate 68	Fig. 1.—CICADA DIARDI, Guer			. 174
1 late oc	Fig. 2.—FULGORA LATHBURII, Kirby .			. 174
	Fig. 3.—APHÆNA VARIEGATA. Guer	•		. 174
	Fig. 4.—Cixius pellicidus, Guer.		•	. 174
	Fig. 5.—Head of Lystra Lanata, Fab.	•		. 175
			•	. 175
	Fig. 6.—Ricania marginella, Guer. Fig. 7.—Pœciloptera maculata, Guer.	•		. 175
			•	. 175
~	Fig. 8.—Head of FLATA FLOCCOSA, Guer.	•		
	Fig. 9.—Tettigometra virescens, Latr		•	. 175
	Fig. 10.—Issus pectinipennis, Guer.	•		. 176
	Fig. 11.—Head of Issus COLEOPTRATUS, Fab.		•	. 176
	Fig. 12.—Head of OTIOCERUS COQUEBERTH, Kirby	•		. 175
1			•	. 176
ſ	Fig. 14.—Head of DERBO PALLIDA, Fab.	٠		. 176

0

	INSECTA.	Vol.	IV.	Page
	Fig. 16.—UGYOPS PERCHERONH, Guer.			176
0	Fig. 17.—Head of DELPHAX MINUTA, Fab.		•	176
Plate 69.	Fig. 1.—MEMBRACIS MEXICANA, Guer			177
2 2000 000	Fig. 2.—DARNIS AFFINIS, Guer			177
	Fig. 3.—Bocidium proximum, Guer			177
	Fig 4.—Centrotus anchorago, Guer.			177
	Fig. 5.—Anatomical details of Centrorus cornurus, F			177
	Fig. 6.—Anatomical details of ÆTALION RELICULATUM Fig. 7.—LEDRA AURITA, Fab.	, Latr.	•	178 178
	Fig. 8.—Cercopis Urvillei, Serv.	•		179
	Fig. 9.—Anatomical details of CERCOPIS SANGUINOLENT	A, Pan		179
	Fig. 10.—Tettigonia pulchella, Guer			180
	Fig. 11.—PSILLA GENIST.E, Guer			181
	Fig. 12.—Antennæ of a Livia	•		181
	Fig. 13.—Thrips fasciata, Fab. Fig. 14.—Antennæ of Thrips ulmi, Fab.			181 181
	Fig. 15.—Aprils ros.e, Fab.	٠.		182
	Fig. 16.—Head of an ALEIRODES			183
	Fig. 17.—Coccus cacti, Lin			185
***	T			
Plate 70.	Fig. 1.— LIBELLULA INDICA, Fab.			189
	Fig. 2.—Nymphæ of Libellula depressa, Liu. Fig. 3.—Hinder claws of the Æshne of Egypt	•	•	189 190
	Fig. 4.—Agrion Chinensis, Guer. Fab.	•	•	190
	Fig. 5.—Hinder claws of Agrion VIRGO, Fab.			191
	Fig. 6.—Nymphæ and Anatomical details of Agrion Pt	ELLA, 1		
	Fig. 7.—EPHEMERA LIMBATA, Serv			193
	Fig. 8.—Larva of ETHEMERA VULGATA, Lin.	•		193
	Fig. 29.—Ephemera biloculata, Fab.	•	•	193
Plate 71.	Fig. I NEMOPTERA EXTENSA, Oliv.; Nemoptera hale	erata, I	Fab	194
	Fig. 2.—Bittacus tipularius, Latr			194
	Fig. 3.—Anatomical details of PANORPA COMMUNIS, Lin			194
	Fig. 4.—Boreus hiemalis, Lin	•	•	194
Plate 72.	No. 1 Parts of the skeleton of Geotrupes nasicornis			
	Fig. 1.—Pronotum from beneath, the prosternum is rem reflexed margin.	oved. a	, a.—	-The
	Fig. 2.—Prosternum from beneath.			
	Fig. 3.—The same from the side. a.—The internal pro	cesses.		
	Fig. 4.—Meso and metathorax from above.			
	Fig. 5.—Mesosternum with the scapulæ. E.—Mesoste	ernum.	D, :	D. —
	Ala anterior scapulæ. D*, D*.—Ejusd. ala	posteri	or.	
	Fig. 6.—Meso and metathorax from below. Fig. 7.—Mesosternum from within. a, a, a.—The th	ree noi	nte o	fthe
	processus internue.	rec por	413 0	LEC
	Fig. 8.—The internal process from the side. a, a, a.—	The the	ree po	ints.
Plate 72.	No. 2.—Skeleton of CETONIA AURATA.			
	Fig. 1 Meso and metathorax from above.			
	Fig. 2.—The same from beneath.			
	Fig. 3.—Prosternum and scapulæ seen from the front.			
	Fig. 1.—The connate sternum from within. a, a.—Proterni. b.—Proc. intern. metast.	oc. inte	ıı. m	esos-
	terms. v.—1 roc. intern. metast.			
Plate 72	No. 3 Skeleton of Hydrophilus Piceus.			
	Fig. 1.—Pronotum from beneath. a, a.—Reflexed ma	rgin		
	Fig. 1.—Pronotum from beneath. a, a.—Reflexed ma Fig. 2.—Prosternum from beneath.	rgin		
	Fig. 1.—Pronotum from beneath. a, a.—Reflexed ma	rgin		

731 . #0	INSECTA.	-		
Plate 72.	Fig. 5.—Sternum from without. Fig. 6.—Sternum from within. a.—The internal	nrocco	ene of th	n maca
	sternum which ascend to the scapulæ	. b. b	.—Wing	s of the
	processus internus metasterni.	•		
	Fig. 7.—Sternum from the side. a, a.—The pro			
	as far as the scapulæ. b, bBoth	wings	of the p	rocessus
	internus metast. d.—This process it	self.	e.—A thi	n horny
	lamella which lies beneath the proc. ble aperture which indicates the point			
	two parts of the connate sterunm.	or arv	ision bet	ween the
	Fig. 8.—Parapleuræ from the inner surface, with	the te	ndon of t	he large
	extensor of the wing. a The plate-	shaped	distensio	n. b.—
	The central petiole which is affixed to the			
	of the wing.			
Dla4a 72	Fig. 1 Mynustray Proguntary Cur.			. 195
rate /5.	. Fig. 1.—Myrmeleon Percheronii, Guer. Fig. 2 —Larva of Myrmeleon formicarius, Lin.	•	•	. 195
	Fig. 3.—Ascalaphis Brashlands, Guer.	•	•	. 195
	Fig. 4.—HEMEROBIUS CAPITATUS, Fab.	•		. 197
	Fig. 5 Anatomy of the HEMEROBIUS of Egypt		٠.	. 197
	Fig. 6.—SIALIS LUTARIUS, Latr			. 198
Plate 74.	Fig. 1.—CIMBEX PATERALIS, Guer.	•		. 210
	Fig. 2.—Anatomy of the Perga		•	. 210
	Fig. 3.—Schizocera furcata, Fab.	•	•	. 211
	Fig. 4.—Anatomy of the HYLOT			. 21 1 . 21 1
	Fig. 6.—CLADICS PALLIPLS, Lep.	•	•	. 212
	Fig. 7.—Anatomy of CLADIUS PRICORMIS		•	. 212
	Fig. 8.—Anatomy of the Athatia			. 212
	Fig 9Anatomy of the PTERYGOPHORUS			. 213
	Fig. 10.—Anatomy of the LOPHYRUS			. 213
	Fig. 11.—Anatomy of the PAMPHILIUS .			. 213
	Fig. 12.—XYELA PUSILLA, Dal			213
	Fig. 13.—CEPHUS FLAVIVENTRIS, Lef.			. 211
	Fig. 15.—CEPHUS FLAVIVENTRIS, Let. Fig. 11.—Larva, &c. of Cephus Promiers Fig. 15.—Anatomy of a XIPHYDRIA			. 214
	Fig. 15 —Anatomy of a XIPHYDRIA Fig. 16.—Anatomy of a ORYSSUS	•		. 214
	Fig. 17.—Sirex Lefebyru		•	. 214 . 215
	Fig. 18.—Anatomical details of a Sinex	•	•	. 215
			•	10
Plate 75.	Fig 1.—EVANIA CABE, Guer			. 216
	Fig. 2.—Abdomen of Evanta appendigaster, F	ab.		. 216
	Fig. 3.—Pelecinus polycerator, Latr			. 216
	Fig. 1.—FŒNUS CAPENSIS, Serv.			. 216
	Fig. 5.—Stephanus furcatus, Serv.		•	. 218
	Fig. 6.—OPHION MARGINATUS, Fab.	•	•	. 218
	Fig. 7.—JOPPA PICTA, Serv. Fig. 8.—ICHNEUMON GROSSORIUS, Gray		•	. 220
	Fig. 9.—Peltastes suarius, Gray	•	•	. 219 . 221
			•	. 221
Plate 76.	. Fig. 1.—Acenitus arator, Rossi			. 221
	Fig. 2.—Agathis purgator, Fab.			. 221
	Fig. 3.—Bracon ornator, Fab.	٠	•	. 221
	Fig. 4.—Anatomical details of Bracon Denigrat	or, Li	n.	. 221
	Fig. 5.—Vipio Nominator, Latr.			. 222
	Fig. 6.—MICROGASTER DEPRIMATOR, Latr. Fig. 7.—Anatomical details of MICROGASTER ALV	EADICS	T in	. 222
	Fig. 8.—Helcon spinator, Serv.	E-INIES	, 1111.	. 222 . 222
	Fig. 9.—Sigalphus irrorator, Latr.		•	. 222

TABLE OF THE	FLATES.
--------------	---------

TABLE OF THE PLATES.			xxñi
INSECTA.	Vol.	ıv.	Page
Plate 76. Fig. 10.—CHELONUS OCCULATOR, Jurine Fig. 11.—ALYSIA MANDICATOR, Fab.			. 222
Plate 77. Fig. 1.—Cynips quercus tole, Fab. Fig. 2.—Ibalia cultellator, Fab. Fig. 3.—Figites scutellaris, Latt. Fig. 4.—Chalgis Lashieri, Guer. Fig. 5.—Anatomical details of Chalcis Macleanii, Cu Fig. 6.—Chalcis caudatus, Guer. Fig. 7.—Leucostis fediculata, Guer. Fig. 8.—Thoracantha Latreillii, Guer. Fig. 9.—Head of an Agaon Fig. 10.—Head of Dirhinus, Dalm. Fig. 11.—Eurytoma Cooperii, Curt. Fig. 12.—Perllampus volleris, Fab.	rt		221 221 224 225 225 225 226 226 226 227 227
Fig. 13.—Antennæ of the CLEONYMUS Fig. 14.—Antennæ of the ENCYRTUS Fig. 15.—EULOPHUS PECTINICORNIS, Fab.			227 227 227
Plate 78. Fig. 1.—Dryinus cursor, Hal. Fig. 2.—Hrlorus anomalipes, Panz. Fig. 3.—Sparasion from Tale, Latr. Fig. 4.—Galesus fuscipennis, Curt. Fig. 5.—Platygaster Bosch, Jurine Fig. 6.—Mymar pelchellus, Walk. Fig. 7.—Anatomical details of Teleas elatior, Hal. Fig. 8.—Antenneo of a Cinetus Fig. 9.—Chrysis Mexicana, Gor. Fig. 10.—Anatomical details of the Hedychulm Fig. 11.—Cleptes thoracica, Lap.			228 229 230 230 230 230 230 231 231 231 232
Plate 79. Fig. 1.—Formica rufa, Lin. Fig. 2.—Atta armigera, Latr. Fig. 3.—Cryptocrets attatus, Latr. Fig. 4.—Mutilla senks, Guer. Fig. 5.—Anatomical details of Mutilla ephippium, Fab Fig. 6.—Myrmosa melanocephala, Latr. Fig. 7.—Methoca ichrechonides, Latr. Fig. 8.—Tengyra Sanvitali, Latr. Fig. 9.—Myzine voluulis, Latr. Fig. 10.—Scolia formosa, Guer. Fig. 11.—Sapyga varia, Latr.			236 237 237 238 238 239 239 240 241 241 241
Plate 80. Fig. 1.—Pompilus viaticus, Fab. Fig. 2.—Sphex aureonta, Guer. Fig. 3.—Amophilus apricalis, Gier. Fig. 4.—Ampulex compressiventris, Guer. Fig. 5.—Pelopeus lunatus, Fab. Fig. 6.—Bember Perviana, Guer. Fig. 7.—Anatomical details of a Bember Fig. 8.—Anatomical details of a Monedula Fig. 9.—Lyrops auriventris, Guer. Fig. 9.—Lyrops auriventris, Guer. Fig. 10.—Dinetus pictus, Jurine			242 242 213 214 215 245 245 246 246
Plate 81. Fig. 1.—Astata boops, Spin. Fig. 2.—Oxybelus uniglums, Fab. Fig. 3.—Trypoxylon figure, Latr. Fig. 4.—Gorytes mystaceus, Latr. Fig. 5.—Crabro cephalotes, Lin. Fig. 6.—Mellinus arvensts. Lin.		•	247 247 248 248 248 249

Vol. IV. Page

Plate 81.	Fig. 7.—Psen ater, Latr	. 24	
	Fig. 8.—Anatomical details of PHILLANTHUS ANDROGYNUS, Risso	. 25	0
	Fig. 9.—CERCERIS BIFASCIATA, Guer	. 25	i0
	Fig. 10.—Anatomical details of CERCERIS LETA, Fab	. 25	
Plate 89	Fig. 1.—CELONITES APIFORMIS, Latr	. 25	51
1 1410 02.	Fig. 2.—Ceramius Fonscolombii. Klug.	. 2	52
		. 2	
		. 2	50
	Fig. 4.—EUMENES SAVIGNYI, Guer	. 4	50
	Fig. 5.—ODYNERUS ELEGANS, Guer.	. 2	.) 4
	Fig. 6.—Polistes Lefeburii, Guer	. 2	
	Fig. 7.—Polistes nidulans, Fab.	. 2	53
Plate 83.	Fig. 1.—Andrena femoralis, Guer	. 2	
	Fig. 2.—Anatomical details of Andrena Kirbii, Cuit.	. 2	57
	Fig. 3.—Nomia crassipes, Oliv	. 2	
	Fig. 4.—Panurgus ater, Latr	. 2	59
	Fig. 5.—Xylocopa auripennis, Led.	. 2	259
	Fig. 6.—CERATINA VIRIDIS, GUET. Fig. 7.— MEGACHILE CENTUNCULARIS, Lin. Fig. 8.—ANTHIOLUM DIADEMA, LAUT. Fig. 9.—CŒLIOXYS RUFIPES, GUET. Fig. 10.—Anatomical details of CŒLIOXYS VICTIS, Curt.	. 2	260
	Pie 7 Mrs. controportants Lin	. 2	
	Fig. 7.— MEGACHILE CRATCHET LARIS, LIB.		
	Fig. 8.—ANTHIDIUM DIADEMA, Dati	. 2	102
	Fig. 9.—CŒLIOXYS RI FIPES, Guer	. 2	
	Fig. 10.—Anatomical details of Colloxys victis, Curt.	. 2	262
Plate 84.	Fig. 1.—EPEOLUS VARIEGATUS, Lin	. 2	63
	Fig. 2.—Crocisa Pulchella, Guer.	. 2	264
	Fig. 3.—MELITTURGA CLAVICORNIS, Latr	. 2	265
	Fig. 4.—Anthophora apicalis, Guer	. 2	265
	Fig. 5.—Anatomical details of Anthophora Haworthana, Kin		
		2	
	Fig. 6.—Centris clypeata, Lepel		
	Fig. 7.—Macrocera Lasnierii, Guer	. 2	26.1
D1.4. 05	. Fig. I.—Acanthopus splendidus, Klug	. 9	oce
Tate 60.	. Fig. 1.—ACANTHOPUS SPLENDINGS, IXING.		200
	Fig. 2.—EtGLOSSA DENTATA, Latt	. 2	200
	Fig. 3.—Bombus Dahlbomii, Guer.	. 2	266
	Fig. 4.—Apis Adansonii, Latr.		269
	Fig. 5.—Anatomical details of APIS MELLIFICA, Lin	. :	269
	Fig. 6.—Melipona fulvipes, Guer	. :	27.3
	Fig. 2.—EUGLOSSA DENTATA, LAIT. Fig. 3.—BOMBUS DAHLEONII, GUET. Fig. 4.—APIS ADANSONI, LAIT. Fig. 5.—Anatomical details of Apis Mellifica, Lin. Fig. 6.—Melipona filvipes, Guet. Fig. 7.—Tricona fasciata, Guet.	. :	273
	,		
Plate 86	6. Fig. 1.—A portion of the hard membrane of the brain of Dyrtsct	SMAR	G I -
	NALIS.		-
	Fig. 2.—Brain of the caterpillar of Cossus LIGMPERDA, Lyone	et A	
	Cerebrum. B.—Cerebellum. a, a.—Nerves of	ho or	
	b, b.—Of the antennæ. c.—Cord round the esophage	110 0	1 1
	-Cord connecting the cerebrum and cerebellum	as. a	, a.
	Nerves of the mandibles, the branches of the second	nerve	e ot
	the lip g g , whence a branch for a muscle, N , original	ies. j	f, f.
	-Nerves of the maxillæ. g. gSecond connecti	ng ne	rve
	of the labium, of which the nerve of the mandible is	a bran	ch.
	g*, g*First nerves of the labium, which give off	a bran	ich.
	M, to the muscles of the maxillee, O, O -Nerve	es of	the
	muscles of the mandibles and antennæ. P, PNer	ves of	the
	muscles of the mandibles. R, R Nerves that	distrib	nte
	themselves at the posterior portion of the skull. S, S.	_Nev	vee
	of the muscles of the neck, which pass into the thorax	-4161	V
	-Connecting cords of the cerebellum and first thora	oio or	, v .
	Line D. The fronts languism formal states	cie ga	ng-
	lion. D.—The frontal ganglion, formed of the two	oranel	nes,
	E E, whence the sympathetic nerve, F, originates.		

- Plate 86. Fig. 3.—Cerebrum of the caterpillar of Cossus Ligniperda, Lyonet, E., E.—Branches to the frontal ganglion. O.—Nerve of the muscles of the mandibles. b, b.—Nerves of the antennæ. a, a.—Nerves of the eyes. c.—Cord of the cosophagus. P, P.—Nerves of muscles. A, A.—Small ganglion of the sympathetic nerve. B, B.—Branches. F.—Nervus sympathicus.
 - Fig. 4.—Brain of Melolontha vulgaris, Straus. A.—Cerebrum. B.—Cerebellum. a, a.—Optic nerves. b, b.—Nerves of the antenux. d, d.—First ganglion of the sympathic system. G, G.—Second ganglion. D.—Frontal ganglion. e, e.—Nerves of the mandibles, f, f.—Nerves of the maxillæ.
 - Fig. 5.—Cerebellum alone, of Melotontha velgarits. e. —Nerves of mandibles. f, f.—Nerves of maxillæ. k, k.—Connecting cord with the cerebrum. h, h.—Connecting cords to the first thoracic ganglia.
 - Fig. 6.—Cerebrum of Gryllus Migratorius, with the sympathic system seen from above. A. A.—Optic nerves. B. B.—Nerves of the antenine. a.—Frontal ganglion. b.—First ganglion, in which the odd nerve terminates. c, c.—The large ganglia. e, e.—The small ganglia, whence the sympathic nerve originates by two branches, which again unite at d* and d*. e, e.—Small ganglia upon the essophagus. f, f.—First ganglion upon the crop. g, g.—Second, which lies at the end of the crop. h, h.—Nerves which pass between the blind appendages.
 - Fig. 7.—Brain of Gavillus Migratorius, seen from the front. A, A.—Optic nerves. a, a.—Nerves which pass to the frontal ganglion. b, b.—Nerves of the autennae. a*, a*, a*.—Nerves to the ocelli. d, d.—Connecting cords between the cerebrum and cerebellum. d*, "-The connecting cord of these. B:—Cerebellum. d*, "-The connecting cord of these. B:—Cerebellum. e, e, "-Nerves of the mandibles. f, f.—Nerves of the mandibles. The connection cord of the mandibles. The connection cord of the mandibles. The connection cord of the mandibles. The connection content of the connection content of the content of the connection content of the content of the
 - of the maxillæ,

 -Ventral cord of the fly Eristalis tenax. a, a.—Connecting cords with the cerebellum. A, A.—Nerves of the anterior legs.

 B, B.—Of the intermediate, C, C.—Of the posterior. b, b.—

 Branches of the muscles which pass into the abdomen. d.—

 First abdominal ganglion. c, c.—Branches of it. e.—Second abdominal ganglion. f, f, h, h, g, g.—Branches of it to the genitalia and other internal organs.
- Plate 87. Fig. 1. A.—Brain of the larva of Calosoma Sycophanta. A.—Cerebrum, a, a.—Optic nerves. b, b.—Nerves of the antennæ. d, d.—Branches to the frontal ganglion. D.—Frontal ganglion. F.—First ganglion of the sympathic system. B.—Cerebellum.
 e, e.—Nerves of the mannibles. f, f.—Nerves of the maxillæ.
 g, g.—Nerves of the labium.
 - Fig. 1. B.— Part of the ganglionic ventral cord of the larva of Calosoma Sycophanta. k.—Cerebellum. h, h.—Auxiliary connecting cord, with the first thoracic ganglion. n. n.—Auxiliary ganglia. A, A.—Nerves of the anterior legs. L.—First thoracic ganglion. i, i.—Auxiliary connecting cords of the first and second ganglia, forming small ganglia, mn. k, k.—Auxiliary connecting cords between the second and third ganglia. M.—Second thoracic ganglion. N.—Third. O.—Fourth. p, p, q, q, r, r, s, s.—Nerves of muscles. B, B.—Nerves of the intermediate legs. C, C.—Xerves of the posterior legs.
 - Fig. 2.—The ventral cord of DYTISCUS MARGINALIS. A. A.—Nerves of the anterior legs. B, B.—The intermediate ones. C, C.—The posterior ones.

Plate 87.	Fig. 3.—Ventral cord of the larva of Eristalis tenax. Fig. 4.—Cerebrum of Vespa Germanica. a, a, a.—Nerves to the care A, A.—Optic nerves. B, B.—Nerves of the antennæ, co	ocelli. nt o ff.
	c.—Branch to the cerebellum. Fig. 5.—Cerebrum and sympathic system of the caterpillar of L.n. Moai, Brandt. A, A.—Nerves of the eyes. B, B.—N of the antennæ. C, C.—Hemispheres of the cerebrum. a, c —Nerves which originate from the frontal ganglion a	erves
	branches. b*, b*, —First ganglion of the œsophagus. b**. Second ganglion of the œsophagus. f:—Nervus sympat d.—Its first ganglion. e.—Its second ganglion.	b**.
	Fig. 6.—The same in the developed moth, marked as before. Fig. 7.—The same of Melog proscarabeus, Brandt, marked simila	
Plate 88.		. 2 78
	Fig. 3.—Parnassius phæbus, Fab. Godard	. 279 . 279 . 279
Plate 89.		. 279
		. 279 . 280
		. 280
Plate 90.	. Fig. 1.—Vanessa callithea, Godard	. 281
	Fig. 2.—Argynnis moneta, Geyer Fig. 3.—Caterpillar and Chrysalis of Argynnis paphia, Godard	. 280 . 280
	Fig. 4.—Nymphalis ethea, Godard	. 2 80
	Fig. 5.—Caterpillar and Chrysalis of NYMPHALIS ILIA, Godard	. 282
Plate 91.	Fig. 1.—Satyrus Balder, Boisd.	. 283
	Fig. 2.—Caterpillar and Chrysalis of SATYRUS JURTINA, Godard Fig. 3.—ELMENIA TOXEA, Godard	. 283 . 283
	Fig. 4.—ERYBIA CAROLINA, Godard	. 283
Plate 92.		. 282
	Fig. 2.—Morpho actorion, Godard Fig. 3.—Anatomical details of Morpho phidippus, Godard	. 282 . 282
	Fig. 4.—Brassolis astyra, Godard	. 283
Plate 93.	Fig. 1.—URANIA BOISDUVALII, Godard	. 285
		. 285 . 285
		. 2-5
Plate 94.	. Fig. 1.—ERYCINA VIRGINIENSIS, Boisd	. 284
		. 284 . 284
		. 281
	Fig. 5.—Caterpillar and Chrysalis of Polyommatus fruni, Godar	
	Fig. 6.—Zephyrius amor, Dalm. Fig. 7.—Anatomy of Polyommatus roxus, Godard	. 2 84
2nd. Pla	te 94. Fig. 1.—Splinx Jasminearum, Bdv	. 287
		. 288 . 289
Plate 95.	. Fig. 1.—Hepialus lupulinus, Fab.	. 292
	Fig. 2.—Cossus Macmurtrei, Bdv Fig. 3.—Caterpillar of Cossus Ligniperda, Fab.	. 293 . 293

TABLE OF THE PLATES.		x x v ii
INSECTA.	Vol. IV	Page
Plate 95. Fig. 4.—STYGIA AUSTRALIS, Latr	V 01. 1 V	. 2 93
Fig. 5.—Zeuzera scalaris, Donov		. 293
Fig. 6.—Caterpillar of Zeuzera Asculi, Fab.	•	. 293
Fig. 7.—Caterpillar of Hepialus humuli, Fab.		. 292
- g carriplian of Lizz table incarell, Lab.	•	. 232
Plate 96. Fig. 1.—AGARISTA PALES, Bdv.		. 286
Fig. 2.—Caternillar and Chrysalis of Acapters Civers 1	ewin	. 286
Fig. 3.—Coronis Leachii, Godard	30 11111	. 287
Fig. 4.—Castnia acreoides, Bdv.	•	. 287
		. 20,
Plate 97. Fig. 1.—THYRIS SEPULCHRALIS, Bdv.		. 289
Fig. 2.—ÆGOCERA RECTILINEA, Bdv.		. 289
Fig. 3.—ZIGÆNA PULCHELLA, Bdv.	•	. 290
Fig. 4.—ZIGÆNA FILIPENDULÆ, Lin		. 290
Fig. 5.—Procris nebulosa, Klug.	•	. 290
Fig. 6.—Syntomis myodes, Bdv		. 290
Fig. 7.—Syntomis Phægea, Fab.		. 290
Fig. 8.—Atychia pumila, Och. Lat.		. 290
Fig. 9.—Caterpillar and Chrysalis of AGLAOPE INFAUSTA		. 290
Fig. 10.—GLAUCOPIS FOLLETII, Feist.		. 290
Fig. 11.—AGLAOPE AMERICANA, Bdv.	-	. 290
		00
Plate 98. Fig. 1.—SATURNIA BAUHINIE, Bdv		. 294
Fig. 2.—Caterpillar of SATURNIA LUNA, Fab.		. 294
Fig. 3.—Chrysalis of Saturnia pavonia-minor, Lin.		. 294
Fig. 4.—Bombyx digramma, Bdv.		. 295
Fig. 5.—Caterpillar of Bombyx Pensylvanica, Bdv.		. 295
Fig. 6.—Lasiocampa proboscidea, Bdv		. 295
Plate 98. bis. Fig. 1.—CHELONIA EVIDENS, Bdv		. 298
Fig. 2.—Caterpillar of Chelonia nubilis, Bdv.		. 298
Fig. 3.—Anatomical details of Chelonia Chrysorhæa		 298
Fig. 4.—Callimorpha Lecontel		. 298
Fig. 5.—DICRANOURA BOREALIS, Bdv.		. 299
Fig. 6.—LITHOSIA LÆTA, Bdv.		. 298
Fig. 7LITHOSIA LUTEOLA		. 298
Fig. 8 —Caterpillar of Lithosia Pulchella		. 299
Fig. 9.—PLATYPTERIX GLOBULARIE, Bdv.		. 299
D) 4- 00 E:- 1 C D1		
Plate 99. Fig. 1.—Sericaria ranæceps, Bdv.		. 297
Fig. 2.—Caterpillar of Sericaria Tessellata, Bdv.		. 2 9 7
Fig. 3.—Notodonta ziczac, Lin.		. 297
Fig. 4.—ORGYIA DETRITA, Bdv.	. .	. 297
Fig. 5.—Caterpillar and Chrysalis of Orgyla Gonostigma,		
Fig. 6.—Linacodes delphini, Bdv.		. 2 9 7
Fig. 7.—Caterpillar of Limacodes Strigata, Bdv.		. 297
Fig. 8.—Caterpillar of Limacopes indeterminata		. 297
Fig. 9.—Psyche Calvella, Ochs. Fig. 10. a, b, c, d.—Details of the Caterpillar of Psyche NIT	_	298
rig. 10. a, o, c, a.—Details of the Oaterphiar of Psyche Nit	IDELLA	298
Plate 100. Fig. 1.—NOCTUA IMPERATOR, Bdv		200
Fig. 2.—Erebus Limacina, Bdv.		300
Fig. 3.—Caterpillar of Erebus Putrescens, Bdv.		300
Fig. 4.—Caterpillar and Chrysalis of Noctua sponsa, Fal		300
Fig. 5.—Pyralis fagana, Fab.		300
		3 02
Plate 101. Fig. 1.—PHALENA MACHAONARIA, Bdv.		303
Fig. 2.—PHALÆNA GUTTARIA, Bdv.		303
Fig. 3.—Anatomy of Phalena Favillacea, Hub.		303

	INSECTA.	Vol	IV	Page
Plate 101	Fig. 4.—Caterpillar of Phalena Grossulariata, Lin.	• 01.	• • •	303
1 mie 101.	Fig. 5.—HERMINIA SIDONIA, Cram.			. 304
	Fig. 6.—Head of HERMINIA CRASSALIS, Fab.	•		. 304
	Fig. 7.—Botys dilucidalis, Bdv.		•	. 305
	Fig. 8.—Head of Botys cingulalis, Hub.	•		. 305
	Fig. 9.—Hydrocampe aquatilis, Bdv.		•	. 305
	Fig. 10Caterpillar of Hydrocampe Nympheata, Lat	r.		. 306
	Fig. 11.—AGLOSSA DILUCIDALIS, Bdv.			. 306
	Fig. 12.—Gatleria cereana, Fab.			. 306
	Fig. 13.—Caterpillar of Galleria colonella, Hub.	•		. 306
	Fig. 14.—CRAMBUS RETUSALIS, Bdv.			. 307
	Fig. 15 Anatomy of CRAMBUS RADIELLUS, Hub.			. 307
	, , , , , , , , , , , , , , , , , , , ,			
Plate 102.	Fig. 1.—ALICITA ASPERELLA, Hub			. 307
	Fig. 2.—Euplocamus anthracinus, Hub			. 307
	Fig. 3.—TINBA LAPEZANA, Fab			. 307
	Fig. 3. a.—Head of TINEA LONGICORNIS, Curtis .			. 308
	Fig. 4.—ILITHIA CARNEA, Latr			. 308
	Fig. 4. a, b.—Anatomy of ILITHIA PINGUIS, Curtis			. 308
	Fig. 5.—YPONOMEUTA PUSIELLA, Hub.			. 308
	Fig. 5. a, bCaterpillar and Chrysalis of YPONOME	UTA	PLUM	
	BELLA, Hub.			. 308
	Fig. 6.—ÆCOPHORA LINNEELLA, Clerk .			. 308
	Fig. 6. a, b Caterpillar and Chrysalis of ÆCOPHORA	IAJOI	RELL	
	Hub.; Tinea majorella .			3 09
	Fig. 7.—Adela Degeerella, Fab.			. 309
	Fig. 8.—Pterophorus ptilodactylus, Hub			. 309
	Fig. 8. a Head of PTEROPHORUS SPILODACTYLUS, Cur	tis		. 309
	Fig. 9.—Orneodes HEXADACTYLUS, Latr			. 310
Plate 103.	Fig. 1.—DIXA NEBULOSA, Meig			. 322
	Fig. 2.—CHIONEA ARANEOIDES, Dalm.			. 323
	Fig. 3.—RHYPHIS FENESTRALIS, Scop			. 323
	Fig. 4.—PLATYURA FLAVIPES, Meig.			. 324
	Fig. 5.—Mycetobia thoracica, Guer.			. 325
	Fig. 6.—Simelium ornatum, Meig			. 326
	Fig. 7DILOPHUS THORACICUS, Guer			. 326
	Fig. 8.—Anatomical details of Bibio venosus, Meig.			. 326
	· ·			
Plate 104.	Fig. 1.—Stylops Dalii, Curtis .			. 311
	Fig. 2.—Anopheles bifircatus, Lin.	•		317
	Fig. 3.—Corethra plumicornis, Meig.			. 319
	Fig. 4.—Anteunæ of Chironomis			. 319
	Fig. 5.—Psychoda palustris, Meig			320
	Fig. 6.—Ctenophora festiva, Meig			. 320
	Fig. 7.—Head of a TIPULA			. 321
	Fig. 8.—Rhipidia maculata, Meig.			. 321
	Fig. 9.—LIMNOBIA OCELLARIS, Liu.			. 322
1'late 105.	Fig. 1LAPHRIA HIRTICORNIS, Guer.			. 328
	Fig. 2.—Anatomical details of LAPHRIA NIGRA, Meig.			. 328
	Fig. 3.—Ommatius conopsoides, Wied.			. 329
	Fig. 4.—Antennæ of an Asilus			. 332
	Fig. 5.—Antennæ of a Dasypogon			. 329
	Fig. 6.—Hybos FLA VIIIs, Macq.		•	. 2:0
	Fig. 7.—RHAMPHOMYIA PENNATA, Macq.		•	. 331
	Fig. 8.—Tachydromyla arrogans, Lin.			. 331
	Fig. 9.—Panops ocelliger, Wied.			. 332
	Fig. 10 OGEODES GIBEOSUS, Meig.			. 332

INSECTA.			77.01	T T7	Dome
Plate 112. Fig. 6.—Conops Rufipes, Fab.			VOI		Page
Fig. 7.—MYOPA VARIEGATA, Meig.		•			. 360 . 360
Fig. 8.—Stomoxys calcitrans, Lin.	•		•		. 361
116. C.—Stomoxis executation, Lini		•	•		. 501
Plate 113. Fig. 1.—ECHYNOMYIA GROSSA, Fab.					. 363
Fig. 2.—GYMNOSOMIA ROTUNDATA, Fab.			Ť.,		. 364
Fig. 3.—MILTOGRAMMA, PUNCTATA, Meig.					. 363
Fig. 4.—Phasia brachyptera, Meig.			٠.		. 364
Fig. 5.—Lucilia mirabilis, Guer.					. 365
Fig. 6.—Calliphora vomitoria, Lin.					. 367
Fig. 7.—Head of Achias oculatus					. 368
Fig. 8.—LISPE TENTACULATA, Meig.					. 368
Fig. 9.—Anthomyia pluvialis, Lin.					. 369
Fig. 10.—EPHYDRA RUFITARSIS. Marq.					. 370
Fig. 11.—Anatomical details of EPHYDRA SI	PILOT	а, Н	al.		. 370
70 - 334 70 7 70					
Plate 114. Fig. 1.—THYREOPHORA CYNOPHILA, Panz.		•			. 371
Fig. 2.—Scatophaga stercoraria, Lin.	•		•		. 372
Fig. 3.—Antennæ of a Sphærocera.					. 372
Fig. 4.—Sapromyza brunitarsis, Macq.					. 374
Fig. 5.—Oscinis hypostigma, Meig.		•			. 374
Fig. 6.—Sepedon sphegeus, Fab.					. 375
Fig. 7.—CALOBATA RUFICEPS, Guer					. 376
Fig. 8.—Diopsis fasciatus, Guer.	•		•		. 377
Fig. 9.—Diopsis atricapillus, Guer.		٠			377
Fig. 10.—Anatomical details of Sepsis Annu	LIPE	s, Me	ig.		. 377
Fig. 11.—TEPHRITIS OBLIQUA, Guer		٠.	•		. 378
Fig. 12.—Anatomical details of TEPHRITIS C	ORNU	тл,	rab.		. 378
Plate 115. Fig. 1.—PLATYSTOMA LÆTA, Guer.					379
Fig. 2.—Celyphus obtectus, Dalm.	•		•		379
Fig. 3.—Phora abdominalis, Pall.		•			380
Fig. 4.—Anatomical details of Hyppobosca:	· FOUL	. T	in		384
Fig. 5.—ORNITHOMYIA CHILENSIS, Guer.	EQUI	`^, _			384
Fig. 6.—Anapera tangerii, Guer.		•	•		384
Fig. 7.—Stenopteryx hirundinis, Leach	•		•		384
Fig. 8.—Melophagus ovinus, Lin.		•	•		384
Fig. 9.—Nycterybia Westwoodii, Guer.	•		•		385
Fig. 10.—Anatomical details of Nycterybia	Cvv	Perr	Wood		385
rig. 10.—Anatomical details of Nicteribia	DIE	esii,	11 650.		, 505
-closedo-					
ZOOPHYTES.					
# O O D STATE TO			 .		_
ZOOPHYTES.			Vol.		Page
Plate 1. Fig. 1.—Asterias aurantiaca, Lin.	•		•		392
Fig. 2.—Comatula carinata, Lam		•	•		39 3
Plate 2. Fig. 1.—ECHINUS ESCULENTUS, Lin.					395
Figs. 2, 3.—FLORICEPS SACCATA, Cuv.* .					419
Fig. 4.—Stephanomia uvaria, Les.					429

^{*} An extraordinary species of Floriceps found in the liver of the *Diodon Mola*. It is enveloped in a membranous sac (fig. 2), which appears to be connected in some way with its body, and to enjoy the faculty of voluntary contractions. Fig. 3.—The sac opened and the animal exposed.

FABLE OF THE PLATES.	xxxi
Plate 3. Fig. 1.—ECHINUS VERTICILLATUS, LAIM. Fig. 2.—ECHINOSEUS SEMILUNARIS, LAIM. Fig. 3.—GALERITES SEXPASCIATUS, LAIM. Fig. 4.—SCUTELLA HEXAPORA, LAIM.; Echinus hexaporus, Seb. Fig. 5.—Fibularia OVLUM, Laim. Fig. 6.—SPATANGUS PILOSUS, Val.	V. Page . 395 . 396 . 397 . 397 . 398 . 398
Plate 4. Fig. 1.—Holothuria phantopus, Lin. Müll. Fig. 2.—Holothuria squamata, Müll. Cuv. Fig. 3.—Holothuria elegans, Müll. Cuv. Fig. 4.—Holothuria fusus, Müll. Fig. 5.—Holothuria cucumer, Risso Fig. 6.—Holothuria Edouari, Less. Fig. 7.—Holothuria Edouari, Less.	. 399 . 400 . 400 . 400 . 400 . 400
Plate 5. Fig. 1.—Minyas cyanea, Cuv. Fig. 2.—Priapula Caudata, Lam.; Holothuria priapus, Müll. Fig. 3.—Spronctus edulis, Cuv. Pallas Fig. 4.—Spronculus tigrinus, Risso	. 401 . 401 . 402 . 402
Plate 6. Fig. 1.—Bonellia viridis, Rol. Fig. 2.—Thalassema neptuni, Gert.; Lumbricus thalassema, Pa Fig. 3.—Echiturus Pallasii, Cuv.; Lumbricus Echiurus, Gu. Pa Fig. 4.—Sternaspis thalassemoides, Otto.	. 402 llas 403 llas 403 . 403
Plate 7. Fig. 1.—FILARIA MEDINENSIS, Gm. Fig. 2.—TRICHOCEPHALUS DISPAR, Rud. Fig. 3.—OVYCRUS CERVULA, Rud. Fig. 4.—CUCCLLANUS ELEGANS, Rud. Fig. 5.—OPHIOSTOMA SPHEROCEPHALA, Rud. Fig. 6.—ASCARIS LUMBRICOIDES, Lin.	. 405 . 405 . 406 . 406 . 406 . 407
Plate 8. Fig. 1.—Strongylus gigas, Rud. Fig. 2.—Spiropterus storngulinus, Rud. Fig. 3.—Physalopterus clausus, Rud. Fig. 4.—Liophynchus dentifulatus, Rud. Fig. 5.—Linguatula tenioides, Rud. Fig. 6.—Linguatula Cuvierii Fig. 7.—Prionoderma ascaroides, Rud.; Cucullanus ascaroides. Gotz.	. 407 . 408 . 408 . 409 . 409 des,
Plate 9. Fig. 1.—LERNEA BRANCHIALIS, Lin. Fig. 2.—LERNEA MULTICORNIS, CUV. Fig. 3.—PENELLA FILOSA, Gmcl. Fig. 4.—SPHYRION LEVIGATUS, CUV. QUOV, and Gaym. Fig. 5.—ANCHORELLA LAGENULA, CUV. Fig. 6.—BRACHIELLA HIPPOGLOSSI, CUV. Fig. 7.—CLAVELLA HIPPOGLOSSI, CUV. Fig. 8.—CONDRACANTHUS TRIGLE, CUV. Fig. 9.—CONDRACANTHUS ZEI, LATOCHE Fig. 10.—CONDRACANTHUS XYPHLE, CUV. Fig. 11.—NEMERTES BORLASII, CUV.	. 409 . 410 . 410 . 410 . 410 . 410 . 411 . 411 . 411 . 411
Plate 10. Fig. 1.—Echinorhynchus gigas, Gm. Fig. 2.—Herica muris, Gm. Fig. 3.—Anphistoma longicollis, Bl. Fig. 4.—Caryophylleus mulabilis, Bl. Fig. 5.—Monostoma, Bl. Fig. 6.—Fasciola hepatica, Lin.	. 413 . 414 . 414 . 414 . 414

ZOOPHYTES.		- 1	ol. I	V. Page
Plate 10. Fig 7.—Polystoma integerrimum, Rud.				. 415
Fig. 8.—Polystoma pinguicola, Rud.				. 415
Fig. 9.—Cyclocotylus Bellones, Otto.				. 415
Fig. 10.—Tristoma coccineum .				. 415
Plate 11. Fig. 1.—HECTOCOTILE OCTOPODIS, Cuv.				. 416
Fig. 2.—Aspidogaster conchicola, Bær.	•		•	. 416
Fig. 3.—Planaria aurantiaca, Risso		•		. 417
Fig. 4.—Planaria cornuta, Müll.	•		•	. 417
Fig. 5.—Planaria lactra, Müll.	•	•		. 417
Fig. 6.—PROSTOMA CLYPSINOIDES, Duges	•		•	. 417
Fig. 7.—Derostoma notops, Duges .		•		. 417
Fig. 8.—Vertumnus thethidicola, Otto			•	. 417
Plate 12. Fig. 1.—Tænia lata, Rud. Cuv.		•		. 418
Fig. 2.—Tænia solium, Lin. Cuv.				. 418
Fig. 3.—Head of Bothryocephalus coron	tatus, I	31.		. 418
Fig. 4.— DIBOTHRYORHYNCHUS LEPIDOPII,	Bl.	•		. 419
Plate 13. Fig. 1.—FLORICEPS COROLLATUS, Cuv.				. 419
Fig. 2.—Tetrarhynchus lingualis, Cuv.	•		•	. 419
Fig. 3.—Tentacularia Boscii, Cuv.	•	•		. 419
Fig. 4.—Cysticercus pisciformis, Lin.	•		•	. 418
	•	•		. 419
Fig. 5.—Cysticercus finna, Blum.	•		•	. 420
Fig. 6.—Acrostona amnii, Lesauv.	•	•		. 420
Fig. 7.—Cænurus cerebralis, Gm.	•		•	. 420
Fig. 8.—Echinococcus	•	•		. 420
Fig. 9.—LIGULA SIMPLICISSIMA, Bloch	•		•	. 420
Plate 14. Fig. 1.—PELAGIA PANOPYRA, Peron				. 423
Fig. 2.—CYANÆA LABICHE, Quoy and Gayı	m			. 423
Fig. 3.—EQUOREA CYANOGRAMMA, QUOY at		i		. 422
			,	
Plate 15. Fig. 1.—RHIZOSTOMA ALDROVANDI, Risso.	Taken	from a	draw	ing
of M. Laurillard	•	•		. 423
Fig. 2.—Cassiopea Borbonica, Delle Chiai	е .		•	. 424
Distante De Die 1 Departure purpose de la Deser-				. 424
Plate 16. Fig. 1.—BERENICE EURISOCHROMA, Peron	•	•		. 424
Fig. 2.—Geryonia proboscidalis, Forsk.	•		•	
Fig. 3.—Cephea papuensis, Less.	•	•		. 424
Plate 17. Fig. 1.—Beroe Pileus, Gm				. 425
Fig. 2.—Beroe blongatus, Risso; Idya ele	ongatus			. 426
Fig. 3.—Beroe costata, Reyn				. 426
Fig. 4.—Callianira bucephalon, Reyn.	•	_	•	. 426
Fig. 5.—Alcinoe vermiculata, Rang.	٠.	•		. 426
Fig. 6.—Ocyroe Maculata, Rang.			•	. 426
rigi of Outhor Macorning roads.				
Plate 18. Fig. 1.—Cestum veneris, Less			•	. 426
Fig. 2.—Porpita Chrysocoma, Less.				. 427
Fig. 3.—Velella limbosa, Lam.			•	. 427
Plate 19. Fig. 1.—PHYSALIA ATLANTICA, Less.				. 428
Fig. 2.—Physsophora disticha, Less.	•	•		. 428
	•		•	. 429
Fig. 3.—Physsophora nicea, Laur. Fig. 4.—Hippopodius luteus, Quoy and G	avm.	•		. 429
Fig. 5. Paragraphy at Hell 1 years Oney at	id Gavm		•	429
Fig. 5.—RHIZOPHYZA HELIANTHA, Quoy ai	ia Gajiii	•		. 430
Fig. 6.—Diphia dispar, Bory .			•	. 400

Plate 19	TABLE OF THE PLATES.					xxxii
Plate 19 Fig. 7.—CALPE FENTAGON N. Quoy and Gaym. Fig. 9.—CYMBA SAGITTA, Quoy and Gaym. Fig. 9.—CYMBA SAGITTA, Quoy and Gaym. Fig. 9.—CYMBA SAGITTA, Quoy and Gaym. Fig. 10.—CUBGIDES VITRAES, Quoy and Gaym. Plate 20. Fig. 1.—ACTINIA CORALLINA, RISSO Fig. 2.—THALASSIANANTHOS ASTER, Rup. Fig. 3.—DISCOSMUS NUMMIFORNE, Rup. Fig. 3.—DISCOSMUS NUMMIFORNE, Rup. Fig. 4.—ZOANTHUS SOCIATUS, Cuv. 433 Fig. 4.—ZOANTHUS SOCIATUS, Cuv. 433 Fig. 5.—LUCERNARIA CAMPANULA, LAMOUTOUX Plate 21. Fig. 1.—TUBIPORA RUBEGLA, Quoy Fig. 2.—TUBULARIA TAMARINDUS, Ellis Fig. 3.—SERTULARIA TAMARINDUS, Ellis Fig. 4.—EUGRATRA CORNUTA, Ellis Fig. 4.—EUGRATRA CORNUTA, Ellis Fig. 5.—FLUSTRA ARAGOI, Exp. d'Eg. Fig. 6.—Cellepora Fumicosa, Ellis Fig. 6.—Cellepora Tubulosa, Gm. Fig. 9.—FLABELLARIA OPPICINALIS, Lin. Fig. 3.—CORYNA MULTICORNIS, FORSK. Cuv. 431 Fig. 3.—CORYNA MULTICORNIS, FORSK. Cuv. 432 Fig. 4.—CRISTATELLA MICEDO, Cuv. Fig. 4.—CRISTATELLA MICEDO, Cuv. Fig. 4.—CRISTATELLA MICEDO, Cuv. Fig. 5.—VORTICELLA OPERCILARIS, BOTY, Rosel de Ros. Fig. 6.—Pedicellaria TRIDENS, Müll. Cuv. 435 Fig. 6.—Pedicellaria TRIDENS, Müll. Cuv. 436 Fig. 3.—CORYNA MULTICORNIS, FORSK. Cuv. 437 Fig. 4.—CRISTATELLA MICEDO, Cuv. Fig. 5.—Ista HIPPURIS, Ellis and Sol. Fig. 5.—Ista HIPPURIS, Ellis and Sol. Fig. 6.—Pedicellaria TRIDENS, Müll. Cuv. Fig. 6.—Pedicellari	ZOOPHYTES.			V	71 1	7 P
Fig. 5.—ABVLA TRIGONA, Quoy and Gaym. Fig. 9.—CVMBA SAGITTA, Quov and Gaym. Fig. 10.—CUBOIDES VITRAUS, Quoy and Gaym. 430 Plate 20. Fig. 1.—ACTINIA CORALLINA. Risso Fig. 2.—TRALASSIANANTHOS ASTER, Rup. 432 Fig. 3.—DISCOSMUS NUMMIFORME, Rup. 432 Fig. 4.—ZOANTHUS SOCIATUS, Cuv. 433 Fig. 5.—LUCERNARIA CAMTANULA, Lamouroux 433 Fig. 5.—LUCERNARIA CAMTANULA, Lamouroux 436 Fig. 2.—TUBULARIA TAMARINDUS, Ellis Fig. 3.—SERTULARIA TAMARINDUS, Ellis 437 Fig. 3.—SERTULARIA TAMARINDUS, Ellis 438 Fig. 4.—EUCRATRA CORNUTA, Ellis 439 Fig. 5.—FLUSTRA ARAGOI, EXp. d'Eg. 439 Fig. 6.—CELLEPORA PUMICOSA, Ellis 440 Fig. 7.—TUBULIPORA TUBULOSA, Gm. 440 Fig. 8.—CORALLINA OFFICINALIS, Lin. 440 Fig. 9.—FLABELLARIA OPUNTIA, Ellis; Corallina opuntia 441 Fig. 10.—ACETABULUM MEDITERRANEUM, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 1.—POLTPHYSA ASPERGILUM. Lamouroux 412 Fig. 2.—HYDRA PUSCA, Trembl. Cuv. 431 Fig. 3.—CORYNA MULTICORNIS, FOYSK. Cuv. 434 Fig. 3.—CORYNA MULTICORNIS, FOYSK. Cuv. 434 Fig. 4.—CERSTATELLA MUCEDO, Cuv. 435 Fig. 4.—CERSTATELLA MUCEDO, Cuv. 436 Fig. 4.—CERSTATELLA MUCEDO, Cuv. 437 Fig. 4.—CERSTATELLA MUCEDO, Cuv. 438 Fig. 4.—CORNAL MULTICORNIS, FOYSK. Cuv. 439 Fig. 4.—CRESTATELLA MUCEDO, Cuv. 430 Fig. 4.—CRESTATELLA MUCEDO, Cuv. 431 Fig. 3.—EUNICEA MAMNOSA, Lamouroux 411 Fig. 3.—EUNICEA MAMNOSA, Lamouroux 414 Fig. 4.—CRESTATELLA RUCEDO, Cuv. 435 Fig. 6.—PEDICELLARIA TRIDENS, MÜIL Cuv. 436 Fig. 5.—Isis HIPFURIS, Ellis and Sol. Fig. 5.—Isis HIPFURIS, Ellis and Sol. Fig. 6.—FUNGIA CRASSITENTACULATA, Quoy 415 Fig. 6.—FUNGIA CRASSITENTACULATA, Quoy 416 Fig. 7.—TURBINOLIA RUBBA, Quoy 417 Fig. 6.—FUNGIA CRASSITENTACULATA, Lum. 418 Fig. 10.—MADREPORA ARBOTANDIRES, Lum. 419 Fig. 6.—FUNGIA CRASSITENTACULATA, Lum. 410 Fig. 11.—MILLEPORA ALBOTANDIRES, Lum. 411 Fig. 11.—MILLEPORA ALBOTANDIRES, Lum. 412 Fig. 11.—PENNATULA GRISEA, Gun. 413 Fig. 2.—CURBILLA GRISEA, Gun. 414 Fig. 11.—MILLEPORA ALBOTANDIRES, Lum. 415 Fig. 11.—MILLEPORA ALBOTANDIRES, Lum. 416 Fig. 11.—PENNATULA GRISEA, Gun. 417 Fig. 2.—CURBILLA GRISEA, Gun. 418 Fig. 3.	Plate 19 Fig. 7 CALPE PENTAGON V. Onov and Gav.	m		* *	/L: 1 \	
Fig. 9.—CYMBA SAGITTA, Quoy and Gaym. Fig. 10.—CUBOIDES VITRAUS, Quoy and Gaym. 430 Plate 20. Fig. 1.—ACTINIA CORALLINA. Risso Fig. 2.—THALASSIANANTHOS ASTER, Rup. Fig. 3.—DISCOSMUS NUMMIFORME, Rup. Fig. 3.—DISCOSMUS NUMMIFORME, Rup. Fig. 4.—ZOANTHUS SOCIATUS, Cuv. 433 Fig. 4.—ZOANTHUS SOCIATUS, Cuv. 433 Plate 21. Fig. 1.—TUBIPORA RUBEOLA, Quoy Fig. 2.—TUBULARIA INDIVISA, Lam. Fig. 3.—SERTULARIA INDIVISA, Lam. Fig. 3.—SERTULARIA TAMANINUS, Ellis Fig. 4.—EUCRATRA CORNUTA, Ellis Fig. 4.—EUCRATRA CORNUTA, Ellis Fig. 5.—LUSTRA ARAGOI, Exp. d'Eg. 439 Fig. 5.—FLUSTRA ARAGOI, Exp. d'Eg. 440 Fig. 7.—TUBULIPORA TUBULOSA, Gm. Fig. 8.—CORALLINA OFFICINALIS, Lin. Fig. 9.—FLABELLARIA OFVINTIA, Ellis; Corallina opuntia 440 Fig. 9.—FLABELLARIA OFVINTIA, Ellis; Corallina opuntia 441 Fig. 10.—ACETABULUM MEDITERRANEUM, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 1.—POLYPHYSA ASPERGILLUM, Lamouroux 412 Plate 22. Fig. 1.—HYDRA VIRIDIS, Trembl. Cuv. 431 Fig. 3.—CORYNA MULTICORNIS, FOYSK, Cuv. 431 Fig. 4.—CRISTATELLA MUCEDO, Cuv. 431 Fig. 5.—VORTICELLA OPERCULARIS, BOTY, Rosel de Ros. 435 Fig. 6.—PEDICELLARIA TRIDENS, Müll. Cuv. 436 Fig. 3.—GORGONIA VERRICOSA, Cavolini 417 Fig. 4.—CORSTATELLA MURDIONA 418 Fig. 3.—CORGONIA VERRICOSA, Cavolini 419 Fig. 4.—CORALLIUM REBRUM, Cavolini 410 Fig. 5.—Isis HIPPURIS, Ellis and Sol. 411 Fig. 6.—FUNIA CRUSHERY, Cavolini 412 Fig. 8.—CARYOPHILIA FASCICUATA. Lam. 415 Fig. 8.—CARYOPHILIA FASCICUATA. Lam. 416 Fig. 11.—MILLEPORA ALGICORNIS, Pall. 417 Fig. 4.—CRISTACLARIS, Lam. 418 Fig. 3.—A fragment of VIRGLEARIA MIRABILIS, Müll. 418 Fig. 3.—A fragment of VIRGLEARIA MIRABILIS, Müll. 419 Fig. 5.—VORGLEARIS AUGNEA, Pall. 419 Fig. 6.—PENNATULA GRISEA, Gm. 419 Fig. 6.—ELYORICA ALGONINA RAMOSUM, Quoy 419 Fig. 6.—ALTERTIVEM ENCURIUM, Marsigli 440 Fig. 6.—ALTERTIVEM ENCURIUM, Marsigli 450 Fig. 9.—SONSORIA oct LATA, Pall. 450 Fig. 9.—SONSORIA oct LATA, Pall. 450 Fig. 9.—SON	Fig. 8.—ABYLA TRIGONA, Ohov and Gaven			•		
Fig. 10.—CUBOIDES VITREUS, QLOY and Gaym. Plate 20. Fig. 1.—ACTINIA CORALLINA, Risso Fig. 2.—THALASSIANANTHOS ASTER, Rup. Fig. 3.—DISCOSMUS NUMMIFORME, Rup. Fig. 4.—ZOANTHUS SOCIATUS, CUV. Fig. 4.—ZOANTHUS SOCIATUS, CUV. 4.33 Fig. 5.—LUCERNARIA CAMPANULA, LAMOUTOUX Plate 21. Fig. 1.—TUBIPORA RUBEOLA, QUOY Fig. 2.—TUBULARIA TAMARINDUS, Ellis Fig. 3.—SERTULARIA TAMARINDUS, Ellis Fig. 3.—SERTULARIA TAMARINDUS, Ellis Fig. 4.—EUCRATEA CORNUTA, Ellis Fig. 5.—FLUSTRA ARAGOI, EXP. d'Eg. Fig. 6.—CELLEPORA PUMICOSA, Ellis Fig. 7.—TUBULIPORA TUBULOSA, Gm. Fig. 9.—FLABELLARIA OPUNTIA, Ellis; Corallina opuntia Fig. 9.—FLABELLARIA OPUNTIA, Ellis; Corallina opuntia Fig. 10.—ACETABULUM MEDITERRANEUM, Cavolini; Tubularia acetabulum, Gm. Fig. 11.—POLTPHYSA ASPERGILUM. Lamouroux 412 Fig. 2.—HYDRA FUSCA, Trembl. Cuv. Fig. 2.—HYDRA FUSCA, Trembl. Cuv. Fig. 3.—CORYNA MULTICORNIS, FORSK. Cuv. 431 Fig. 4.—CERSTATELLA MUCEDO, Cuv. Fig. 4.—CERSTATELLA MUCEDO, Cuv. Fig. 4.—CERSTATELLA MUCEDO, Cuv. Fig. 4.—CORYNA MULTICORNIS, FORSK. Cuv. 432 Fig. 4.—CERSTATELLA MUCEDO, Cuv. Fig. 5.—VORTICELLA OPERCILARIS, BOTY, Rosel de Ros. Fig. 6.—PEDICLLARIA TRIDENS, MÜÜL Cuv. 433 Fig. 3.—EUNICEA MAMMOSA, LAMOUTOUX Plate 23. Fig. 1.—ANTIPATHES MYRIOPHYLLA, Ellis and Sol. Fig. 5.—Isis HIPPURIS, Ellis and Sol. Fig. 6.—FENGIA CRASSITENTACULATA, Quoy Fig. 7.—TURBINOLIA RUBRA, Quoy Fig. 7.—TURBINOLIA RUBRA, Quoy Fig. 7.—TURBINOLIA RUBRA, Quoy Fig. 7.—TURBINOLIA RUBRA, Quoy Fig. 8.—CARYOPHYLLA FASCICULATA, Lum. Fig. 10.—MADREPORA ARICOTONIS, Pail. Plate 24. Fig. 1.—PENNATULA GRISEA, Gm. Fig. 2.—VIRGULARIA JUNCEA, Pail. Fig. 11.—MILLEPORA ARICOTONIS, Pail. Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. Fig. 4.—RENLILA VIDLACEA, Quoy Fig. 5.—UMBELLULARIA ENCRINUS, Ellis Fig. 6.—FURGILARIA RUNCEA, Pail. Fig. 6.—FURGILARIA RUNCEA, Pail. Fig. 6.—FURGILARIA RUNCEA, Pail. Fig. 6.—ALCYONIUM ACRANTIACUM, Marsigii Fig. 9.—SOSORIA ov CLARIA, Lamourouy Fig. 8.—TRETITYUM ENCURICH, Marsigii Fig. 9.—SOSORIA ov CLARI			•		•	
Plate 20. Fig. 1.—Actinia corallina, Risso	Fig. 10 -Cupotoke virginia O lov and Go			•		
Fig. 2.—Thalassiananthos aster, Rup. Fig. 3.—Discosmus nummiforme, Rup. Fig. 4.—Zoanthus sociatus, Cuv. 432 Fig. 4.—Zoanthus sociatus, Cuv. 433 Fig. 5.—Lucernaria campanula, Lamouroux 453 Plate 21. Fig. 1.—Tubipora rubeola, Quoy 436 Fig. 2.—Turularia indivisa, Lam. 436 Fig. 3.—Sertularia tamarinus, Ellis 439 Fig. 4.—Eugratra cornuta, Ellis 439 Fig. 5.—Lustra Aragoi, Exp. d'Eg. 439 Fig. 6.—Cellepora fumicosa, Ellis 440 Fig. 7.—Tubulipora tubulosa, Gm. 440 Fig. 8.—Corallina opticinalis, Lin. Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia 441 Fig. 10.—Acetabulum Mediterraneum, Cavolini; Tubularia acetabulum, Gm. Fig. 11.—Polyphysa aspergillum, Lamouroux 412 Plate 22. Fig. 1.—Hydra viridis, Trembl. Cuv. 431 Fig. 2.—Hydra viridis, Trembl. Cuv. 432 Fig. 3.—Corna multicornis, Forsk. Cuv. 433 Fig. 4.—Cristatella mucebo, Cuv. Fig. 5.—Vorticella opercutaris, Boty, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 435 Fig. 5.—Vorticella opercutaris, Boty, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Fig. 3.—Eurica mamosa, Lamouroux 411 Fig. 5.—Suce mamosa, Lamouroux 411 Fig. 5.—Isis hippuris, Ellis and Sol. 443 Fig. 3.—Eurica mamosa, Lamouroux 414 Fig. 6.—Funcia crassitierna culata, Quoy 445 Fig. 6.—Funcia crassitierna culata, Quoy 445 Fig. 6.—Pedia crassitierna culata, Quoy 445 Fig. 6.—Funcia crassitierna culata, Quoy 445 Fig. 6.—Pedia crassitierna culata, Quoy 445 Fig. 7.—Turbinolia rubra, Quoy 445 Fig. 8.—Carpophilla fasciculata, Lam. 446 Fig. 10.—Madrepora arbotines, Lam. 447 Fig. 11.—Millepora alicornis, Pail. 448 Fig. 3.—Eurila violacea, Quoy 449 Fig. 6.—Alicornium arbaniacum, Quoy 450 Fig. 8.—Thetrityum Evencum, Marsigii 450 Fig. 9.—Srosida octlara, Pail. 450 Fig. 9.—Srosida octlara, Pail. 450	1.g. 10.—Coboldes Vilkets, Quoy and Ga	ym.			•	. 450
Fig. 3.—Прасовмия упимировие, Rup. 432 Fig. 3.—Прасовмия упимировие, Rup. 432 Fig. 4.—Zoanhus sociatus, Cuv. 433 Fig. 5.—Lucernaria campanula, Lamouroux 433 Fig. 5.—Lucernaria campanula, Lamouroux 433 Fig. 5.—Lucernaria campanula, Lamouroux 436 Fig. 2.—Tubularia indivisa, Lam. 436 Fig. 3.—Serullaria tamarindus, Ellis 438 Fig. 4.—Eucratea cornuta, Ellis 439 Fig. 6.—Cellepora pumicosa, Ellis 440 Fig. 7.—Tubulipora tubulosa, Gm. 440 Fig. 8.—Corallina opticinalis, Lin. 440 Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia 441 Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia 441 Fig. 10.—Acetabulum Mediterrariamum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Poltphysa aspergillum, Lamouroux 412 Fig. 2.—Hydra fusca, Trembl. Cuv. 431 Fig. 3.—Coryna multicornis, Forsk. Cuv. 431 Fig. 3.—Coryna multicornis, Forsk. Cuv. 434 Fig. 4.—Cristatella mucedo, Cuv. 431 Fig. 4.—Cristatella mucedo, Cuv. 431 Fig. 5.—Vorticella opercilaris, Boty, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 435 Fig. 5.—Sorticella opercilaris, Boty, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 431 Fig. 3.—Eunica mammosa, Lamouroux 411 Fig. 3.—Eunica mammosa, Lamouroux 411 Fig. 4.—Croallium regreu, Cavolini 413 Fig. 3.—Eunica mammosa, Lamouroux 411 Fig. 4.—Croallium regreu, Cavolini 414 Fig. 5.—Isis hippicus, Ellis and Sol. 415 Fig. 6.—Fengia crassitentaculata, Quoy 415 Fig. 7.—Turbinolia rubra, Quoy 415 Fig. 7.—Turbinolia rubra, Quoy 415 Fig. 9.—Astrar calcitellaris, Lam. 446 Fig. 11.—Millepora alcicornis, Pail. 448 Fig. 11.—Millepora alcicornis, Pail. 448 Fig. 3.—A fragment of Virgellaria mirabilis, Müll. 448 Fig. 3.—A fragment of Virgellaria mirabilis, Müll. 448 Fig. 3.—A fragment of Virgellaria mirabilis, Müll. 449 Fig. 6.—Flugilaria iuncea, Quoy 449 Fig. 6.—Thertiyum exercinus, Ellis 449 Fig. 6.—Thertiyum exercinus, Ellis 449 Fig. 6.—Thertiyum exercinus, Ellis 450 Fig. 9.—Sorsolia octlara, Pail. 450 Fig. 9.—Sorsolia octlara, Pail. 450	Plate 20. Fig. 1.—ACTINIA CORALLINA, Risso					. 432
Fig. 3.—Discosmus nummiforme, Rup. Fig. 4.—Zoanthus sociatus, Cuv. 433 Fig. 5.—Lucernaria Campanula, Lamouroux 436 Fig. 5.—Lucernaria Campanula, Lamouroux 437 Fig. 5.—Lucernaria Campanula, Lamouroux 438 Fig. 3.—Sertularia Tamarindus, Ellis 438 Fig. 3.—Sertularia Tamarindus, Ellis 439 Fig. 5.—Flustra Aragoi, Exp. d'Eg. 439 Fig. 5.—Flustra Aragoi, Exp. d'Eg. 439 Fig. 6.—Cellepora Pumicosa, Ellis 440 Fig. 7.—Tubulipora tubulosa, Gm. 440 Fig. 8.—Corallina officinalis, Lin. 440 Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia 441 Fig. 10.—Acetabulum Mediterraraneum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Polyphysa aspergillum, Lamouroux 412 Fig. 12.—Hydra viridis, Tiembl. Cuv. 431 Fig. 3.—Corna Multiconnis, Forsk. Cuv. 431 Fig. 5.—Vorticella opercularis, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria Triddens, Müll. Cuv. 436 Fig. 2.—Gorgonia verricosa, Cavolini 417 Fig. 3.—Cornallium regrexu, Cavolini 418 Fig. 3.—Cornal crassifienta (Lamouroux 419 Fig. 4.—Corallium regrexu, Cavolini 414 Fig. 5.—Isis hippuris, Ellis and Sol. 415 Fig. 3.—Cornal crassifientaculata, Quoy 415 Fig. 6.—Fundia crassifientaculata, Quoy 415 Fig. 7.—Turbinolla rubra, Quoy 415 Fig. 8.—Cartophyllia Fasciculata, Lam. 416 Fig. 11.—Millepora algoriconnis, Pall. 417 Plate 24. Fig. 1.—Pennatula Grisea, Gm. Fig. 2.—Virigularia iuncea, Pall. Fig. 3.—A fragment of Virigularia mirabilis, Müll. 418 Fig. 3.—A regress and serviconnis, Pall. 419 Fig. 5.—Umbellularia encrivus, Ellis 449 Fig. 6.—Pennatula of serviconnis, Pall. 449 Fig. 6.—Alexonium arrandines, Lim. 440 Fig. 6.—Tuetivum encucricus, Marsigli 450 Fig. 6.—Tuetivum encucricus, Marsigli 450 Fig. 9.—Sorsolia oct. Lata, Pall. 450 Fig. 9.—Sorsolia oct. Lata, Pall. 450 Fig. 9.—Tuetivum encucricus, Marsigli 450 Fig. 9.—Sorsolia oct. Lata, Pall. 450 Fig. 9.—Tuetivum encucricus, Marsigli 450 Fig. 9.—Sorsolia oct. Lata, Pall.	Fig. 2.—Thalassiananthos aster, Rup.					
Fig. 4.—ZOANPHUS SOCIATUS, CUV. Fig. 5.—LUCERNARIA CAMPANULA, LAMOUTOUX Plate 21. Fig. 1.—TUBIPORA RUBEOLA, QUOY Fig. 2.—TUBULARIA INDIVISA, LAM. Fig. 3.—SERTULARIA TAMARINDUS, Ellis Fig. 4.—EUGRATRA CORRUTA, Ellis Fig. 4.—EUGRATRA CORRUTA, Ellis Fig. 5.—FLUSTRA ARAGOI, EXP. d'Eg. Fig. 6.—CELLEPORA PUMICOSA, Ellis Fig. 6.—CELLEPORA PUMICOSA, Ellis Fig. 7.—TUBULIPORA TUBULOSA, Gm. Fig. 9.—FLABELLARIA OPUNTIA, Ellis; Corallina opuntia Fig. 10.—ACETABULUM MEDITERRANEUM, Cavolini; Tubularia acetabulum, Gm. Fig. 11.—POLYPHYSA ASPERGILUM, Lamouroux Fig. 11.—POLYPHYSA ASPERGILUM, Lamouroux Fig. 2.—HYDRA FUSCA, Trembl. Cuv. Fig. 3.—CORYNA MULTICORNIS, FORSK. Cuv. Fig. 4.—CRISTATELLA MUCEDO, Cuv. Fig. 4.—CRISTATELLA MUCEDO, Cuv. Fig. 5.—VORTICELLA OPERCITARIS, BOTY, Rosel de Ros. Fig. 6.—PEDICELLARIA TRIDENS, MÜİL. Cuv. Fig. 3.—EUNICEA MAMNOSA, LAMOUTOUX Plate 23. Fig. 1.—ANTIPATHES MYRIOPHYLLA, Ellis and Sol. Fig. 4.—CORALIUM RUBRUNS, MÜİL. Cuv. Fig. 3.—EUNICEA MAMNOSA, LAMOUTOUX FIG. 4.—CORALIUM RUBRUNS, QUOY Fig. 5.—ISIS HIPPURIS, Ellis and Sol. Fig. 6.—FUGIA CRASSITENTACULATA, QUOY Fig. 7.—TURBINOLIA RUBRA, QUOY Fig. 7.—TURBINOLIA RUBRA, QUOY Fig. 8.—CARYOPHYLLA FASCICULATA, LAM. Fig. 10.—MADREPORA ARICORNIS, Pail. Fig. 11.—MILLEPORA ARICORNIS, Pail. Fig. 11.—MILLEPORA ARICORNIS, Pail. Fig. 3.—A fragment of VIRGULARIA MIRABILIS, MÜİL. Fig. 4.—RRAHLA VIOLACEA, QUOY Fig. 5.—UMBELLULARIA ENCRIUS, Ellis Fig. 6.—ALCYONIUM ACRANTACUM, QUOY Fig. 7.—TA large fragmeut of ALCYONIUM RAMOSUM, QUOY Fig. 6.—TRETIYUM ENCURIUM, Marsigii Fig. 6.—FURILARIA ENCRIUS, Ellis Fig. 6.—TRETIYUM ENCURIUM, Marsigii Fig. 6.—50	Fig. 3.—Discosmus nummiforme, Rup.				Ĭ.	
Fig. 5.—LUCERNARIA CAMPANULA, Lamouroux Plate 21. Fig. 1.—TUBIPORA RUBEOLA, Quoy Fig. 2.—TURULARIA INDIVISA, Lam. Fig. 3.—SERTULARIA TAMARINDUS, Ellis Fig. 3.—SERTULARIA TAMARINDUS, Ellis Fig. 4.—EUGRATRA CORNUTA, Ellis Fig. 5.—FLUSTRA ARAGOI, EXp. d'Eg. Fig. 6.—CELLEPORA PUMICOSA, Ellis Fig. 6.—CELLEPORA PUMICOSA, Ellis Fig. 8.—CORALLINA OPTICINALIS, Lin. Fig. 9.—FLABELLARIA OPUNTIA, Ellis; Corallina opuntia Fig. 10.—ACETABULUM MEDITERRANEUM, Cavolini; Tubularia acetabulum, Gm. Fig. 11.—POLYPHYSA ASPERGILLUM. Lamouroux 112 Plate 22. Fig. 1.—Hydra viridis, Trembl. Cuv. Fig. 2.—Hydra viridis, Trembl. Cuv. Fig. 3.—CORYNA MULTICORNIS, Forsk. Cuv. Fig. 3.—CORYNA MULTICORNIS, Forsk. Cuv. Fig. 5.—Vorticella opercularis, Bory, Rossel de Ros. Fig. 6.—Pedicellaria ticidens, Müll. Cuv. Fig. 2.—Gorgonia verricornis, Müll. Cuv. Fig. 3.—Cornicella opercularis, Rory, Rossel de Ros. Fig. 3.—Cornicella opercularis, Rory, Rossel de Ros. Fig. 4.—Corsiatilum redrins, Müll. Cuv. Fig. 3.—Cunica mammosa, Lamouroux Plate 23. Fig. 1.—Antipathes myriophylla, Ellis and Sol. Fig. 3.—Eunica mammosa, Lamouroux 111 Fig. 5.—Vorticella opercularia, Quoy Fig. 5.—Vortia crassifienta dellis and Sol. Fig. 6.—Fundia crassifienta cut. Fig. 6.—Fundia crassifienta cut. Fig. 9.—Astrea calicularis, Lam. Fig. 10.—Maddepolta arbotanolies, Lim. Fig. 11.—Millepora alcicornis, Pall. Fig. 11.—Millepora alcicornis, Pall. Fig. 3.—Eunica alcicornis, Pall. Fig. 3.—Renlla violacea, Quoy Fig. 8.—Caryophyllia fasciculata mirabilis, Müll. Fig. 4.—Pennatula grisea, Gm. Fig. 2.—Virgularia iuncea, Pall. Fig. 3.—Eunica, Quoy Fig. 5.—Vorgularia iuncea, Pall. Fig. 4.—Corsical arbotanolies, Lim. Fig. 6.—Fig. 6.—Fig. 7.—A large fragmeut of Alcyonim aramosum, Quoy Fig. 6.—Tetrityun Evncuricus, Marsigli Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—Syosida oct. Lata, Pall. Fig. 9.—	Fig. 4.—Zoanthus sociacus, Cuv.		•		•	
Plate 21. Fig. 1.—Tubipora rubeola, Quoy	Fig. 5.—LUCERNARIA CAMPANULA, LAMOUR	01132		•		
Fig. 2.—Turularia indivisa, Lam. Fig. 3.—Serularia tamarinus, Ellis Fig. 3.—Serularia tamarinus, Ellis Fig. 4.—Eucrata connuta, Ellis Fig. 4.—Eucrata connuta, Ellis Fig. 5.—Flustra Aragoi, Exp. d'Eg. Fig. 5.—Flustra Aragoi, Exp. d'Eg. Fig. 6.—Cellepora turbicosa, Gm. Fig. 8.—Corallina officinalis, Lin. Fig. 9.—Plabellaria officinalis, Lin. Fig. 9.—Plabellaria officinalis, Ellis; Cotallina opuntia Aller Fig. 10.—Acetabulum Mediterranneum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Polyphysa aspergillum, Lamouroux 412 Fig. 12.—Hydra viridis, Trembl. Cuv. Fig. 2.—Hydra viridis, Trembl. Cuv. 431 Fig. 3.—Corna multiconnis, Forsk. Cuv. 431 Fig. 3.—Corna multiconnis, Forsk. Cuv. 431 Fig. 5.—Vorticella officinalis, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Fig. 2.—Gorgonia verricosa, Cavolini 437 Fig. 3.—Corna multiconnis, Formania 438 Fig. 3.—Corna multiconnis, Policinalis, Müll. Cuv. 439 Fig. 4.—Corallium regrent, Cavolini 440 Fig. 4.—Corallium regrent, Cavolini 441 Fig. 5.—Isis hippuris, Ellis and Sol. Fig. 6.—Fundia crassifientaculata, Quoy 445 Fig. 6.—Fundia crassifientaculata, Quoy 445 Fig. 8.—Caryophyllia fasciculata, Lam. Fig. 10.—Madderona aricotans, Pall. Fig. 11.—Millepora aricotanis, Pall. Fig. 2.—Virigularia iuncea, Quoy Fig. 3.—Eunica marantolies, Lam. Fig. 11.—Millepora aricotonis, Pall. Fig. 3.—Remilla violacea, Quoy Fig. 3.—Eunica of Sol. 448 Fig. 3.—A fragment of Virigularia mirabilis, Müll. 449 Fig. 4.—Renatula rocalea, Quoy Fig. 5.—Umbellularia enernus, Ellis 449 Fig. 6.—Eunica violacea, Quoy Fig. 6.—Tectivum energinum of Alevonim ramosum, Quoy Fig. 6.—Tectivum energinum of Alevonim ramosum, Quoy Fig. 6.—Tectivum energinum of Alevonim ramosum, Quoy Fig. 8.—Thetrivum energinum, Garonim ramosum, Quoy Fig. 8.—Thetrivum energinum of Alevonim ramosum, Quoy Fig. 8.—Thetrivum energinum of Alevonim ramosum, Quoy Fig. 9.—Sorsoria oct Lata, Pall. 450 Fig. 9.—Sorsoria oct Lata, Pall.			•		•	. 150
Fig. 2.—Turblaria indivisa, Lam. 436 Fig. 3.—Serularia tamarinus, Ellis 438 Fig. 4.—Eucratea cornuta, Ellis 439 Fig. 5.—Flustra Aragoi, Exp. d'Eg. 439 Fig. 6.—Cellepora pumicosa, Ellis 440 Fig. 7.—Turbulipora turbulosa, Gm. 440 Fig. 8.—Corallina opticinalis, Lin. 440 Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia 441 Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia 412 Fig. 11.—Poltyphysa aspergillum, Lamouroux 412 Fig. 2.—Chydra vericolis, Porsk, Cuv. 431 Fig. 3.—Controlla opercularia, Boty, Rosel de Ros. 435 Fig. 4.—Cristatella opercularia, Boty, Rosel de Ros. 435 Fig. 5.—Vorticella opercularia, Boty, Rosel de Ros. 435 Fig. 5.—Vorticella opercularia, Boty, Rosel de Ros. 435 Fig. 5.—Vorticella opercularia, Surja, Mil. Cuv. 435	Plate 21. Fig. 1.—Tubipora Rubeola, Quoy					. 436
Fig. 3.—Sertularia tamarindus, Ellis 438 Fig. 4.—Eugratara corruta, Ellis 439 Fig. 5.—Flustra Aragoi, Exp. d'Eg. 439 Fig. 6.—Cellepora pumicosa, Ellis 440 Fig. 7.—Tubulipora tubulosa, Gm. 440 Fig. 7.—Tubulipora tubulosa, Gm. 440 Fig. 8.—Corallina opticinalis, Lin. 440 Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia 441 Fig. 10.—Acetabulum Mediterraneum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Polithysa aspergellum, Lamouroux 412 Fig. 11.—Polithysa aspergellum, Lamouroux 412 Fig. 2.—Hydra fusca, Trembl. Cuv. 431 Fig. 3.—Coryna multicornis, Forsk. Cuv. 434 Fig. 3.—Coryna multicornis, Forsk. Cuv. 434 Fig. 3.—Coryna multicornis, Forsk. Cuv. 434 Fig. 4.—Crestatella mucedo, Cuv. 435 Fig. 6.—Pedicellaria tridens, Müll. Cuv. 435 Fig. 6.—Pedicellaria tridens, Müll. Cuv. 436 Fig. 2.—Gorgonia verruccosa, Cavolini 443 Fig. 3.—Eunicea Mamnosa, Lamouroux 411 Fig. 4.—Corallium regreum, Cavolini 445 Fig. 5.—Isis hippicis, Ellis and Sol. 445 Fig. 6.—Fungia crassitentaculata, Quoy 415 Fig. 6.—Fungia crassitentaculata, Quoy 415 Fig. 7.—Turbinolia rubba, Quoy 415 Fig. 9.—Astrar calicitaleis, Lam. 446 Fig. 10.—Madrepora argiculata, Lam. 446 Fig. 11.—Millepora argiculati, Pail. 448 Fig. 11.—Millepora argiculati, Pail. 448 Fig. 11.—Millepora argiculati, Pail. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renlla violacea, Quoy 449 Fig. 6.—Alevonium arrantiacum, Quoy 450 Fig. 6.—Tretivum envirgum, Marsigii 450 Fig. 9.—Sysosia oct Lata, Pail. 450 Fig. 9.—Tretivum envirgum, Marsigii 450 Fig. 9.—Sysosia oct Lata, Pail. 450	Fig. 2.—Tubularia indivisa, Lam.					
Fig. 4.—EUGRATEA CORNUTA, Ellis	Fig. 3.—Sertularia tamarindus, Ellis					
Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia Fig. 10.—Acetabulum Mediterraneum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Polyphysa aspergillum, Lamouroux 412 Plate 22. Fig. 1.—Hydra viridis, Trembl. Cuv. 431 Fig. 2.—Hydra fusca, Trembl. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 5.—Vorticella operctlaris, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Fig. 2.—Gorgonia verricornis, Müll. Cuv. 437 Fig. 3.—Eunica Mamosa, Lamouroux 438 Fig. 3.—Eunica Mamosa, Lamouroux 449 Fig. 4.—Corallium redrik, Cavolini 440 Fig. 5.—Isis hippuris, Ellis and Sol. 441 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 8.—Caryophyllia fasciculata, Lam. 446 Fig. 10.—Maddrepora arbotanolies, Lam. 446 Fig. 11.—Millepora alcicornis, Pall. 447 Plate 24. Fig. 1.—Pennatula grisea, Gm. Fig. 2.—Virigularia funcea, Quoy 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 449 Fig. 5.—Umbellularia encrinus, Ellis 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Marsigii 450 Fig. 8.—Tretriyum Evncurium, Marsigii 450 Fig. 9.—Sposida oct Lata, Pall. 450 Fig. 9.—Sposida oct Lata, Pall. 450	Fig. 4.—Eucratea cornuta, Ellis .					
Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia Fig. 10.—Acetabulum Mediterraneum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Polyphysa aspergillum, Lamouroux 412 Plate 22. Fig. 1.—Hydra viridis, Trembl. Cuv. 431 Fig. 2.—Hydra fusca, Trembl. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 5.—Vorticella operctlaris, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Fig. 2.—Gorgonia verricornis, Müll. Cuv. 437 Fig. 3.—Eunica Mamosa, Lamouroux 438 Fig. 3.—Eunica Mamosa, Lamouroux 449 Fig. 4.—Corallium redrik, Cavolini 440 Fig. 5.—Isis hippuris, Ellis and Sol. 441 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 8.—Caryophyllia fasciculata, Lam. 446 Fig. 10.—Maddrepora arbotanolies, Lam. 446 Fig. 11.—Millepora alcicornis, Pall. 447 Plate 24. Fig. 1.—Pennatula grisea, Gm. Fig. 2.—Virigularia funcea, Quoy 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 449 Fig. 5.—Umbellularia encrinus, Ellis 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Marsigii 450 Fig. 8.—Tretriyum Evncurium, Marsigii 450 Fig. 9.—Sposida oct Lata, Pall. 450 Fig. 9.—Sposida oct Lata, Pall. 450	Fig. 5.—Flustra Aragoi, Exp. d'Eg.		•			
Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia Fig. 10.—Acetabulum Mediterraneum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Polyphysa aspergillum, Lamouroux 412 Plate 22. Fig. 1.—Hydra viridis, Trembl. Cuv. 431 Fig. 2.—Hydra fusca, Trembl. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 5.—Vorticella operctlaris, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Fig. 2.—Gorgonia verricornis, Müll. Cuv. 437 Fig. 3.—Eunica Mamosa, Lamouroux 438 Fig. 3.—Eunica Mamosa, Lamouroux 449 Fig. 4.—Corallium redrik, Cavolini 440 Fig. 5.—Isis hippuris, Ellis and Sol. 441 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 8.—Caryophyllia fasciculata, Lam. 446 Fig. 10.—Maddrepora arbotanolies, Lam. 446 Fig. 11.—Millepora alcicornis, Pall. 447 Plate 24. Fig. 1.—Pennatula grisea, Gm. Fig. 2.—Virigularia funcea, Quoy 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 449 Fig. 5.—Umbellularia encrinus, Ellis 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Marsigii 450 Fig. 8.—Tretriyum Evncurium, Marsigii 450 Fig. 9.—Sposida oct Lata, Pall. 450 Fig. 9.—Sposida oct Lata, Pall. 450	Fig. 6.—Cellepora Pumicosa, Ellis .			•		
Fig. 9.—Flabellaria opuntia, Ellis; Corallina opuntia Fig. 10.—Acetabulum Mediterraneum, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—Polyphysa aspergillum, Lamouroux 412 Plate 22. Fig. 1.—Hydra viridis, Trembl. Cuv. 431 Fig. 2.—Hydra fusca, Trembl. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 3.—Coryna Multicornis, Forsk. Cuv. 431 Fig. 5.—Vorticella operctlaris, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Fig. 2.—Gorgonia verricornis, Müll. Cuv. 437 Fig. 3.—Eunica Mamosa, Lamouroux 438 Fig. 3.—Eunica Mamosa, Lamouroux 449 Fig. 4.—Corallium redrik, Cavolini 440 Fig. 5.—Isis hippuris, Ellis and Sol. 441 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 6.—Furdia crassifientactlata, Quoy 445 Fig. 8.—Caryophyllia fasciculata, Lam. 446 Fig. 10.—Maddrepora arbotanolies, Lam. 446 Fig. 11.—Millepora alcicornis, Pall. 447 Plate 24. Fig. 1.—Pennatula grisea, Gm. Fig. 2.—Virigularia funcea, Quoy 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virigularia Mirabilis, Müll. 449 Fig. 5.—Umbellularia encrinus, Ellis 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Quoy 449 Fig. 6.—Alcyonium acraniacum, Marsigii 450 Fig. 8.—Tretriyum Evncurium, Marsigii 450 Fig. 9.—Sposida oct Lata, Pall. 450 Fig. 9.—Sposida oct Lata, Pall. 450	Fig. 7.—TUBULIPORA TUBULOSA, Gm.		-			
Fig. 9.—PLABELLARIA OPUNTIA, Ellis; Corallina opuntia Fig. 10.—ACETABULUM MEDITERRANEUM, Cavolini; Tubularia acetabulum, Gm	Fig. 8.—CORALLINA OPEICINALIS Lin	•		•		
Fig. 10.—ACETABULUM MEDITERRANEUM, Cavolini; Tubularia acetabulum, Gm. 412 Fig. 11.—POLYPHYSA ASPERGILUM, Lamouroux 412 Plate 22. Fig. 1.—HYDRA VIRIDIS, Trembl. Cuv. 431 Fig. 2.—HYDRA PUSCA, Trembl. Cuv. 431 Fig. 3.—CORYNA MULTICORNIS, FORSK. Cuv. 431 Fig. 4.—CARSTATELIA MUCEDO, Cuv. 431 Fig. 5.—VORTICELIA OPERCILARIS, BOTY, Rosel de Ros. 435 Fig. 6.—PEDICELLARIA TRIDENS, MÜÜL. Cuv. 435 Fig. 6.—PEDICELLARIA TRIDENS, MÜÜL. Cuv. 435 Fig. 2.—GORGONIA VERRICOSA, Cavolini 413 Fig. 3.—EUNICEA MAMMOSA, LAMOUTOUX 411 Fig. 5.—ISIS HIPPURIS, Ellis and Sol. 415 Fig. 6.—FUNGIA CRASSITENTACLLATA, Quoy 415 Fig. 7.—TURBINOLIA RUBRA, Quoy 415 Fig. 9.—ASTREA CALICULARIS, Lam. 446 Fig. 10.—MADREPORA ABROTANOIRES, Lam. 416 Fig. 11.—MILLEPORA ALGONIS, Pail. 417 Plate 24. Fig. 1.—PENNATULA GRISEA, Gm. 418 Fig. 3.—A fragment of VIRGULARIA MIRABILIS, MÜİL. 448 Fig. 3.—A fragment of VIRGULARIA MIRABILIS, MÜİL. 448 Fig. 3.—A fragment of VIRGULARIA MIRABILIS, MÜÜL. 448 Fig. 3.—A Fragment of VIRGULARIA MIRABILIS, MÜÜL. 448 Fig. 3.—A Fragment of VIRGULARIA MIRABILIS, MÜÜL. 448 Fig. 5.—UMBELLULARIA ENCRINUS, Ellis 449 Fig. 6.—ALCYONIUM ACRANTIACUM, Quoy 419 Fig. 7.—A large fragmeut of ALCYONIUM RAMOSUM, Quoy 419 Fig. 6.—TRETIIYUM ENNCURIUM, Marsiglii 450 Fig. 9.—Spossia oct Lata, Pall. 450	Fig. 9.—FLARRILARIA OPUNTIA Ellis, Cora	llina	onuni	in		
acetabulum, Gm	Fig. 10 — ACREA BULLIA MEDITERRA NEUM	Care	lini			• 441
Fig. 11.—POLYPHYSA ASPERGILLUM, LAMOUIOUX Plate 22. Fig. 1.—HYDRA VIRIDIS, Trembl. Cuv. Fig. 2.—HYDRA PUSCA, Trembl. Cuv. Fig. 3.—CORYNA MULTICORNIS, FORSK, Cuv. 431 Fig. 3.—CORYNA MULTICORNIS, FORSK, Cuv. 431 Fig. 5.—VORTICELLA OPERCILARIS, BOTY, Rœsel de Ros. 435 Fig. 6.—PEDICELLARIA RICEDOS, MÜLL, Cuv. 436 Plate 23. Fig. 1.—ANTIPATHES MYRIOPHYLLA, Ellis and Sol. 437 Fig. 2.—GORGONIA VERRUCOSA, Cavolini 438 Fig. 3.—EUNICA MAMNOSA, LAMOUROUX 439 Fig. 4.—CORALLIUM RUBRUM, Cavolini 440 Fig. 5.—Ists HIPPURIS, Ellis and Sol. 441 Fig. 6.—FURIA CRASSITENTACLLATA, Quoy 445 Fig. 7.—TCRBINOLIA RUBRA, Quoy 445 Fig. 8.—CARYOPHYLLIA FASCICULATA, Lam. 446 Fig. 10.—MADREPORA ARROTANOIDES, Lam. 446 Fig. 11.—MILLEPORA ARROTANOIDES, Lam. 446 Fig. 11.—MILLEPORA ARROTANOIDES, Lam. 447 Plate 24. Fig. 1.—PENNATULA GRISEA, Gm. Fig. 2.—VIRGULARIA IUNCEA, Pall. Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. 448 Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. 449 Fig. 5.—UMBELLULARIA ENGRINUS, Ellis 449 Fig. 6.—ALCYONIUM ACRANIACOM, Quoy 449 Fig. 6.—ALCYONIUM ACRANIACOM, Quoy Fig. 7.—A large fragmeut of ALCYONIUM RAMOSUM, Quoy Fig. 8.—TRETIIVUM ENNUCRICUM, Marsiglii 450 Fig. 9.—Syorsia oct Lata, Pall. 450		Carc	,,,,,	- u	uiari	
Plate 22. Fig. 1.—Hydra viridis, Trembl. Cuv.			•		•	
Fig. 2.—Hydra Fusca, Trembl. Cuv. Fig. 3.—Corna Multiconnis, Forsk, Cuv. 431 Fig. 4.—Cristatella nucedo, Cuv. Fig. 5.—Vorticella opercularis, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Plate 23, Fig. 1.—Antipathes myriophylla, Ellis and Sol. 447 Fig. 2.—Gorgonia verrucosa, Cavolini 448 Fig. 3.—Eunica Mammosa, Lamouroux 449 Fig. 4.—Coralliem regrex, Cavolini 449 Fig. 6.—Fusia ethicipens, Ellis and Sol. 445 Fig. 6.—Fusia ethicipens, Ellis and Sol. 445 Fig. 6.—Fusia crassifientaculata, Quoy 445 Fig. 7.—Terbinolla rubra, Quoy 445 Fig. 8.—Caryophylla pasciculata. Lam. 446 Fig. 10.—Madrepora arbotanoines, Lam. 446 Fig. 11.—Millepora arbotanoines, Lam. 446 Fig. 11.—Millepora arbotanoines, Pall. 447 Plate 24. Fig. 1.—Pennatula grisea, Gm. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 449 Fig. 5.—Umbellularia engrinus, Ellis 449 Fig. 6.—Alevonium arrantiacum, Quoy 449 Fig. 6.—Alevonium arrantiacum, Quoy 450 Fig. 8.—Thetriyum Eyncurium, Marsigii 450 Fig. 9.—Sposida oculara, Pall. 450	rig. II FOLIPHYSA ASPERGILLUM. Lamou	ioux		•		. 412
Fig. 2.—Hydra Fusca, Trembl. Cuv. Fig. 3.—Corna Multiconnis, Forsk, Cuv. 431 Fig. 4.—Cristatella nucedo, Cuv. Fig. 5.—Vorticella opercularis, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria triddens, Müll. Cuv. 436 Plate 23, Fig. 1.—Antipathes myriophylla, Ellis and Sol. 447 Fig. 2.—Gorgonia verrucosa, Cavolini 448 Fig. 3.—Eunica Mammosa, Lamouroux 449 Fig. 4.—Coralliem regrex, Cavolini 449 Fig. 6.—Fusia ethicipens, Ellis and Sol. 445 Fig. 6.—Fusia ethicipens, Ellis and Sol. 445 Fig. 6.—Fusia crassifientaculata, Quoy 445 Fig. 7.—Terbinolla rubra, Quoy 445 Fig. 8.—Caryophylla pasciculata. Lam. 446 Fig. 10.—Madrepora arbotanoines, Lam. 446 Fig. 11.—Millepora arbotanoines, Lam. 446 Fig. 11.—Millepora arbotanoines, Pall. 447 Plate 24. Fig. 1.—Pennatula grisea, Gm. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 449 Fig. 5.—Umbellularia engrinus, Ellis 449 Fig. 6.—Alevonium arrantiacum, Quoy 449 Fig. 6.—Alevonium arrantiacum, Quoy 450 Fig. 8.—Thetriyum Eyncurium, Marsigii 450 Fig. 9.—Sposida oculara, Pall. 450	Plate 22. Fig. 1 - Hyppa virging Trembl Cuy					49.1
Fig. 3.—Coryna multicornis, Forsk, Cuv. 434 Fig. 4.—Cristatella nucedo, Cuv. 431 Fig. 5.—Vorticella opercularis, Bory, Rosel de Ros. 435 Fig. 6.—Pedicellaria tridens, Müll. Cuv. 435 Plate 23. Fig. 1.—Antipathes myriophylla, Ellis and Sol. 435 Fig. 3.—Eunica mamnosa, Lamouroux 411 Fig. 4.—Coralliem redrum, Cavolini 414 Fig. 4.—Coralliem redrum, Cavolini 414 Fig. 5.—Isis hipperis, Ellis and Sol. 415 Fig. 6.—Fungia crassitentaculata, Quoy 415 Fig. 7.—Terbinolia rubra, Quoy 415 Fig. 9.—Astrba calicularis, Lam. 445 Fig. 9.—Astrba calicularis, Lam. 446 Fig. 10.—Madrepora abrotanoides, Lim. 416 Fig. 11.—Millepora alicornis, Pall. 417 Plate 21. Fig. 1.—Pennatula grisea, Gm. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renilla violacea, Quoy 449 Fig. 5.—Umbellularia enerinus, Ellis 449 Fig. 5.—Levonium arlantacum, Quoy 419 Fig. 7.—A large fragmeut of Alevonium ramosum, Quoy 450 Fig. 8.—Thetriyum Energrish, Marsigli 450 Fig. 9.—Storal oculara, Pall. 450	Fig 2 - Hypna wagaa Trombl Cay		•			1.0 t
Fig. 5.—Vorticella opercularis, Bory, Rœsel de Ros. Fig. 6.—Pedicellaria triddens, Müll. Cuv. 435 Plate 23. Fig. 1.—Antipathes myriophylla, Ellis and Sol. Fig. 2.—Gorgonia verricosa, Cavolini Fig. 3.—Eunicea mamnosa, Lamouroux 411 Fig. 4.—Corallium rudrum, Cavolini Fig. 5.—Isis hippuris, Ellis and Sol. 415 Fig. 6.—Fungia crassitentaculata, Quoy 115 Fig. 7.—Turbinolia rudra, Quoy 415 Fig. 9.—Astiba calicularis, Lam. 446 Fig. 10.—Madrepora abuotanoides, Lim. 416 Fig. 11.—Millepora alicuorius, Pall. 417 Plate 21. Fig. 1.—Pennatula grisea, Gm. 418 Fig. 2.—Virgularia iuncea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renilla violacea, Quoy 449 Fig. 5.—Jumellularia enerinus, Ellis 449 Fig. 5.—Umbellularia enerinus, Ellis 449 Fig. 6.—Aleyonium arhantiacum, Quoy 450 Fig. 7.—A large fragment of Aleyonium ramosum, Quoy Fig. 8.—Thetriyum lyncurium, Marsigli 450 Fig. 9.—Storala oculara, Pall. 450	Fig. 3 —Copyria Musicopyris Forsk Cuy	•		•		191
Fig. 5.—Vorticella opercularis, Bory, Rœsel de Ros. Fig. 6.—Pedicellaria triddens, Müll. Cuv. 435 Plate 23. Fig. 1.—Antipathes myriophylla, Ellis and Sol. Fig. 2.—Gorgonia verricosa, Cavolini Fig. 3.—Eunicea mamnosa, Lamouroux 411 Fig. 4.—Corallium rudrum, Cavolini Fig. 5.—Isis hippuris, Ellis and Sol. 415 Fig. 6.—Fungia crassitentaculata, Quoy 115 Fig. 7.—Turbinolia rudra, Quoy 415 Fig. 9.—Astiba calicularis, Lam. 446 Fig. 10.—Madrepora abuotanoides, Lim. 416 Fig. 11.—Millepora alicuorius, Pall. 417 Plate 21. Fig. 1.—Pennatula grisea, Gm. 418 Fig. 2.—Virgularia iuncea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renilla violacea, Quoy 449 Fig. 5.—Jumellularia enerinus, Ellis 449 Fig. 5.—Umbellularia enerinus, Ellis 449 Fig. 6.—Aleyonium arhantiacum, Quoy 450 Fig. 7.—A large fragment of Aleyonium ramosum, Quoy Fig. 8.—Thetriyum lyncurium, Marsigli 450 Fig. 9.—Storala oculara, Pall. 450	T: 4 0					434
Fig. 6.—Pedicellaria tridens, Mull. Cuv. 433 Plate 23. Fig. 1.—Antipathes myriophylla, Ellis and Sol. 443 Fig. 2.—Gorgonia verricos, Cavolini 443 Fig. 3.—Eunica mambosa, Lamouroux 414 Fig. 4.—Coralliem redrum, Cavolini 444 Fig. 5.—Isis hipperis, Ellis and Sol. 415 Fig. 6.—Fungia crassitentaculata, Quoy 415 Fig. 7.—Terbinolia rubra, Quoy 415 Fig. 8.—Carpophyllia fasciculata. Lam. 445 Fig. 9.—Astrba caliculatis, Lam. 446 Fig. 10.—Madrepora abictanoides, Lam. 446 Fig. 11.—Millepora adictornits, Pall. 447 Plate 21. Fig. 1.—Pennatula grisea, Gm. 448 Fig. 2.—Virgularia funcia, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renilla violacea, Quoy 449 Fig. 6.—Aleyonum atrantiacum, Quoy 449 Fig. 6.—Aleyonum atrantiacum, Quoy 449 Fig. 7.—A large fragment of Aleyonum aramosum, Quoy 450 Fig. 9.—Storata octlara, Pall. 450	Fig. 5. Vonstanti appropriate Born Roy	· ·ol.da	. Pag	•		401
Plate 23. Fig. 1.—Antipathes Myriophylla, Ellis and Sol. Fig. 2.—Gorgonia Verricosa, Cavolini Fig. 3.—Eunicea Mammosa, Lamoutoux 413 Fig. 3.—Eunicea Mammosa, Lamoutoux 414 Fig. 4.—Coralliem Redrux, Cavolini 415 Fig. 6.—Floralliem Redrux, Cavolini 416 Fig. 6.—Floria Crassitentaculata, Quoy 415 Fig. 7.—Turbinolia Rubra, Quoy 416 Fig. 9.—Astrophyllia Fasciculata, Lam. 416 Fig. 10.—Madricoral Abiotanolies, Lim. 416 Fig. 11.—Millepora alcicornis, Pail. 417 Plate 24. Fig. 1.—Pennatula Grisea, Gm. 418 Fig. 2.—Virgularia Junea, Pail. 448 Fig. 3.—A fragment of Virgularia Mirabilis, Müll. 448 Fig. 3.—A fragment of Virgularia Mirabilis, Müll. 449 Fig. 5.—Umbellularia Engrius, Ellis 449 Fig. 6.—Alcyonium acranticum, Quoy Fig. 7.—A large fragment of Alcyonium Ramosum, Quoy Fig. 8.—Thethyum Engurun, Marsigli 450 Fig. 9.—Sposid oculata, Pail. 450	Fig. 6. Protection of the Mill Con-	ser uc	1108.		•	450
Fig. 2.—Gorgonia verricosa, Cavolini 413 Fig. 3.—Eunica Mamnosa, Lamouroux 111 Fig. 4.—Corallium rubrus, Cavolini 444 Fig. 5.—Ists htppurs, Ellis and Sol. 415 Fig. 6.—Furdia crassifientactlata, Quoy 115 Fig. 7.—Turbinolla rubra, Quoy 415 Fig. 8.—Caryophyllia fasciculata. Lam. 445 Fig. 9.—Astiba caliculatis, Lam. 446 Fig. 10.—Maddepora ariotranoides, Lim. 416 Fig. 11.—Millepora ariotranoides, Lim. 416 Fig. 11.—Millepora ariotranoides, Lim. 417 Plate 24. Fig. 1.—Pennatula grisea, Gm. 418 Fig. 3.—A fragment of Virgularia inrabilis, Müll. 448 Fig. 3.—A fragment of Virgularia inrabilis, Müll. 448 Fig. 4.—Revilla violacea, Quoy 419 Fig. 5.—Umbellularia engrinus, Ellis 449 Fig. 6.—Alcyonium ariantiacum, Quoy 419 Fig. 7.—A large fragmeut of Alcyonium ramosum, Quoy 450 Fig. 8.—Thethyum Engurium, Marsighi 450 Fig. 9.—Sposid oct Lata, Pall. 450	1 ig. 0 I EDICELLARIA TRIDENS, DIGII. CUV.			•		. 455
Fig. 2.—Gorgonia verricosa, Cavolini 413 Fig. 3.—Eunica Mamnosa, Lamouroux 111 Fig. 4.—Corallium rubrus, Cavolini 444 Fig. 5.—Ists htppurs, Ellis and Sol. 415 Fig. 6.—Furdia crassifientactlata, Quoy 115 Fig. 7.—Turbinolla rubra, Quoy 415 Fig. 8.—Caryophyllia fasciculata. Lam. 445 Fig. 9.—Astiba caliculatis, Lam. 446 Fig. 10.—Maddepora ariotranoides, Lim. 416 Fig. 11.—Millepora ariotranoides, Lim. 416 Fig. 11.—Millepora ariotranoides, Lim. 417 Plate 24. Fig. 1.—Pennatula grisea, Gm. 418 Fig. 3.—A fragment of Virgularia inrabilis, Müll. 448 Fig. 3.—A fragment of Virgularia inrabilis, Müll. 448 Fig. 4.—Revilla violacea, Quoy 419 Fig. 5.—Umbellularia engrinus, Ellis 449 Fig. 6.—Alcyonium ariantiacum, Quoy 419 Fig. 7.—A large fragmeut of Alcyonium ramosum, Quoy 450 Fig. 8.—Thethyum Engurium, Marsighi 450 Fig. 9.—Sposid oct Lata, Pall. 450	Plate 23. Fig. 1 ANTIPATHES MYRIOPHYLLA, Ellis and	Sol.				. 443
Fig. 3.—EUNIGEA MAMMOSA, LAMOUTOUX Fig. 4.—CORALHUM RUBRUM, CAVORINI 444 Fig. 5.—ISIS HIPPURIS, Ellis and Sol. 415 Fig. 6.—FUNGIA CRASSITENTACULATA, QUOY 115 Fig. 7.—TURBINOLIA RUBRA, QUOY 445 Fig. 9.—ASTREA CALICULARIS, LAM. 446 Fig. 10.—MADREPORA ARBOTANOINES, LAM. 416 Fig. 11.—MILLEPORA ALCICURIS, Pall. 447 Plate 24. Fig. 1.—PENNATULA GRISEA, GM. 448 Fig. 2.—VIRGULARIA JUNCEA, Pall. 448 Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. 448 Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. 449 Fig. 5.—UMBELLULARIA ENCRINCS, Ellis 449 Fig. 6.—ALCYONIUM ATRANIACUM, QUOY 449 Fig. 6.—ALCYONIUM ATRANIACUM, QUOY 450 Fig. 8.—THETHYUM ENCURURI, MARSIGH 450 Fig. 8.—THETHYUM ENCURURI, MARSIGH 450 Fig. 9.—SYONGIA OCULATA, Pall. 450	Fig. 2.—Gorgonia verricosa, Cavolini					
Fig. 4.—CORALLIUM RUBRUN, CAVOIM 414 Fig. 5.—ISIS HIPPURIS, Ellis and Sol. 415 Fig. 6.—FUNGIA CRASSITENT ACULATA, QUOY 115 Fig. 7.—TURBINOLIA RUBRA, QUOY 445 Fig. 8.—CARPOPHULLIA FASCICULATA. Lam. 445 Fig. 9.—ASTIBEA CALICULARIS, Lam. 446 Fig. 10.—MADREPORA ABROTANOIDES, Lam. 446 Fig. 11.—MILLEPORA ACCICORNIS, Pail. 447 Plate 21. Fig. 1.—PENNATULA GRISEA, Gm. 448 Fig. 2.—VIRGULARIA JUNCEA, Pail. 448 Fig. 3.—A fragment of VIRGULARIA MIRABILIS, Müll. 448 Fig. 4.—RENILLA VIOLACEA, QUOY 449 Fig. 5.—UMBELLULARIA ENCRINUS, Ellis 449 Fig. 6.—ALCYONIUM ACHANIACUM, QUOY 419 Fig. 7.—A large fragment of ALCYONIUM RAMOSUM, QUOY 450 Fig. 8.—THETHYUM ENVICERUM, Marsight 450 Fig. 9.—STORGIA OCLATA, Pail. 450	Fig. 3.—EUNICEA MAMMOSA, Lamouroux					
Fig. 5.—Isia hippiris, Ellis and Sol	Fig. 4.—Corallium rubrum, Cavolini		· .			
Fig. 6.—Fungia crassitentactlata, Quoy 115 Fig. 7.—Turbinolia rubra, Quoy 445 Fig. 9.—Astriba calicularis, Lam. 445 Fig. 9.—Astriba calicularis, Lam. 446 Fig. 10.—Madreporta arbotanolibas, Lam. 446 Fig. 11.—Millepora alcicornis, Pall. 447 Plate 24. Fig. 1.—Pennatula grisea, Gm. 448 Fig. 2.—Virgularia junea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renilla violacea, Quoy 449 Fig. 5.—Aleyonium arrantiacum, Quoy 449 Fig. 6.—Aleyonium arrantiacum, Quoy 449 Fig. 7.—A large fragment of Aleyonium arransistin, Quoy 450 Fig. 9.—Syorsia oculara, Pall. 450 Fig. 9.—Syorsia oculara, Pall. 450			. '	٠		
Fig. 1.—TURBINOLIA RUBRA, QUOY 145	Fig. 6.—Fungia crassitentaculata. Quov		•	. '		
Fig. 8.—CARYOPHYLLIA FASCICULATA. Lam. 445 Fig. 9.—ASTREA CALICULARIS, Lam. 446 Fig. 10.—MADREPORA ARROTANOIDES, Lam. 416 Fig. 11.—MILLEPORA ARROTANOIDES, Lam. 417 Plate 24. Fig. 1.—Pennatula Grisea, Gm. 448 Fig. 2.—Virgularia juncea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renilla violacea, Quoy 449 Fig. 5.—Umbellularia enering, Ellis 449 Fig. 6.—Alteyonium arrantanding, Quoy 419 Fig. 7.—A large fragment of Alexonium ramosum, Quoy 450 Fig. 8.—Thethyum lyncurum, Marsigli 450 Fig. 9.—Sposida octlata, Pall. 450						
Fig. 10.—MADREPORA ARROTANDILES, Lim. 446 Fig. 11.—MILLEPORA ARROTANDILES, Lim. 417 Plate 24. Fig. 1.—Pennatula grisea, Gm. 448 Fig. 2.—Virgularia juncea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Renilla violacea, Quoy 449 Fig. 5.—Umbellularia enerinus, Ellis 449 Fig. 6.—Alevonium arrhantiacum, Quoy 419 Fig. 7.—A large fragment of Alevonium ramosum, Quoy 450 Fig. 8.—Thethyum lyncurum, Marsigli 450 Fig. 9.—Sposia octlata, Pall. 450			•			
Plate 24. Fig. 1.—Pennatula Grisea, Gm. 448 Fig. 2.—Virgularia funcea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Revoluta violacea, Quoy 419 Fig. 5.—Undellularia enerinus, Ellis 449 Fig. 6.—Aleyonum arrantacem, Quoy 419 Fig. 7.—A large fragment of Aleyonum arrandom, Quoy 450 Fig. 8.—Thethyun Energia, Marsigli 450 Fig. 9.—Sposta oct Lata, Pall. 450	Fig. 9.—ASTREA CALICULARIS Lam	•	. '			
Plate 24. Fig. 1.—Pennatula Grisea, Gm. 448 Fig. 2.—Virgularia funcea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Revoluta violacea, Quoy 419 Fig. 5.—Undellularia enerinus, Ellis 449 Fig. 6.—Aleyonum arrantacem, Quoy 419 Fig. 7.—A large fragment of Aleyonum arrandom, Quoy 450 Fig. 8.—Thethyun Energia, Marsigli 450 Fig. 9.—Sposta oct Lata, Pall. 450	Fig. 10.—MADREPORA ARROTANOMES Lam.		•	•		
Plate 24. Fig. 1.—Pennatula Grisea, Gm. 448 Fig. 2.—Virgularia funcea, Pall. 448 Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Revoluta violacea, Quoy 419 Fig. 5.—Undellularia enerinus, Ellis 449 Fig. 6.—Aleyonum arrantacem, Quoy 419 Fig. 7.—A large fragment of Aleyonum arrandom, Quoy 450 Fig. 8.—Thethyun Energia, Marsigli 450 Fig. 9.—Sposta oct Lata, Pall. 450	Fig. 11.—MILLEBORA ALCICOUNTS Pall.	•				
Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Refilla violacea, Quoy 449 Fig. 5.—Umbellularia encrinus, Ellis 449 Fig. 6.—Aleyoniem agrantiacem, Quoy 419 Fig. 7.—A large fragment of Aleyoniem ramosum, Quoy 450 Fig. 8.—Thethyum lyncurium, Marsigli 450 Fig. 9.—Spongia octlata, Pall. 450	rig. 11.—Milleroka Aleleokats, ran.		•	•		11.17
Fig. 3.—A fragment of Virgularia mirabilis, Müll. 448 Fig. 4.—Refilla violacea, Quoy 449 Fig. 5.—Umbellularia encrinus, Ellis 449 Fig. 6.—Aleyoniem agrantiacem, Quoy 419 Fig. 7.—A large fragment of Aleyoniem ramosum, Quoy 450 Fig. 8.—Thethyum lyncurium, Marsigli 450 Fig. 9.—Spongia octlata, Pall. 450	Plate 21. Fig. 1.—PENNATULA GRISEA, Gm					448
Fig. 3.—A tragment of Virgetlaria Mirabilis, Mull. 448 Fig. 4.—Revilla violacea, Quoy 449 Fig. 5.—Umbellularia enernus, Ellis 449 Fig. 6.—Alevonum acrantiacum, Quoy 449 Fig. 7.—A large fragment of Alevonim ramosum, Quoy 450 Fig. 8.—Thethyum lyncurum, Marsigli 450 Fig. 9.—Sposta oct Lata, Pall. 450	Fig. 2.—Virgularia juncea, Pall					448
Fig. 4.—RENILLA VIOLACEA, QUOY 449 Fig. 5.—UMBELLULARIA ENCRINUS, Ellis 449 Fig. 6.—ALCYONIUM ACHANTIACCM, QUOY 419 Fig. 7.—A large fragment of Alexonium Ramosum, Quoy 450 Fig. 8.—Thethyum Lyncurium, Marsigli 450 Fig. 9.—Spongia octlata, Pall. 450	Fig. 3.—A fragment of Virgularia mirabilis.	, Mül	ll			448
Fig. 5.—UMBELLULARIA ENERNUS, EIRS 449 Fig. 6.—ALCYONIUM ACHANITACUM, QUOY 419 Fig. 7.—A large fragment of Alexonium ramosum, Quoy 450 Fig. 8.—Thethyum Energium, Marsigli 450 Fig. 9.—Sposta octlata, Pall. 450	Fig. 4.—RENILLA VIOLACEA, Quoy					449
Fig. 6.—ALCYONUM APRANTIACUM, QUOY Fig. 7.—A large fragment of AlcYONUM RAMOSUM, QUOY Fig. 8.—Thethyum Lyncurum, Marsigli 450 Fig. 9.—Spongia octlata, Pall. 450	Fig. 5.—Umbellularia encrinus, Ellis					444
rig. 9.—Spongia oct Lata, Pail						449
rig. 9.—Spongia oct Lata, Pail	Fig. 7 A large fragment of ALCYONII M RAMO	SUM,	Quov			450
rig. 9.—Spongia oct Lata, Pail	Fig. 8.—Thethyum Lyncurium, Marsigli	΄.				450
						450











Organ of Natrition in Insects






Organis of Natrition in Insects.

London o Henderson 2 Cld Baley






Organs of Marition in Insects.





Organs of Concretion in Insects






1. Therates is also 3 fire 2 shutanical details of the Megacephala carelina soft 3. Trycondyla aptern son 1. Clemastoma rehigenmonenin seg 5. Colliners modesta For 6. Manticor amoralles a Law 7. Cremdela temipos son 8. Had of the Oxycheda mon shor




Insecta.P1.7.



1. Month of the Anthra seguitator lone 2. Geophipterus multiguitatus, lone 3. Cosmonia serregulen as 2 Eng 8 ver 3 Beachanus, lumer ller 5 Trichognathus noriginatus bin 6 Month 8 Tarsus of the Geberrita americana bin 7 llevel 8 cosselet of the Taphanar olons line 8 Hellan costatus, bin 9 Bripta rajoville, ller 40 Ağısa y lendida bin 31 kolmaylayonna ulata töne






A Marine Comment of the Comment of t

2 is done it is no 1 Cales sulfler s 6 llet is contains

To man I went Contro Mostro a 2 Wet History






1 Coliath barbicornis The Horned Goliath 3 Lucanus sericoinis The servited Lucanus

2 Puprestis scutellatus The armed Buprestis A Ceiona bicornis. The two horned cetonia. S Bispa Margin da The Marginaled Chesnut Fly - 6 Belwas perferata. The perforated Helanis of New Holland 7 Brentus Appendicula us





Organs of Generation in Insects.

London & Menderson 2 Old Pauley





Organis of Generation in Insects

Tester I be As on to be eat.







dealer with sitz en all skeurs




Insecta PLI3



Exagons kinopou hy 2 Oxystemus Sanctedlika ir bar 3 xepticus (meine hy 1 Eireledus y 1800 5 Apatomise (n. 1700 6 Mindreford y for Oxytemus 26 incore kin 1 Maria (inplicible) 3 Aranthus (indiction) (1904 6 incore kin in 2008 10 Minimus (indicendent) Holeid (the littumis (infidence) (1904 6 incore kin in 2007)






I Barpalus (28), C. (20), T. gonastana errelicible, bly 3 Aleinest du Ferrana menicul att. I Richa e Vicus (19), a 19 du Ferrana America e e 3 Capinilates erippe, cha Chindra Eusace (19), Pattalus vintiga, cha Chindra Eusace (19), Richa e Richa e 19, Aleine e Aleine (19), Aleine e Aleine (19), Aleine e Aleine e Aleine (19), Aleine e Aleine e Aleine (19), Aleine e



Animal Kingdom


Insecta Pl %



1 Spheroderus mindirethe cherre! 2 Calosoma integence they 3 Cychrus indices booth. I Fam horns ultriums, but 5 Head of the Pogonophorus. 6 Hinder Tueno of the Felophala. 7 Carabus viti hors tot. 8 Pelecinin examples hick. 9 Masoro us hiratus they 10 Edipe of the proceed Reinhilton.



Insecta, Pl. 16



Elbers as kharmanieri (hav. 2 Bytisens vermonis Bok. 3 Bader leet. For Colymbetes. 1 Bader Joil of the Hydropauns planis Inti. 5 Hygrobia Bermanni Inti. 6 Notecus massicamis (hum. 7 Beliplus elevatus. 8 Cerum (sulcutus De).





Cryans of Generation in Insects

A sile of the control of






Organs of Generation in Insects

walness in the second






Extreparties (2) - 2 a Manda e die Assa que us anna a reachte a caphylineis interereis.

Exe a Lathrichael a de option and a Friedra a consideration. Friedrate Extreme Let 3.

Manda et ha Extreme Let a capability and a capability and a capability and a capability and a capability and a capability and a capability and a capability and a capability.






The set of Promouth (1969). The equiphelastical in the Lecture of the Landing of


•;

An real Kingdom. Inserta. Pl.21.




+ Buper 36. Sucher Let 2 Anatomy of the Buprestry, 290- Fith 3 Buprestry relationaries in expressing following the expression for the such processing for the Teachy's cruentate Feb Melass, hyprosteed - 200

Insecta. Pl. 22.



I Encuentes aquicales dur 2 Previous sustantes la la Anaemic el Anaemic el Medico que la Galba incomercia dur en la Adeline a Analamier ture à Batreleves rigie lles bare 6 Graphytimi chirconde Laur 7. Thurseus demice du la Messacia de Compania en detinable 9 Cyptotosimi, destruccia Ribi 10 del Anaemic Ribi 10 del Anaemic Ribi 10 del Remerchique 8 et en la Labaderia annale, en comer Il Nematodes felium Lote 12 Rail of the Henrichique (Labaderia de Carreles Remait de Lati 11 Rates observatos berrio 15 Campellis en la Cale de Carreles Ribi 10 de come de la Campellis en la Cale de Carreles de la Ribi December de La Carreles de la Campellis en la Cale de Carreles de la Ribi December de La Carreles de la Car







1. Physiodactylus Renumiji Tisch. 2 Vebrio fuseus love 3 Antenna of the Cebrio graps fem. 4 Antenna of the Anclastes Renari Ring. 5 Callichapis Geogra (mein. 6 Annamical devale of the Callichapis Reponite Late. 7, Rhipiecem cyanen, lanc. 8. Internace of the Rhipecers fem. 9 Pubolactyla elaterina Illiq. 10 Elades pullidus Lat. II. Illinder feot of the Secretes. 12 Endrin pulnistris berin.




Insecta.P1.21




1 loya's latissimus Feb. 2. Head of the Dictyopters sanguine a law. 3. Internat of the Omalisms salaradis height 1 lb day flows one female. 5 and of the same species as fig. four 6. Dribs regionlisher, 7. Lamperis shows a que hier 8. Subsame of the Involved Selfey. 9. Introduced deaths of the Chalopherus refricults how: 10 Sins trively how II Matthiams highestatus (the 12 Anatomical details of the Cardyboeves automata, bare.




L.Malachius raficellis Fab. 2 Dasytes tribisciatus bior. 3 Tygia oblema E. 4 Melyvis viridos 5 Melyvis abdominalis F. 6 Pelecophina maredinata bior. 3 Cylulrus Bioparti bior. 8 Tillus rabeiedlis bior. 9 Tillus maposentas F. 10 Princera. II Asama. 12 Eurypus. 13 Thamasimus bombyenus ther 13 Thamasimus bernaramis E. 12 Opto. 16 Theurs Planera Cher 13 Clevias. Alexanas F. 18 Noemba violucia L. 19 Noviolas anticellis F. 20 Europhina viridoponia. birla






I Printis italicus, there 2 Patrlinus serraticerus, ethy 3 Nyletinus polllens stay 3 bare shutourieal debate of the Nyletinus pertunua ethé 4.0chara sugammentis, žiod 5 Doccatiana rabens ethe 6 Gabbium sectios, eth. 7 Soutematus details of the Anahara pertunux 1.8 Attremerories indice their 6 Gabbium sectios, ethe consistent of the Palaceana, ethere 10 Synnexian marke ethe 11 (the capitalic 12 (the sodies cestatas the




Animal Kingdom

Insecta Pl 27.



I Mastigus fissens Kha, 2 Seydmorms helwegii br Lit 3 Anatomical details of the Seydmorms histocollis olel. I Holuloptu polentatu F. 5 Bistey mondibularis (doc. 6 Anatomical olean), of the Histor principalitis. L. 7 Sphorites polehanis F. 8. Seer upharus maritimus Enholis 9 Neuropharus accioun ions. U. 8 Silpha quampira (docr. II Neurolis Internits F. 12 Neuropharus John phlandis), boks 13 Agyrtes antimus F. 14 Scaphidium myreps, (docr. 15 Scaphidium), mondibum (do.






It obbrens nowments Let 2. Themalus marginized by the Continuous details of the Humalus lindudus E. Hps forceute, the Scientific details of the Hps. princetars the let C. Stitchila peruvianisher Telemental details of the Stitchila imperials F. Stevrus policieus de C. Stevrus toman was E. 10 Barne femeralis chev. Il Cryptophagus marginized by R. 12, hadronical details of the Cryptophagus papuli. E. k.


. . . .

Insula 17.29



L'Aspidiphorus orbiculatus (ed. 2 Dermestes ourniverus Ed. 3 Megatom a nodata Est. 4 duates e ical details of the Megatoma tripsciata E. 5 Attageous serva E. 6 Authornts capersors T. Indian ical details of the Susudendeon fasciculare 19 8 Berrhus alpinus ioce 9 Anatonical details of the Byrchus Denni Kirb 10 Temodes hirtus F. H. Heterocerus marginatus Eib 42 Fest of the Byrchus concoler Sturm


Insecta, PL30.



Patamorphilus verentilus voy 2 By ops problem veren like 3 kindemired details verhellims bildeman lim 1 Maximiyelius 7 intervibus, 361-5 Generissus prominente 16 Emphirus andelie kide a kindemired details verhe l'Imphirus kindema lied 8 diatoma verba literatura demante libé 9,16 grey du Ochthelius laboratura met 10 kin transach details virbe Hydroma habaca met 11 Sperchicus adiatus begi 12 diatom verheliad 3 de la previous mane vane lab 13 Chibarra mitali vina, 14 Hydrophilus spanga mus begi 15 Spharadum – Sorten voy



Insecta 17.31




1. Atenchus Agyptierum Late. 2. Anatemical details et the Atenchus succer Late. 3. Circellinin hemisphericum, Late. 1. Coprobins viridis Late. 5. Encysterius fiedus, bair. 6. Ontophagus ratus, bair. 5. Anatemical details of the Ontophagus vacen, Late. 8. Phaneus imperator, thereel. 9. Ontocellus, formesus, their, 10. Copris bellator there II. Aphadius Injunctatus, Edir.



Organs of Motion in Insects.




Signal Kingdom




1 Orecles Cheerelatic biase 2 Agacephala furiationic 3 Scarabaeus menter biase 1 Juntomend de de stylo Scarabaeus gedeen Filo 5 Phileirus enhentus Cheer 6 Besodon extendatus Obever 7 Cyclocephala frontalis theer 8 Juntomerod Jetarls of the Cyclocephala mornatur labo

Animal Kinadom Insecta PI





I Lencothyreus intidicallis baid A Jandonica dieletids of the Amplognathus batteeller von See at utes barbutus hilly. I Apogania genellatu hicky S Mediatus dieletids the electron in Janeses von Scholarbar volganies v. 7. Jahrenne et he disservensy pair latt 8 Ceraspus devonder bei See et val details of the Ceraspus allada vere 10 Avenda kieler Mac Jan II Seene et his manishus details of the Seene exactivities hat 13 Implacephal et airceta base (14 Me).






1 Plectris tamentesa lap 8 ser - 2 Popilia nitrilici (*) 1 ceri - 3 Aussiph (2001) de constituir trens (*) Lepisia enpre da 3eer - 6 (heramatico (*) 2001) - 7 Hoplia tamena Febr - 8 Da bela, dentro (2001)






LGlaphyrns ruppenus börg. 2 Amphroma hunhyhjonnes Bill. 3 Amtenneal details of the Amphroma-Lässern. 4 Anthipus abdominalis Esch. 5 Chasmopterus hurulus, Alby. 6. Pachyenemus crossipes ber. 7 kepitrix abhreviatus. Serv. 8. Monnechelus gennger. Serv. 9. Amsonyus. nasun Biel.




1 Cremastocheilus hietus, beyr & Park, menogr. 2. Inatonical details of the Cremastocheilus eliquatus (lb). 3. Trichius xelra, elb: 1. Inatonical details of the Trichius fuscionic E. 5 Galt ath means, b. & P. (lb). G. Plafygenia vairiea, Mack Loy. 7 Cetonia Baxii 6 & P. 8. Inatonical details of the Cetonia anatas E. 9 (youngts nervosa, b. & P. 10. Macronota agregia b. & P.



Simolendron cylindricum I Ink. 2 (Esalus searchards Enk. 3 Lucanus rime summers wat.
 Platycerus marienhitus bery. 5 Lamprima annakut. 6 Pladidatus Humbi libr v.l. 7 Fassalus pentuphyllus Palis Ilma. 8 Juntaniri al. deturts of m. Passalus mierviiptus. Enk.




Insecta. Pl. 38.




1. Pimeha restitut boy: I Anatomical details of the Pimeha servica, 3 Evodius gibbus Tabe, 1 Tophosis testudinavius ethe 5 Nyeteha baccotri Chere 5 ed Anatomical details of the Nyeteha banaiques bar 6 Hegeter tragminides boy: 7 Tentyvia panetipennis before 8 Alix boysi bore 9 Elemphorus ancereanus baccol 10 Eurychura rugesula bar II Anatomical details at the Eurychura viduta 12 Adeloxtoma rugera boys.






I Tagenta arrentales (1985) I Psammeticus castatus baar 3 Seaucus (1995) e 7 dr. I Scotohius granesus Lacrel 5 Sepulium visitum bay 6 Trachynotus vittatus late 7 Mohrus laterjus (1987)


Annual Kines m. the cta Pl 39




1. Oanca setical kiebe 2. Acanthomera gravita mer lleebet 3. Misolampus lleglinausegin bair 1. Blaps merticagat Edi 5. Menth & Antenne of the Blaps subjects 15th 6. Gomopus thinks bate 7. Anomalipes dentipes, bat 15th 8. Geselet of the Michals villessa (Berbs 9. Sections) breakford more 40 Month & Julianus of the Asyda berigata 15th, B. Tarsus & Internate of the Opatrimus chia tratus lie). 12 Turns of the Belinphilus kispaniens by 13 Pediums globous keye Walnationical dentity of Bilapstans, puriestates 5th 15 Platyscelis jugge Each.





1. Crypticus gibbulns. Sch. 2. Opatrums chingatum; buci. 3. Corticus celits beem. 4. Anatomical denuls of the Orthocerus nuticus bit. 5. Chroscelus bifenestratu. Jum. 6. Toxicum curvicerus. Ober. 7. Boros thenevicus bed. 8. Calcax clengatus. Highst. 9. Upis ceramboides fab. 10. Junitomical details of the Tenchino molitar. Jin. B. Heterotursus tenchricalies baix. 12. Tenchino abscurus. Enh.






1. Amaryginus enprinus, Esch. 2. Spherotus eureipes, Kirby. 3. Helops saturalis, tiem. 4. Ju atomical detail of the Molop's hompes $T\to \mathrm{Loon}$ piniclea. F. 6. Stenotrachelus uneus Int. 7. Strongylium secraticierae (bert. 8 Pithydejers ons F. 9 Cistela serrata (bert. 40 Hallomeims humeralis Lat. Il Jantonered Actaris at the Orchesta microws late.






1. Direcca descelor Fib. 2 Mclandeya rappes, their 3 Serropalpus structus, Late 1 Conopalpus flavicelle, byt 5. Calopus servaticenie, F. 6. Detilus lavis Fisch, 7. Ædemera podagraria Fab. 8. Stenostoma restratum Charp. 9. Myetexus pulverulentus Chevr. 10. Head of the Rhimoma ex attelahoides, F. H. Rhmoximus raficellis F.



Investo F1-17



1 Lagrage (17.6) 2 Statica carabic (18.5) 3 Periodica (16.7) 4 Bupphis (17.7)


ruppennie (16.5) 5 Myndates americany (18.7) 6 Pelecotoma Ir vibites (17.7)

7 Mordella pieta (16.7) 8 Seraptia (16.7) (16.9) Notoxus (18.7) (17.7)

10 Cissites (18.7) Inti-




Insecta.Pl. 15.




1. Interme of the Germania Schriefer Lin 2. He bours in grations (Kerr 3), Interme of the Actina may 12 pointeria (Kerr 4). Intermed May 13 pointeria (Kerr 4). Intermed Actuals, of the Melon because the Rim 8. Tetraming verificities (Kerr 4). Confidence of the Con





I Brachus unregreeller. Edie. 2 Rh.ehus techlere Each. 3.Autherhus Grenetic biocen. d. Attelahus pilvetice bioc. 3.Rhinatia horningteni Kirke. 6. Eurhanus venicus, hior. 7 Fo. atus uslicus lai. 8 Covephalus pirellutus shi 9 Interna et the Placerus emercus Int. Cylins Impicallee Chev.






1 Brachweerns dent to 13 + 2 (vel-1 Cyplins de la Marcha processor de la Serveria de la Companya del Companya de la


Connatus Sch. 3 Cyphus illustric Chest . ther 6 Pachveliva has profumes Each That there 9 Chemers guithatus there or Chlorophanus rando otch

*


Insectu 17 18



1 bornos accus chevrolatu buer 2 Bağanes himidosus (vil. 3 Brachauvus entiment (vil. 1 Balaniuus nurum lin. 5 Heilipus populus 8th. 6 Mendes prenetus (mer. 5 Myartinius albolineatus). 8 Ganes pulveresus Parys. 9 Tachyganus herridus (herr.)




Insecta.Pl. 19.



1. Cholus flave fasciatus, Chere 2. Camptorhynchus flattaurus Geru. 3. Centrinus curvirestris, Chere 1. Zvýob s rahriedlis, Chere 5. Centorhynchus sin Chere, 6. Hydativus camarii, Sch. 7. Danymevus altus Geru. 8. Mecopus terlineatus Guer, 9. Gorýus hispinesus Chere. 10. Telodos ptinicides, byl





Insecta Pl. 50.



1. Anchoms suittus Tob. 2. Rhina burbirestris. Fab. 3. Calandra Guerini, there 4 Calan dr. ctaiteuse, buer. 5. Belorhynus acutus, buer. 6. Cercidocerus nigrelateralis, buer. 7. Cossonns ephippiger, buer. 8. Dryophtorns lyniecilon . Fabr.

9. Trigonotors us calandroides, buer







LScalytus flaviouriis (hev. 2) Jutonuo y the Hybrigus pumperda. 3) Internae et the Camptoc exilis americanies (t). 1. Phototerbus schoe, Lat. 3, Jutonuo of the Torricus bispanies Mo, 6. Patapum Peyer. 6 ibir 7, Mentley the Patapum vehicus, Patapum level of the Patapum vehicus, Patapum level of the Patapum vehicus, Patapum vehicus, Santomoral dende et the Patapum vehicus, americaephalus & Punssus pentaphanadurus II Platychopalus. Melter Box 12, Jutonio et de Casaptevius harpes Boxt. 13 Bestevinos Ilipanies Lat. 14. Cis. imagin. data ther. 13 Neurosama et constituir (d. Neventsum data ther. Theirs.




Insecta.Pl 52.



1. Cucujus mandikularis togy 2 Anatomical details of the Cucujus depressus Eth 3 Brontos spinicallis, birg, 4 Anatomical details of the Brontes fluctures Eth 5, Dendrophagus recentus, Egyk 6, Spondylus hiprostoides, Eth 7 Parandra lineda bogy 8 Prionus Besmarestu biar, 9 Anacolus sanguineus sery 10 Prionapterus singlihimus biar.




In chi Pl 53.



Llissamotus umportatus beri. 2 Megoderus stignia Ede. 3 Tai bydere s'ung especiatus beri. 1 Amatomicod detuds of the Trachyderes succinctus Ede. 5 Lophonoverus barticornis (b). 6 Calliela oma speciosa beri. 1-Ac uithopterus repunctatus bory. 8 Anatomico d'Actudos of the Acuthopterus budenses ber 2 Ontenne of the Cérambyx heros Ede. 10 Anatomical detuds of the Cerambyx, adhebicana, benippena (b).




Animal Kingdom Insects Pl



1 Cerambyx infipence, box - 2 Cerambyx speculifer box - 3 Ferambyx hirery - 26 - 1 Cal hilumingaliceum Zieder-5 Certallum inficelle 5d-6 Oberom feringineum Edi 7 Runoti gas cocamens box - 8 Necydalis major Im - 9 Stempteyns elegans Elag.






1 Acrocinus trochleurs, bory 2 Lamia aurouneta, bory 3. Tetraopes dinidiata, bory. 4. Saperda alhicane barr, 5. Anatomical details of the Saperda atkinsoni fortis. 6. Intermie of the Bistichovera maculicellis hirly. 7. Tinesisterius biomalatus oner 8. Tesigoverus bidentatus, borov. 9. Leptovera bilmeata, bory.


, H

.




I Megalupus mufusciatus, bory 2 Sagra cyunea 2 — 3 dour mical details of the Neiger plendid. F I Orsidaria voluena (bory). I Brimmarchus bipus caine Florder (6 Bunas repuisea cold 7 Junious and details of the Dinarcia suguiaria Eds. 8 Hindor Tarans of the 11 communication of the 92 chances to conseques of the 10 Crimerus Dayreac ainer 11 Am levilla betale Eds 12 Neighsvelta passare. See






LAhremus conditions (e.g., 2 Overephala convenient bion. 3 Hispa Fidericationer.) Adiationly of the first of the Challepus springer-John S. Cassardi. Cyclen on the Challepus in Eds. Galantonical dotads of the Cassardi. Eyeling on the Cassardi. Eyeling or Eds. Table 7. Advances of the Cryptocephalas species us bore Egeling orange. S. Oxthra Percheron, bey 9. Chlamys copyreaching 10 Lumpus and corrasor were II Charrigus sheppints likely, untha pygnicus liebot. Mag bod 471 of the 12 Europe. The new one of the E. Euro-lyus exponents likely.






1 Colaspis illustres there 2 Podoutia affine torm, 3 Phyllochavis hiemeta bure. 4 Phyllochavis splendenes bure, 5 Doryphova multipunetata there, 6 Palpe of the Dovyphova admentifier, 7 Povopsis 8 lineata begs, 8 Timarcha baleariea buge, 9 Chrysomela kumerates begs, 10 Pardan examplerus bure.


12 Prasucurus hamoveriana. Tahe.






LAdminim basale, buer. 2. Anatomical details of the Adminim Injunctation (hor. 3 Galeeness dimidiata (hor. 4. Anatomical details of the Galeenes vibareni Eyek. 5. Antomas of the Galeenes 4 mandata. 6. Unperus cinctellus, there. 7. Anatomical details of the Unperus kinstellus, there. 1. Anatomical details of the Unperus kinstellus, there. 7. Octoborates 4 lineatus, there. 9. Octoborates thereiens. Ever. 10. Octoborates kinglionetes and the vibality of the Psylladdes Anglionet (horr. 12. Dibalia berealts there. 13. Afficial berealth characteristic floor.)

14. Longitarsus dersalis. Eab.




LEcovins bengalensis, biaer. 2 Aegythus sminumensis Kibr. 3 Triplax hemmipes (her. 4. hitemar of the Triplax migripennis Eth. 5. Languri in africatio, there 6. Phalacheus granulatus, bioer. 7 Enmor plus humatus, bioer. 8. Dapsia trimientlata Megerle. 9 Endonychus tihadis (there 10. huttamient dark viile of the Lycoperdina heristar Edit, 11. Lycoperdina lata (there 12. lathophilus refriedlis, Bubl.




1. Coccinella fuertfera buer. 2. Anatomical details of the Coccinella veellata Im. 3. Cacidala litura. Eth. 4. Seymans 4 metatus Illiq. 5. Clypeaster pasillus, fed. 6. Metopias euvealimoides boy. 7. Chemium. 8. Dionix, 9. Pythiaus. 10. Pselaphus hetes i Herbst. 11. Beyaxis Lefebyrii, Jube. 12. Beyaxis langueurus Loroch. 13. Beyaxis Julienturia, Jube. 14. Eupleetus Kiebu, Ilang. 15. Johatem teal details of the Eupleetus kiek. 16. Claviger feverlatus, Mall. 17. Pulluun jusieulare, Herbst.





1 Farticula - y symphon sees, exoceipennis Sees, 2 Amatemical details of the Farticula is exclusive
2m 3 Blatta Theorogus Sees, pieta Eds. 4 Amatemical details of the Blatta O'gene - i Islo. 5 Eurpusa hilipex, Ohrier 6 Amatemical details of the Europusa purperata Islo. 7 Amatemical details of
the Mantis religiosa, bin


*




1 Phasma annulata Ser. 2 Antenna of the Bacillus 3 Read of the Cyphocrana. I Bacteria scalings Park. 3 Anatomical details of the Cladoxovus rescriptinis there.



Insecta Pl. 64.



1 Gyellus Severilla tion 2 Amatomical donals of the Gyellus compositive Eth. 3 Gyellus algorithms before his after 1. Initianized details of the Gyellus partiagness. 5 Triductivitis foreastive book. 6 Meximocophic to accrevious linear. 7 Lacoustic cycliferosomic linear before many forest in the accrevious mains for 3 Accyclium for summer to 10 Amatomical details of the Accyclium magneticina.



1. Sentellera Diess, ther 2. Pentatoma polefusiner 3 Anatomical details (2.6) Fentatoma (2.6).

Late. 1. Les seratoma Somecatif Ser & STars (5 Phasa coxididates Ser & STars (6 Coreas) coolea


some finer, time determine ef the Conocevus. 6, b. Anterior of the Syxemiastics (7. April 1988).

R. Interior of the Hollwarmia (9. Antisos eclas) performs Eth. 10 Mydius minutes (6. Coreas).

H. Neides tymlere - Late.




Animal Kingdom. Insecta.P1.66




Lygens Beyr bure: Indimined debatk of the Lygens apterne L. 3. Macmeherara grander beige. Usabla cycliffore from the Evolution of the Read of the Products travelles. Ed. 6. Astenma increasalists town 7. Myres pulchelius now. 8. Autuma of the Capsus flowedles. Ed. 9. Autuma of the Better spissore is let 10. Macmeephalus officies from II. Internal of the Processor. F. Catenna of the Processor. F. B. Internal of the Tugespeer F. H. Internal of the Active to Ed. Active Innivers. I. 3.6. 6. Attenual of the Tugespeer F. H. Internal of the Active travelles. In Reduction of the Reducti







1 Desmocerus eyaneus Fah. 2 Vespeeus graeus baer. 3 Rhaginus lufusciatum Fah. 1.
Rhammisium saheis Fah. 5. Toxotus meruhanus Fah. 6 Pachyta laportu baer. 1. Steinderus eerambaades liidy. 8. Leptuva annulata bay.



1 Hydrametra Majarerum Inc. 2 Gerri's magninatos baer 3 Velta rivulcium Tibe. 1 Galgulas flurus baer. 5 Naucoris Boyri baer. 6 Automa et the Splacendom's retund da Joyri Sepa grisca baer. 8 Banatra filiformis Edn. 9 Corexa cubar baer. 10 Natomeeta furcata Edn.




Inserta.Pl.68.




4 Coods Americance 2 Fulgora Laddouri Keve 3 Splacina varietata harga. A Crewogethiculus biner 3 Mend of the hystera lamid 6 Bearma americalla biner 4 Poet doptera non alatin biner 8 Bend of the Poet of become bine? 9 Fettigania (to verseens) bit 40 Surpersongo mus biner 11 Mend of the Assas colorginatus & C. Head of the Ottoverus togucheria bines 33 American corner bine 34 Mend of the Decker pathala Eik 5 American characteristics bines 34 Mend of the Ottoverus bines 35 Mend of the Dephas manuta 1

Immat Kingden Insecta Pt. 69.








I blieblida indica Fabr. 2 Ayuqdar of the blieblida depressor har 3 Minder claws of the Exbane of Egypt. 1 Agricos chinensis liner Fabr. 5 Minder claws of the Agricos virgor Fabr. 6 Ayuqda and shattonical details of the Agricos paella har 7 Ephenreva lumbata serv. 8 Larva of its Ephenreva valutat him 9 Ephenrera breeditat. Fabr.




Animal Kingdom. Insecta.P1.7.




1. Nemoptera extensa Aliv. halterata Edsl. 2. Bittacus - tipularius, katr. 3. Anatomical details of the Panorpa communis Lin. 4. Bovens hieraralis, kin.






Organs of Motion in Insects.






Merie de l'accession et l'accession de la Myrine leo fermicarius l'a Ascalaphie literation de la Hemerabin y inquitatie l'édit à Anatony of the Hemerabins of Egypt. 6 Stal is luturius lair.







1 CmO ex Intervies bine: 2 Amatomy of the Perga 3 Schizocera for outa. Fab. 4 Amatomy of the Hylat 3 Amatomy of the Tenthreido, 6. Cladius pullipes kep 7 Amatomy of the Cladius difference 8 Amatomy of the Athalia 9 Amatomy of the Pterygophorus, 10 Amatomy of the Lophyrus II. Amatomy of the Paniphelin. 12 Xyela pusilla Bal. 13 Cephus flavoventris kei 4 Leava & efethi Cephus pigain. 15 Amatomy of the Xyph 16 Amatomy of the Oryssus 17. Sirex kefebere 18 Amatomical details of the Sirex.








Secretary Control




1 Manual Color Conservation of the Color of the Color of the Production of the Color of the Colo




Insecta Pl 77



I Compose recorded to the Laboratory of the Labo




Insecta P1.78.




I Berrans en al 2 Relians markety e Fins 3 Sparising receive Let 4 Gelesus proof come that 5 Philygaster Receive 9 Mynar publichellus Will Televal and detailed the below clutter Rel 8 Interna 2 & Cinctus 9 Chrysis miscionic line 10 Instrument details (the Belyelerum 11 Clepter Receive Lip






Formiva rufu, I. 2, Atta? armigera, but. 3, Cryptocecus atratus, burel. 4-Matilla sense bur. 5, Inatumical detack of the Muttle ephipium bib. 6 Myrmosa inclanicaphula but. 7 Methova relineamenides, but. 8 Tengyra burvi tuli, but. 9. Myzine valvalus, but. 10. Scolia famosa bur. 11. Sapyga varia, but.




Insecta Pl 79.



I Combex Jaurentes face: 2 Juntency of the Perga. 3. Schmac exceptional bulk. I Juntency of the Hy. bit. 5 Juntency of the Tenthrecto. 6 Chalms pathips of kep. 7. Institute of the Chalms difference 8 Juntency of the Athalia. 9 Juntency of the Perception in 30 Juntency of making in Laphyrus. II Juntency of the Pamphalms. 12 Xyela pusilla Ind. 13 Ceptus / Institute of Athalia. 9 Juntency of the Ceptus program is Juntency of the Xyph. 16 Juntency of the Orysius. 17 Sirex Leteker. 18 Juntence of detail of the Nices.




Insceta. Pl.80.



1 Pompilus viatieus T. 2 Splies auraienta, ioni, 3 Ammophilus Apiculis buer. 1 Ampules compressiventeis buer. 3 Pelopicus himitus F. 6 Bembex perusiana buer. 7 Ana temical details of the Bembex. 8 Anatemical details of the Monechila, 9 Lycops, auraienteis buer. 10 Binetus pictus Juni.




Insecta.Pl.81 Immal Timadom.



1. Astata large Spin 2. Oxybelus unighmus Fab 3 Trypoxylon figulus Lat 4. Corytes nv. tacens lat 3. Crabro cephaletes L. 6. Mellinus arvensis L. 7. Psen ater Lat 8. Arstomical details of the Phillanthus androgenus Resse 9 Corcer's Infasciata over 40 Anaterneal details of the Corcevis late F






I Colombe: apafernis, Lat. 2. Geramms fenscelembir Klug. 3. Synagris bilida bio. I Emmenes Suvignyr bide. 5. Odymerus eleganis bide. 6. Polistes Lefeberii bidi. 7. Polistes melularis. Edb.


Landen, 6 Hendersen 2 Old Bailey






1 Andrena femerale, biner vica 2 Anatomical details of the Andrena beriev (int 3 Norma erasorpe vica 4 Panniegus ater bat 5 Xylacopa auripennis Lep 6 Geratina viridis vicer 7. Megachile centencedavis 1/8 Anthalum diadenca bate. 9 Collegys entipes (iner table 40 Anatomical details of the Collasys vicins (int





LEpeolus viriegaties 1/2 Crocisa pulchella (har 3 Melliturgs chavicerius Jar. E.Anthophora quealis (har Caba 5. haitemical details of the Anthophora flowerthana hirly 6 Centris elypeata Lepel 7 Macroc era Lismeria (hier Cuba



1. Acauthopus sydenasta, Kase - Englassia dantata ha 3 Bombus Pahlhemiri bine - EApis Adama, a réal - gastemi et latado gérilo Apis mellifica L. 6 Meli muni telefrati bine - m² - 1 Gamba ficar ya 1964




Annual Kingdon Insecta Pl.86.

Organs of Sensation in Insects


Living Salar Color






Organs of Sensation in Insects

31-m - 25-47 - 1 - 1 - 1 - 1






1 Papalio Parente (1984) 1 2 diany ellar 8 chrysolio of the Papalio machinerik.

3 Parina sams plante o haby diala d. 1 Thats recess, riedard.






1. Precis thrent Godas — 2. taterpoiste — 3. Heliconia konsisterija Godas — 1. Danaida — 2007 a.d. a.d.




Insecta Pl. 90




I Vanessa con to the second of a system of the following the Argenius paplica (2000) I symptoms (the color) between the through the Argenius of the Symptoms (the Color)






1 Satyrus Biold (Bood 2 Coterpillars Chrysolles & Satyrus (action) of S. 3 Emmenta fiscal technical (1 Erybia constitue technol)






between the part of the part of the T Brits 2018 and the part of the T Brits 2018 and the T B






1 Crama Terrahval (n. 2 Hesperia) subadius Tile 3 datripillar & Chrysilic & Hesp tawes File 1 datripillar of Hesp Linea Fab






1 Erycma virginiensis Rossl. 2 Paterpillar this odis & Ambeny of the Erycma Incina. 3 Myrma Juffra Bedard. 1 Polyommatus Phee Berol. 5 Caterpillar & Chipsalis of the Polyommatus prairi Godard. 6 Zephyrms unior Balin. 7 Juntony of the Polyommatus resus bedard. a Experim berst.



Insecta Pl.91.




1 Sphin: prominenture Bdi 2 Smerinthus ie Bde

3 Sees a a celeprenes Tile


Teacher of Henderson 2 Old Backs





1 Hepadus Injudinio Fér 2 Cossus Manuerra Bhe 3 Interpellar of the Cossus lamper da Fib. 1 Stygia austrolis Isto 5 Zeuzera scalairo Ionov 6 Enerpellar of the Zeuzera assenti Fib. 4 (accipiller of the Hepadus humidi Fib

.




1 Agarista (*16), 166 - 2 Taleepillar & chev. The Cole Agarista physical Sections Teacher Godard. 1 Castara Area order 166






l Thyris sepulchialis Ibh. 2 Ægovers rectifica a Ibh. 3 Argena pulchella Ibh. 4 Argena filipendida Im. 5 Provis nebulesa. Ilha 6 Syntomis nyades Ibh. 7 Syntomis phagea Ibh. 3 Alychia paneda (bh.ba) (—9 Caterpilla) & thysoder 4 the Aglaspe refunda 10 Glancopis Ibhliu Feet. Il Aglaspe americana Ibh.






1 Saturma bauhaner lide 2 Caterpillar of the Saturma lina bab 3 Chazadis et lice Sasorius (20) venia nunor line 4 Bombyy digramma, lide 3 Caterpillar of the Bombyy pensylvanica bib 6 Lazareampa probessiolog lide






1. Chelmia evidens like 2. laterpillar of the Chelmia untitis. like 3. Instruction details of the Chelmia chrysorhura 4. Callimorpha Lecentei 5. Bieramoura horeatic like 5. kilhosia heta like 7. kilhosia lutee la. 8. laterpillar of the Lithosia pulchella 9. Platypterix globularine like





L Sericaria rumi ceps Bib. 2 Caterpellar of the Sericaria to sellata Bib. 3 Notodonta zecore lm 1 Orgvia detrita Bib. 5 Caterpellar & Chrysalis of the Orgvia genestiquia Bib. 6 Ismacodes delphani Bib. 7 Caterpellar of the Ismacodes strigata Bib. 8 Caterpellar of the Ismacodes indetermin ata. 9 Psyche calvella Urbs 40 Parts of the Caterpellar of the Psyche natidella






1. Norther Association of Section 1. Excluse Innoversal Edit Section of Evolusion of Evolusion of Evolusion and Edit Section Red Control of Edit Section 1. Section 1




Annual Kinadem




1 Phabena machaonarra like 2 Phabena guttaria like 3 Amitemy of the Phabena farillace like 1 Cotopillac of the Chabena greendariate 1, 5 Hermana sidemia trum 6 Head of the Hermana retissate 8 hb 7 Botos almost dis 18 Stead of the Botos camadalis like 9 Hodiocampe again dis 18 10 Cotopillac of the Wolforampe gyanficata Lat. II Anglossa dilacidate like 12 Galleria versame 86 E ratopillac of the Galleria velsuella like 11 Crambus virusalis like 15 Just one of the Crambus virusalis like 15 J





1 Muerta a meretta Rabu 2 Emplocamus authraciano Raba 3 Turca laperaria La variacio la Turbuniciane entre e l'Ilifan camica lati 1 a le diactore e il primare e e e e 5 Nponomenta principal me la capital a schoyacidico e Viginancial Roba (Republica Legisla) e e la categorida e la Republica de la capital e e e e categorida e la Republica de la Principal de la Republica de la Rep


· · .




1 Dixa nebulicsa Meig. ? Chionesa acancades Italia. 3 Rhyphius fenestealis, Seep. 1 Platyura Threpost Meig. 5 Mycetolisa theracica bibs. 6 Sunulium cenatum Meig.


7 Dilophus theracious mir 8. Anatomical details of the Rebio venosus. Mog






1 Sydaps Balu dwe 2 Anopheles bifur etns L. 3 Covethya planuccerus Meg. 4 Antenna of the Chromonus 5 Psychosla palustris Meri. 6 Ctemphora festiva Meg. 7 Beadof the Tipula 8 Rhipidia maculata Men. 9 Limnohra ceellaris Z






I Laphyva hirticurus, bur 2 Anatomicul details of the Laphyia myra May 3. Ominatius conopscules, Wiel 5. Interne of the Basynogon, 6. Whos flowpes May 7. Rhamphonyia pennata May 8 Tachydronyia siens arrogans Lin 9 Banaps accelliger, Wiel, 10. Oğcodes yildesin Mey A. Latenne of the Axilis.







 Toxophora maximum Serv. 2 Visia area foit. 3 Phthiria) ulterra flog. 4 Sombylius terrolog. net. 5 Ploss historica cont. 6 Anthras maximum elim. 7 Nemestrina compressiva their.




Thereva antimis Man. 2 Atherix mis Aira A Lepus Scrille's Cure 4 Dolichopus angulatus Fab.
 Medeterus metanis Fab. 6 Platypera seg nar hepel 7 Pipunculus annipa aris Man. 8 Sceno pinus vinestralis Fab.






1. Tabanus hims Gaer 2. Pangoma moregonus (2015 Cluy ops).
tantea mar 5 Mydas bonariensis Seri 6 Anti-Series (2016 et al. 2016
: Heemat spora Zoor Z. Chirosopyza






1. Hermetia simplicas over 2 Aesithomera Mereller (nov. 3 Header the Aeuth posa Werel. 4). Head of the Berns 3 Cyphomyra mariflamor (Br. C. Strationis) accounts for am for 7 Ephip piun thoraxionis Mereller (Mereller), the Oyvera 9 Annomical details of the Sargus Reaumari Alegy 10 Chrysochlura hier (now Weal 11 Annomical details of the Vappo 12 Diera nophoraxiosis era Weal.)





I Volucella hombielaus May 2 Helaphilus andienus time 3 Syrphus van judinists time; A Anatomical details of the Syrphus science inniceder time 5 Paragus briefer Lat 6 Chysadismus arruntum May 7 Cera Conceps wides, Mery


London G Undersch 2.Old Bailer




1 Aphritis apifermis de ber. 2 Merodon equestris, Mig. 3 Xylota equis 2. 4 Head of the Tropidia. 5 Milesia speciesa lide. 6 Pipixa fascada. May 7 Rhingia compestus Mor




Insectu Pl 112



l Cuterobra *apicalis Guir.* 2. Edemagena *tarandi li.* 3 Hypoderma *toris F.* 4 Cephalemyia *eris li.* 5 Astrus *apic.l. 6* Conops *rulipes F. 7.* Myopa *variegata Meig.* 8 Stomoxys *calcutrans. li.*




Animal Kingdom . Insecta PLH3.




Echymonyia grassa Eth. 2. Gymnosmoa retankita Eth. 3. Milhigramma punetitu Meja. 4. Phasia brachyptera Meg. 5. Jacoba mirabilis. 6. 6. Calliphova venitieria L. 7. Head of the Achias ordalitis. 8. Leye tentra adata Meg. 9. Authomyra pluvialis. L. 10. Ephydra recitarisis. Meg. 4. Indigeneral details of the Ephydra Sydebia Med.






1 Thyreuphura eguighthi Bine 2. Scatuphago Stereornia 1/3 Jutenna of the Sphaerocera I Sapromyza hemituevis, Mooj 5/0 scrius (chlurgy) hypictinian Stere 6. Sepedon sphegens Juli 7. Labolata hemisplene rapierps bine. 8 Diopsis havanias boor 9/Diopsis atriapillus bine. 10 Juntennial devals (chlur Sepsis minulgus) stere 1/3 Septictus obtiqua on 12 Junte minulal dioxide (biologica berghiri) (chlur second).





1 Platystoma lieta, buer 2-Celyphus obtectus, bula, 3, Phora abdeniumlis, bul. 4, Anatoni ed details of the hyppobosca equana 2, 5, Oranthomyia chilinosis buer 6 Anapera tangera buer 7. Stemopterey, hierarchius book 8 Melophagus eximes 2, 9, Vyeteryhia ffischwodii buer 40, bultumia d diricily et the Syeteryhia sylvesii bist.







1 Asterias aurantiaca, km.

2. Comatula carinata. Jam?

London & Henderson, 2 Old Butter




Zeophytes Pl 2.




1 Echinus esculentus, Jin 2 & 3 Floriceps sarcuta, liv 4 Stephanomia uvaria, les London, 6 Hendarem 2.04 Budev.







4 Echimes verticellatus Lum - 2 Echimeneus senielunaies Lum - 3 Galerites corfusciatus Lum 4 Senvella historpeia Tuno - Almasa i covolumi Lum - 6 Spatunous pilosus Sal.






1 Holothuria phantegrus. Im. Mull. 2. Holothuria squamata. Mull liw. 3 Holothuria eleganis. Mull liw. 1 Holothuria fusus Mull. 5. Holothuria eucumer Risse 6. Holothuria eucumer Less. 7 Holothuria ria edulis Less





I Minyak (1996) 2 Propost (1997) 200 # 17 m 1 2







I. Bonellia (1994). Rel. 2. Thalassenia neptani netturi. L. Thalassenia Palla


3 Echiums Internal Of I February, one Police A steamispus therbis emergles the





Fibaria medinenses, 66a. 2. Trichocephalus dispur. Rod. 3. Oxynrus curvula Rod. 4.
 Cucullamis elegans. Rod. 5. Ophiostoma sphwraeephala Rod. 6. Ascaris lumbricades. 1.






1 Stronglus gigus, Rad. 2 (Spriopherm), vasialinius, Rud. 3 (Presidopherms chaisus, Rad. 4 Liardynchus denticularus, R. S. Eugenstalls (reviewless, R. 6), Linguatula, vus notes (

7. Priorone rust ascar each a Kad






(4) Conservation Conservation of Lemma multiversity in Penella alivoround (1) Sphyrian conservation of the servation of American Conference of Branchestla Myrian in 7 Clavella (1) 12 (2) 12 (2) 13 (2) 14 (2) 15 (2) 15 (2) 16 (2) 1




Zoophytes, PLIO




1 Echinorhynchus gigas, im. 2 Haruca muris, im. 3 Amphistoma lingicollis Bl Caryophyllaus mulabilis Fl. 5 Monostonia Bl. 6 Fascrola hepatica I. 7 Polystonia integer runum. Rad - 8 Polystom a pragnicela: 9 Cyclocotyles Pellones. the 10 Fr.stoma feccincum.

Anumal Kingdom Source 2011



: Rectacotile ectopodes - 2 Aspidogaster conchecta Bair 3. Panaria curintiava Risso 1. Planaria cornuta Mall. 5 Planaria luctea Mall. 6 Prostuma elepsiavides Ingos 7 Deros tuma netaps. Diars. 8 Vertumnus thethidicela One






1 Lower Low Roll on 2 Tone restorm Lower - West of the Both worsenhalms committee Bl

I Jubotherochembus Landeyar El






1. Florreeps coollatus. 2. Tetrarhynchus imqualis. 3 Tentacularia Bescu. 4. Cysticevens pisciformis. 1. 5. Cysticevens finna. Hum. 6. Acrostoma amuii. Iesam.

7. Cammens cerebralis, 6m. 8. Echinococcus. 9 Ligula simplicissima Bl.







Pelagia panopyen, Term. 2. Cyanwa Labiche, Oug & barm.
 Equares genegraninin, Cug & barm.

Zondon wHenderson 2 Old Bulley






1. Rhizostoma aldrevandi Bisse, frem a dom? ef M Imrillard.

2. Cassiopea burhonica, bellechinic, fur.

London 6.Hinderson 2 Old Builey.




Zoophytes Pl 10.



1 Berenice energy therma Brea - 2 German probes white Trest 3 Cephen paparasis - 1880

I make a thember of the section






Cherocycles on 2 Berne 25 extraord - Alberta of the English Laffanita

Control Res 5 Normal second for the instrument of the English




Zarydestes 17 18



1 Cestum venerus Insmin 2. Porpita chrysocoma Ins 3 Velella linchosa Inni


London & Hender son, 2 that Butter






I Physialra adamtica, Less. 2. Physiophoxa distreba, Loss. 3, Physiophoxa aicea, Lour. 1. Hippopodius Interas, Coya Goro. 5, Ruxophixa heliandra (toya 6 norm. 6. Diphra dispara bew. 7. Calpe pentaguna, Coya 8 norm. 8, Alyla trigicaa, Coya 8 norm. 9. Cymba sanitta (toya 6 norm. 10. Cubadies vitreus, Coya 8 norm.







LActining conflicts for the Thalassian and the way to the communication of the formula contains on Alas contains the Alas contains and the Alas contains the



Animal Kingdom . Zooplates 1930




I Tulip as rubeola (luge 2 Tuliilaria m.) — Lem 3 bestuleri stancier! — S. 116. . tea ceruita III. 5 Factia Importer delle celle a expansione II. 5 Factia Importer delle celle celle a expansione II. 5 Factia Importer delle celle
,				



1. Herit v svendrs, Trembl. (nv. 2. Bydra pisca. B. v.c. 3. toryna multicomis. Eastern. 4. (vista. fella mucedo, do. 5. Vocticella operatives. Boy. Revel. 6. Boli ellava tridens. Mell. (no.




Animal Kingdom. Zoophites, Pl. 24.



Antipathes increptivita Ellis A 5ot. 2 Gorgania vermi asia (acet. 3 Emices manimosa, baneni.
 Corallium rubran tasel. 5 Isis happaris. Ellis 8 5et. 6 Fingis crassitationalitata (2008). 7 Enrichmola rubra (2008). 8 Cargophyllia fasciculata bani. 9 Astrea caliendaris. bani. 10 Madrepora abrotamoribe et am. 13 Millepora abrotamoribe.





1 Pennatula grava 6met 2 Virgularra juncoa Fall 3 v fragilica et da Virgularra micabilis Medi 1 Reutla violacen, fing 5 Undiellutarra energina klas 6 Messarum amantiacem (hig. 1 a kerge rag ment of the Meyanum amassam (hig. 8 Thethyrin Kriemenera (hig. 9 Spongas violata Talia 10 Spongas mentes 14).







Z. P. METCALF

